

4" Submersible Series

DEPENDABLE OPTIONS FOR ALL APPLICATIONS





Goulds Water Technology



Goulds Water Technology

Residential Water Systems



PRODUCT LINE OVERVIEW

Performance Ranges

1 - 120 GPM • ½ to 10 HP

Trusted CentriPro Motor

2 and 3-wire NEMA Standard all stainless water-filled motor, tested in the toughest conditions

100% Performance Tested

Trusted performance out of the box


Smart Label

Bearing

Pump and Motor part numbers Serial Numbers Assembly Date and Time Performance Test Data



Engineered Polymer



Materials of Construction

	HS	G	GS
Check Valve Type	Composite	Composite	Stainless
Discharge Head	Composite	Stainless	Stainless
Motor Adapter	Composite	Stainless	Stainless
Diffuser	Lexan	Lexan	Lexan
Bowl	Stainless	Stainless	Stainless
Impeller	Noryl	Noryl	Noryl
Strainer	Composite	Composite	Stainless
Hex Shaft	304SS	304SS	304SS/17-4Ph
Casing	Stainless	Stainless	Stainless
Cable Guard	Composite	Composite	Stainless

Series

Engineered Polymer

Engineered Polymer

FEATURES			
FLATURES	HS	G	GS
GUARDIAN System	N	N	Υ
QUAD-LOCK Technology	Υ	N	N
Trimline (Reduced Diameter)	N	Υ	N
High Capacity Models Available	N	N	Υ
50 Hz/60 Hz	Υ	N	Υ
Floating Stack	Υ	Υ	Υ
Repairable	N	Υ	Υ
Agency Listings	CSA/CUS	CSA/CUS	CSA/CUS
NSF61 Certification	Υ	Υ	Υ
VFD Capatible	Υ	Υ	Υ
Lead Free	Υ	Υ	Υ
Built in USA	Υ	Υ	Υ
Performance Tested	Υ	Υ	Υ
Smart Label	Υ	Υ	Υ
Warranty	42/66 months	42/66 months	42/66 months

GWT EXCLUSIVE AND PROVEN FLOATING STACK HYDRAULIC DESIGN

Proven for over 5 decades with the most reliable sand handling and abrasion resistance.

Benefits of Floating Stack:

 Rotating components are not in contact therefore parts will not wear resulting in extended life and sustained performance over time.



Noryl Impeller:

Reliable polymer material to overcome abrasion damage

• Can run dry without wear or damage to the pump

• Allows sand and abrasives to pass easily

Dual Surface Up Thrust Washer:

Prevents rubbing of components during up thrust

Lexan Diffuser:


High Abrasion resistance for longer life in harsh applications

AISI 304SS Stainless Steel Bowl:

Provides maximum corrosion resistance for longevity



GS SERIES



Dual Safety Loops: helps ease the installation of a safety cable without

Premium Quality Stainless Steel Internal Check Valve: helps

-The Guardian® System

Includes an engineered polymer bearing which is resistant to damage from sand, abrasives and over-

Years of field-proven reliabilty and durability in some of the world's toughest submersible pump

GS HIGH CAPACITY - GS EXTREME SERIES

BOTH FEATURE THE GUARDIAN® SYSTEM AND PROVEN INTERNAL COMPONENTS OF THE GS SERIES



GS High Capacity

Designed for residential, small municipal water supply as well as light irrigation applications.

Performance Ranges

- 1-10 HP
- 10-120 GPM
- Head up to 1250 feet
- Field serviceable
- 2" NPT discharge to accomodate higher flows



GS Xtreme[™]

Designed for extreme sand handling and coal bed methane extraction. This series is the deepest set within the Goulds Water Technology's submersible services.


Performance Ranges

- ½-10 HP
- 1-100 GPM
- Welded casing joints for Xtreme strength
- Features **upthrust limiter** to prevent damage due to upthrust
- Engineered polymer bearing for strength abrasion heat resistance
- Optional GWT Xtreme Duty motor is rated for continuous duty in 86°F water. Features silicon carbide mechanical seal and diaphragm filter to help prevent sand/debris entry.





Upthrust Limiter





ABOUT GOULDS WATER TECHNOLOGY

Goulds Water Technology, a Xylem brand, is one of the world's leading brands in residential and commercial water products. The brand began in 1848 in Seneca Falls, NY, when Seabury S. Gould purchased a pump making business. Today, Xylem's Goulds Water Technology brand is a leader of residential, commercial and agricultural products globally.

For more information on residential water products and applications, visit http://residential.goulds.com/





Xylem Inc. 2881 East Bayard Street Ext., Suite A Seneca Falls, NY 13148 Phone: (866) 325-4210 Fax: (888) 322-5877

www.goulds water technology.com

Goulds is a registered trademark of Goulds Pumps, Inc. and is used under license. © 2018 Xylem Inc. BR4INGBB R1 January 2018