


INSTRUCTION SHEET

L5-DCD23

L5 DOCUMENT CAMERA DRAWER



THANK YOU

Thank you for purchasing the L5-DCD23 document camera drawer.
Please read these instructions thoroughly before installing or assembling this product.

PRODUCT FEATURES

L5-DCD23

- 23.5" Depth X 21" Width
- Left or right frame installation to align with wood kit.
- Weight capacity 50 lbs.

SAVE ALL INSTRUCTIONS / CONSERVER CES INSTRUCTIONS



WARNING/AVERTISSEMENT and the exclamation point within an equilateral triangle is intended to alert the user to the possibility of serious injury or death if the instructions are not followed.
Avertissement et le point d'exclamation dans un triangle équilatéral est destiné à alerter l'utilisateur de la possibilité de blessures graves ou la mort si les instructions ne sont pas suivies.



CAUTION/ATTENTION and the exclamation point within an equilateral triangle is intended to alert the user to the possibility of damaging or destroying the equipment if the instructions are not followed.
Attention et le point d'exclamation dans un triangle équilatéral est destiné à alerter l'utilisateur de la possibilité d'endommager ou de détruire l'équipement si les instructions ne sont pas suivies.



WARNING: Failure to read, understand and follow the following information can result in serious personal injury, damage to the equipment or voiding of the warranty.

AVERTISSEMENT: Ne pas lire, comprendre et suivre les informations suivantes peut entraîner des blessures graves, des dommages à l'équipement ou de la nullité de la garantie.



WARNING: Exceeding the weight capacity may result in personal injury or equipment damage. The combined weight of all components attached to the mount must not exceed weights listed on page 3.

AVERTISSEMENT: Dépassez la capacité de poids peut entraîner des blessures ou des dommages matériels. Le poids combiné de tous les composants reliés au support de montage ne doit pas dépasser les grammages indiqués à la page 3.



WARNING: Be aware of pinch points and do not place fingers in between moving parts.

AVERTISSEMENT: Soyez conscient des points de pincement et de ne pas placer les doigts entre les pièces mobiles.



WARNING: Use this product for its intended use and only use attachments recommended by the manufacturer.

AVERTISSEMENT: Utilisez ce produit pour son utilisation prévue et utiliser uniquement les accessoires recommandés par le fabricant.



WARNING: Do not use a damaged product. Return damaged products to a qualified service center for repair.

AVERTISSEMENT: Ne pas utiliser un produit endommagé. Retour produits endommagés à un centre de service qualifié pour la réparation.



WARNING: Not intended for outdoor use.

AVERTISSEMENT: Non destiné à une utilisation en extérieur.

WEIGHT RATINGS

Model	Weight Rating
L5-DCD23	50 lbs. Maximum Total Rated Load

REQUIRED TOOLS


- #2 Phillips Screwdriver
- 3/8" Nut Driver and Handle (Supplied)




WARNING: Use tools with caution and follow all necessary safety protocols.

AVERTISSEMENT: Utiliser des outils avec prudence et suivre tous les protocoles de sécurité nécessaires.


SUPPLIED COMPONENTS



Document Camera
Drawer
(A)




Left & Right
Slide Set
(B)




3/8" Nut Driver & Handle
(C)



(8x)
10-32 Hex
Flange Nut
(D)




(2x)
Magnetic
Stop Bracket
(E)



(2x)
10-32 x 3/4"
Truss Head Screw
(F)



(2x)
Clip Nut
(G)



Inner AVIP Panel
(H)



(3x)
6-32 x 5/16"
Pan Head Screw
(H)

NOTE: For 33" and 43" frames, document camera drawer can be installed into left or right side of L5 frame to align with wood kit. Camera drawer can NOT be installed on 23" models.
(FIGURE A)




FIGURE A

MAGNETIC STOP INSTALLATION

1. Slide clip nut (G) over hole in frame. **(FIGURE B)**
2. Place magnetic stop bracket (E) over clip nut. **(FIGURE B)**
3. Tighten magnetic stop bracket (E) to frame using 10-32 x 3/4" truss head screw (F). **(FIGURE B)**
4. Repeat process on both sides of frame that shelf is being installed on.





FIGURE B

DRAWER SLIDE INSTALLATION

1. Install the slides (B) into the mounting holes and secure in place using (4x) hex nuts (D) on each side of frame. **(FIGURE C)**
2. Tighten down using supplied nut driver and handle (C).

NOTE: Slide stop bumpers must face inside frame when installed.



Frame cut away
for clarity

(FIGURE C)

DRAWER INSTALLATION

1. To install camera drawer (A), fully extend both slides. Align slides and push drawer onto slides until they click into place. **(FIGURE D)**
2. Drawer is equipped with an open position lock. To close drawer, depress both lock levers at the same time while pushing the drawer closed. Drawer stops are magnetic, and will hold the drawer closed until pulled open.
3. To remove drawer, extend drawer fully and depress both lock levers while pulling the drawer off the slides.
4. Refer to wood kit instructions (I-00815) for drawer face installation supplied with your wood kit or purchased millworkers kit.





FIGURE D



Press Levers in to
release lock.

INNER AVIP PANEL INSTALLATION (OPTIONAL)

- 1) Select left or right side installation of inner AVIP panel (H). **(FIGURE E)**
- 2) Install inner AVIP Panel (H) to frame using (3x) 6-32 x 5/16" pan head screws (J). **(FIGURE E)**




FIGURE E

WARRANTY

For warranty information, refer to www.middleatlantic.com/terms.

Corporate Headquarters

Corporate Voice: 973-839-1011 - Fax: 973-839-1976 / International Voice: +1 973-839-8821 - Fax: +1 973-839-4982

www.middleatlantic.com - info@middleatlantic.com

Middle Atlantic Canada

Voice: 613-836-2501 - Fax: 613-836-2690 / ca.middleatlantic.com - customerservicecanada@middleatlantic.ca

Factory Distribution

USA: NJ - CA - IL Canada: ON - BC

At Middle Atlantic Products we are always listening. Your comments are welcome.

Middle Atlantic Products is an ISO 9001 and ISO 14001 Registered Company.