


INSTALLATION INSTRUCTIONS
C5 SERIES
SHELF SYSTEM INSERT



(DOOR REMOVED FOR CLARITY)

THANK YOU


Thank you for purchasing the C5 Series Shelf System Insert. Please read these instructions thoroughly before installing this product.

TOOLS REQUIRED

- Power Driver
- #2 Phillips bit

HARDWARE LIST

5/32 ALLEN KEY



QTY
1

POWER DRIVER BIT



QTY
1

DOWEL



QTY
8

3/16 ALLEN WRENCH



QTY
1

7MMX50MM HEX
HEAD SCREW



QTY
12

10X5/8 PAN HEAD
PHILLIPS SCREW



QTY
4

MOUNTING BRACKET



QTY
1

10X32X.5 PHILLIPS SCREW



QTY
2



Middle Atlantic Products


I-00682

Rev A

ASSEMBLY


- 1) Assemble the Shelf Insert using (12) 7MMX50MM Hex Head Screws in the sequence shown below.
(FIGURE A) NOTE: Do not overtighten.

SCREWS (2) 7MMX50MM
HEX HEAD




STEP 1

SCREWS (2) 7MMX50MM
HEX HEAD




STEP 2

SCREWS (4) 7MMX50MM
HEX HEAD



STEP 3

SCREWS (4) 7MMX50MM
HEX HEAD



STEP 4

FIGURE A

SHELF SYSTEM INSTALLATION

- 1) Remove the front rackrail.
- 2) Remove the rear access panel.
- 3) Insert the mounting bracket into the slot on the bottom of the bay. Tilt the bracket slightly so that factory installed rivnuts go underneath the slot.
- 4) Align the rivnuts with the second outer holes. (FIGURE B)




FIGURE B

- 5) Affix mounting bracket using provided 10X32X.5 Phillips screws. (FIGURE C)





FIGURE C

INSTALLATION CONTINUED

- 6) Slide the shelf system into the front of the credenza until it is flush against the mounting bracket.
- 7) Using the provided 10X5/8 pan head Phillips screws, affix the mounting bracket (3) places to the shelf system from the back of the credenza. (FIGURE D)



Back of Credenza

FIGURE D

- 8) Install dowels (4/8 places) at the desired location and slide shelf into place. Two shelves included. (FIGURE F)




FIGURE F

WARRANTY

Middle Atlantic Products (the "Company") warrants C5 Series Shelf System Insert to be free from defects in material or workmanship under normal use and conditions for a period of (7) years from the date of shipment by the Company.

The Company's entire liability to the purchaser, and the purchaser's (or any other party's) sole and exclusive remedy, under this warranty shall be limited, at the Company's option, to either (a) return of and refund of the price paid for, or (b) repair or replacement at the Company's factory of the products purchased, or any part or parts thereof, which the Company has determined to be defective after inspection thereof at the Company's factory.

This warranty does not cover damage due to acts of God, accident, misuse, abuse or negligence by parties other than the Company, or any modification or alteration of the products. In addition, this warranty does not cover damage due to improper handling, assembly, installation or maintenance.

THIS WARRANTY IS IN LIEU OF ALL OTHER WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

TO THE MAXIMUM EXTENT PERMITTED BY APPLICABLE LAW, IN NO EVENT SHALL THE COMPANY BE LIABLE FOR ANY SPECIAL, INCIDENTAL, INDIRECT, OR CONSEQUENTIAL DAMAGES WHATSOEVER (INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF BUSINESS PROFITS, BUSINESS INTERRUPTION OR ANY OTHER PECUNIARY LOSS) ARISING OUT OF THE USE OF THE PRODUCTS PURCHASED, EVEN IF THE COMPANY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. THE COMPANY'S LIABILITY TO THE PURCHASER (OR ANY OTHER PARTY) HEREUNDER, IF ANY, SHALL IN NO EVENT EXCEED THE PURCHASE PRICE OF THE PRODUCTS PAID TO THE COMPANY.