



## LECTERN

Lead a Forum with a Forum™

The Forum™ Collaboration Suite Lectern—an ADA-compliant\*, educator inspired, integrator friendly lectern/teaching station from Middle Atlantic Products—is designed to support a full AV system (equipment mounting, cable management, thermal management and power distribution), all while enhancing the educator's teaching experience with features like electric height adjustability (28" to 42") and accommodations for teaching technology (microphones, confidence monitors, clock timers, control system touch panels and more).

Available in four colorways utilizing the most popular HPL (high pressure laminate) designs from Wilsonart®, complimentary PET acoustic felt, and powder coat to match any space.

### FEATURES


- Colorways
  - Wilsonart® Designer White, white powder coat, silver gray PET felt
  - Wilsonart® Asian Night, graphite powder coat, charcoal gray PET felt
  - Wilsonart® Biltmore Cherry, magnesium powder coat, charcoal gray PET felt
  - Wilsonart® Kensington Maple, magnesium powder coat, silver gray PET felt
- Available in three widths to fit in spaces from small classrooms to large lecture halls.
  - 42" (106.7cm)
  - 60" (152cm)
  - 72" (182.9cm)



72" Wide in Kensington Maple



60" Wide in Designer White



60" Wide in Asian Night



42" Wide in Biltmore Cherry

\*42" and 60" wide Forum Lecterns are ADA-compliant for wheelchair space when used without the 6RU undermount rack (PN: FMR-6UT6x-FD). 72" wide models are ADA-compliant with the 6RU undermount rack.




## LECTERN

### OPTIONS

- Worksurfaces
  - Turret
    - 24" Full Turret with customizable Presenter's Panel™ and knockouts for microphones and task lights
    - 13" Half Turret with customizable Presenter's Panel™ and knockouts for microphones and task lights
  - Flat
    - Customizable Presenter's Panel™ and knockouts for microphones and task lights
- Logo Panels
  - 34"x14"
  - 26"x14"
  - 18"x14"
  - 14" Round
- Side Racks – available in in the same four colorways with LeverLock
  - 12RU
  - 16RU
  - 20RU
- 6RU Undermount Rack
- Caster Kits are available to provide lectern mobility in the space or to-and-from different spaces



24" Full Turret



13" Half Turret



Customizable  
Presenter's Panel™



34"x14" Logo Panel



20RU in Biltmore Cherry



Magnesium Powder Coat



# LECTERN







## SPECIFICATIONS

Height-adjustable AV Lectern shall be Middle Atlantic Products model # FML-\_\_A\_\_\_\_-\_\_ (refer to chart). Height-adjustable AV Lectern shall be available in 42", 60", or 72" widths. Overall dimensions shall be \_\_" H x \_\_W" x 27" D (refer to chart). Height-adjustable AV Lectern frames shall ship flat (knockdown) and be constructed of steel. Height-adjustable AV lectern panels shall ship flat (knockdown) and be constructed of 100% polyester PET felt with 50% made from recycled plastic bottles. Total weight capacity shall be 160 lbs. Height-adjustable AV Lectern rack shall include a \_\_ Amp, \_ outlet power strip with a \_\_' cord (refer to legrandav.com). Models with turret worksurface shall have customizable Presenter's Panel, which can accept touchscreens and other panel mounted devices. Models with a flat worksurface shall have a customizable Presenter's Panel, which can accept table boxes and other panel mounted devices. Height-adjustable AV Lectern shall be finished in a durable \_\_\_\_\_ powder coat (refer to chart for color). Worksurface shall be available in High Pressure Laminate materials, visit LegrandAV.com for list of available finishes. Height-adjustable shall comply with the requirements of RoHS EU Directive 2011/96/EU. Height-adjustable AV Lectern rack shall be manufactured by an ISO 9001 and ISO 14001 registered company. Height-adjustable AV Lectern shall be ETL-listed in the US and Canada. Height-adjustable AV Lectern included power shall be UL or CE listed. Height-adjustable AV Lectern frame shall be warranted to be free from defects in material or workmanship under normal use and conditions for 25 years for the frame, electric lift systems shall be warrantied for a period of 3 years.



# FORUM™ LECTERN

## BASIC DIMENSIONS



LECTERN P/N	TABLE WIDTH A	INSIDE WIDTH B	TOP OPENING WIDTH C	WEIGHT CAPACITY (LB [KG])
FML-42AXXXYY-ZZ	42 [1067]	31 [787]	22.13 [562]	160 [73]
FML-60AXXXYY-ZZ	60 [1524]	49 [1245]	44.12 [1121]	160 [73]
FML-72AXXXYY-ZZ	72 [1829]	61 [1549]	44.12 [1121]	160 [73]


XX - INDICATES CHOICE OF WOOD FINISH.  
YY - INDICATES CHOICE OF METAL FINISH  
ZZ - INDICATES CHOICE OF REGION: USC,UK,FR,EU  
REFER TO WWW.LEGRANDAV.COM FOR OPTIONS

# FORUM™ LECTERN

## BASIC DIMENSIONS

### NOTE(S):

1. ALL DIMENSIONS SHOWN IN FORMAT:  
INCHES [MILLIMETERS]
2. USABLE DEPTH IS THE MAX. EQUIPMENT DEPTH
3. LEVELING FOOT ADJUSTMENT ALLOWS FOR  
USE OF CONNECTRAC OR WIREMOLD OVER FLOOR RACEWAY
4. CONNECTOR BRACKET ONLY USED WHEN JOINING FORUM LECTERN.  
LEFT AND RIGHT CONNECTION AVAILABLE





XX - INDICATES CHOICE OF WOOD FINISH.  
YY - INDICATES CHOICE OF METAL FINISH  
REFER TO WWW.LEGRANDAV.COM FOR OPTIONS

# FORUM™ LECTERN



## BASIC DIMENSIONS

### NOTE(S):




1. ALL DIMENSIONS SHOWN IN FORMAT:  
INCHES [MILLIMETERS]
2. OPTIONAL UNDER MOUNT RACK. P/N: FMR-6UM6XX-FD  
XX INDICATES SELECTION OF METAL FINISH  
REFER TO WWW.LEGRANDAV.COM FOR OPTIONS
3. WEIGHT CAPACITY: 40 LBS [18 KG]



DETAIL D  
SCALE 1 : 2




TOP VIEW




LECTERN WIDTH	AVAILABLE MOUNTING POSITIONS
42	CENTER
60	LEFT/RIGHT
72	LEFT/RIGHT

# FORUM™ LECTERN


## BASIC DIMENSIONS





72" WIDE LECTERN - 4 AVAILABLE POSITIONS




60" WIDE LECTERN - 4 AVAILABLE POSITIONS



42" WIDE LECTERN - 2 AVAILABLE POSITIONS




INTERCHANGEABLE MODULES ALLOW FOR CONFIGURABLE WORKSURFACE  
SEE [WWW.LEGRANDAV.COM](http://WWW.LEGRANDAV.COM) FOR MORE INFORMATION




SIZE OF ONE POSITION


### AVAILABLE WORKSURFACE MODULES




FULL TURRET W/ PRESENTER'S PANEL  
2 POSITIONS



HALF TURRET  
W/ PRESENTER'S PANEL & FILLER PANEL  
2 POSITIONS



FLAT PRESENTER'S PANEL  
2 POSITIONS



FILLER PANEL  
1 POSITION  
SEE TABLE


LECTERN WIDTH	AVAILABLE POSITIONS	PREINSTALLED FILLER PANELS
72	4	2
60	4	2
42	2	0

# FORUM™ LECTERN

## BASIC DIMENSIONS

### NOTE(S):

1. ALL DIMENSIONS SHOWN IN FORMAT:  
INCHES [MILLIMETERS]
2. TURRETS ARE SELECTED AS WORKSURFACE MODULES  
SEE PAGE 4 OR [WWW.LEGRANDAV.COM](http://WWW.LEGRANDAV.COM) FOR MORE INFORMATION
3. BLANK TURRET PRESENTER PANELS AVAILABLE FOR CUSTOM CUTOUTS AVAILABLE



TURRET P/N	PRESENTER'S PANEL P/N	TURRET TOP WIDTH A	TURRET WIDTH BASE B	PANEL WIDTH C	USABLE WIDTH D
FMT-13XXYY	FMP-09-A-UNCUT	13.13 [333]	10.97 [279]	9.00 [229]	8.00 [203]
FMT-24XXYY	FMP-20-A-UNCUT	24.13 [613]	22.00 [559]	20.00 [508]	13.00 [330]

XX - INDICATES CHOICE OF WOOD FINISH.  
YY - INDICATES CHOICE OF METAL FINISH  
REFER TO [WWW.LEGRANDAV.COM](http://WWW.LEGRANDAV.COM) FOR OPTIONS






# FORUM™ LECTERN


## BASIC DIMENSIONS

### NOTE(S):



1. ALL DIMENSIONS SHOWN IN FORMAT:  
INCHES [MILLIMETERS]
2. PRESENTER'S PANELS ARE SELECTED AS WORKSURFACE MODULES  
SEE PAGE 4 OR WWW.LEGRANDAV.COM FOR MORE INFORMATION
3. BLANK PANEL AVAILABLE FOR CUSTOM CUTOUTS



P/N: FMP-22-A-NETBOX  
PRECUT FOR A&H MEYER NETBOX AXIAL POWER MODULE  
SEE PAGE 7



### ACCESSORY PANEL OPTIONS




L5-SHOC-XLR-S  
SCALE 3/8

# FORUM™ LECTERN


## BASIC DIMENSIONS

NOTE(S):


1. ALL DIMENSIONS SHOWN IN FORMAT:  
INCHES [MILLIMETERS]
2. SEE WWW.AHMEYER.DE FOR MORE INFORMATION




SIMILAR CONFIGURATION FOR BOTH NETBOX M AND AXIAL MODELS  
SCALE: 1/2



NETBOX P/N	REGION	POWER RECEPTACLE A	COMPATIBLE COMPONENT
2XC6G15483	US,CAN	NEMA 5-15	FLAT
MF70GBYM83	US,CAN	NEMA 5-15	TURRET
2XC6G17013	EUR	SCHUKO	FLAT
MF70GC1013	EUR	SCHUKO	TURRET
2XC6G17053	FRAN	BEK	FLAT
MF70GC1053	FRAN	BEK	TURRET
2XC6G14X33	UK	GB-Y FUSED	FLAT
MF70GC2X33	UK	GB-Y FUSED	TURRET




A&H MEYER NETBOX M AVAILABLE ON TURRET LECTERN MODELS  
SEE TABLE FOR OPTIONS




A&H MEYER NETBOX AXIAL AVAILABLE ON FLAT LECTERN MODELS  
SEE TABLE FOR OPTIONS

# FORUM™ LECTERN


## BASIC DIMENSIONS




LOGO14R  
SCALE: 1/8





ALUMINUM LOGO PANEL  
SCALE: 1/8  
AVAILABLE IN 4 SIZES. SEE TABLE FOR OPTIONS




KNOCKOUTS ON LECTERN REAR DOOR  
FOR LOGO PANEL INSTALLATION



FRONT VIEW  
SCALE 1:8



E



1" STANDOFFS INCLUDED

DETAIL E  
SCALE 1 : 2

LOGO PANEL P/N	PART DESCRIPTION	PANEL WIDTH A	COLOR
LOGO1814	CUSTOM,PRINTED, LOGO,18WX14H,W	18 [457]	WHITE
LOGO2614	CUSTOM,PRINTED, LOGO,26WX14H,W	26 [660]	WHITE
LOGO3414	CUSTOM,PRINTED, LOGO,34WX14H,W	34 [864]	WHITE
LOGO14R	CUSTOM,PRINTED, LOGO,14ROUND,W	SEE VIEW	WHITE

- NOTE(S):
1. ALL DIMENSIONS SHOWN IN FORMAT:  
INCHES [MILLIMETERS]
  2. TO ORDER, FULL PART NUMBER MUST BE CREATED  
SEE [WWW.LEGRANDAV.COM](http://WWW.LEGRANDAV.COM)
  3. SIZE OF PANEL USED DEPENDENT ON SUBMITTED LOGO DESIGN

LEGRAND | AV COMMERCIAL BRANDS

C2G | Chief | Da-Lite | Luxul | Middle Atlantic | Vaddio | Wiremold

WHAT GREAT SYSTEMS ARE BUILT ON™ | [legrandav.com](http://legrandav.com)

USA 800.266.7225 [av.middleatlantic.support@legrand.com](mailto:av.middleatlantic.support@legrand.com) CANADA 888.766.9770 [av.middleatlantic.support@legrand.com](mailto:av.middleatlantic.support@legrand.com)

©2024 Legrand AV Inc. 240387 Rev B 9/24 Middle Atlantic is a registered trademark of Legrand AV Inc. All other brand names or marks are used for identification purposes and are trademarks of their respective owners. All patents are protected under existing designations. Other patents pending.