

RM-LCD SERIES LCD RACKMOUNT

LCD Rackmount available in three styles to mount monitors up to 32"





FEATURES

- Mounts monitors with VESA 75 and VESA 100 patterns
- Adjustable depth allows for recessing of monitor
- Models with a flat plate, tilt and telescoping arm available
- Models with flat plate and knuckle mount most monitors up to 20", depending on overall size
- Model with telescoping arm mounts monitors up to 32"

SPECIFICATIONS


EIA Compliant 19" LCD Rackmount shall be Middle Atlantic Products model # RM-LCD-PNLV for flat plate, PNLK for tilt, MT for Telescoping arm). RM-LCD shall accept monitors with a VESA 75 or 100 mounting pattern. RM-LCD shall have a weight capacity of 35 lbs. for MT models and 27 lbs. for PNLV and PNLK models. RM-LCD shall have a durable black powder coat finish. RM-LCD shall be constructed from 16-gauge steel. RM-LCD shall recess from 2" to 9" from the face of the rackrail. RM-LCD-PNLK shall tilt 160 . RM-LCD-MT shall have an arm with a range of 2.5" to 16.5". RM-LCD- (MT, PNVL, PNLK) shall accept monitors of up to 20", with an overall width of no more than 17.38". RM-LCD shall be manufactured by an ISO 9001 and ISO 14001 registered company. RM-LCD shall be warrantied to be free from defects in material and workmanship under normal use and conditions for the lifetime of the product.


EIA/TIA COMPLIANT

RMD-LCD SERIES

BASIC DIMENSIONS










RMD-LCD SERIES


BASIC DIMENSIONS















SCALE 3/8

NOTE: DIMENSION SHOWN INCHS [MM]

RMD-LCD SERIES

BASIC DIMENSIONS





WHAT GREAT SYSTEMS ARE BUILT ON™ | legrandav.com

USA 800.266.7225 av.middleatlantic.support@legrand.com CANADA 888.766.9770 av.middleatlantic.support@legrand.com