SR Series

WALL MOUNT RACKS

The SR Series Wall Mount Racks address the increased need for space-saving solutions. They are not only ideal for smaller installations or to house system distribution points, but can be deployed in many more spaces within a facility. The innovative design allows the rack to pivot open 90° on a floor base to provide quick and convenient access to rear equipment connections without needing to leave an aisle behind the solution.





FEATURES

- Pivots 90° on floor base to easily access rear equipment connections for more overall space savings than a full height, floor standing enclosure
- Installation ease with the patented Tool Free Quick-Mount™ system for center section mounting to the backpan
- "Bonus" 4 rackspaces in base for mounting a UPS or other equipment
- Additional 3 rackspaces at the top for patching and other small equipment mounting
- Industry's first seismic rated wall rack series, delivering tip and/or vibration resistance when its desired or required
- Standard, adjustable front 10-32 threaded rackrail with numbered spaces for built-in cable management
- Flexible cable entry access at the top, bottom and sides of the rack with additional knockouts for electrical box and fans
- Sub plate allows mounting of 89D blocks and other connectivity accessories
- Options available to meet the needs of your installation requirements:
 - Corner mounting or side-by-side rack installation capability with the optional zero clearance latch
 - Choices of plexi, solid, or vented doors available depending upon desired level of visibility and need for additional airflow
- Up to 500 lb. UL load capacity rating and a 335 lb. Seismic load capacity rating



Wide SR Series

WALL MOUNT RACKS


Enhancing the SR Series Wall Rack portfolio, the new, wider models provide ample room on either side of the cabinet for proper dressing, organization and management of high density cabling, improving cable integrity, thermal management and the overall aesthetics in the rack. The Wide SR Series Pivoting Wall Rack not only boasts a neat, organized look but maintains the same benefits of the existing line—high capacity for rackspace availability and weight of equipment much like a floor standing rack, but with the space saving benefits of wall mounted cabinets.

The innovative design allows the rack to pivot open 90° on a floor base to provide quick and convenient access to rear equipment connections without needing to leave an aisle behind the solution. Ideal for when that easy access is essential and for heavier installations that will connect to on-wall cabling or pull boxes, the Wide SR Series Wall Rack is a multi-application cabinet that allows mounting of AV, security, broadcast and data equipment in the same space for endless flexibility.



FEATURES

- Additional width allows ample room for high density cabling—providing neat aesthetics, improved thermal management, and greater signal integrity
- Pivots 90° on floor base to easily access rear equipment connections for more overall space savings than a full height, floor standing enclosure
- Installation ease with the patented Tool Free
 Quick-Mount™ system for center section mounting
 to the backpan
- "Bonus" 4 rackspaces in base for mounting a UPS or other equipment
- Options available to meet the needs of your installation requirements
- Industry's first seismic rated wall rack series, delivering tip and/or vibration resistance when its desired or required





- Standard, adjustable front 10-32 threaded rackrail with numbered spaces for built-in cable management
- 4" plastic fingers available to help route your cables and reduce cable strain
- Flexible cable entry access at the top, bottom and sides of the rack with additional knockouts for electrical box and fans
- Sub plate allows mounting of 89D blocks and other connectivity accessories
- Standard options available to meet the needs of your installation requirements:
 - Corner mounting or side-by-side rack installation capability with the optional zero clearance latch
 - Choices of plexi, solid, or vented doors available depending upon desired level of visibility and need for additional airflow
- Up to 500 lb. UL load capacity rating and a 335 lb. Seismic load capacity rating



SR Series


WALL MOUNT RACKS







SR-46-28



Part #	Description	Dimensions
SR-24-28	Standard SR Large Pivoting Wall Rack	28 3/8" D X 62 3/4" H X 23 1/2" W
SR-24-32	Standard SR Large Pivoting Wall Rack	32 3/8" D X 62 3/4" H X 23 1/2" W
SR-40-22	Standard SR Large Pivoting Wall Rack	22 3/8" D X 90 3/4" H X 23 1/2" W
SR-40-28	Standard SR Large Pivoting Wall Rack	28 3/8" D X 90 3/4" H X 23 1/2" W
SR-40-32	Standard SR Large Pivoting Wall Rack	32 3/8" D X 90 3/4" H X 23 1/2" W
SR-46-28	Standard SR Large Pivoting Wall Rack	28 3/8" D X 101 1/4" H X 23 1/2" W
SR28-24-32	Wide SR Large Pivoting Wall Rack	32 3/8" D X 62 3/4" H X 29" W
SR28-40-32	Wide SR Large Pivoting Wall Rack	32 3/8" D X 90 3/4" H X 29" W
SR28-46-32	Wide SR Large Pivoting Wall Rack	32 3/8" D X 101 1/4" H X 29" W

COMPLEMENTARY PRODUCTS



Fan Kit





Solid Front Door







Plastic Fingers**



Vertical Power Distribution



Horizontal Power Distribution



Power Distribution with RackLink™



Plexi Front Door

UPS Backup Systems



Rackshelves & Storage

WHAT GREAT SYSTEMS ARE BUILT ON.™

CORPORATE **HEADQUARTERS**

300 Fairfield Road Fairfield, NJ 07004, U.S.A. Voice: 800-266-7225 Fax: 800-392-3955 International Voice: +1 973 839-1011 International Fax: +1 973 831-4982 middleatlantic.com

CANADA

113 Iber Road, Ottawa, Ontario K2S 1E7 Voice: 888-766-9770 Fax: 888-599-5009 middleatlantic.ca

FACTORY DISTRIBUTION

USA: New Jersey • California • Illinois



^{*}Comes standard & additional rear rackrail is available as options.
** Only applicable with Wide SR Racks. Comes standard & additional plastic fingers are available as options.