



Your clients have one big goal this year—make hybrid **work**. By design, our solutions pair with all your favorite go to brands to transform a single transaction into a suite that solves for the real challenge at hand—helping employees be seen and heard, no matter where they're working. The curated list below highlights our top conferencing products from the brands you know and love to help you create the full solution and loyal customers.

Get more resources like our **ConnectXpress**, **Mountfinder**<sup>\*</sup>, and **Screen Surface Selector** 24/7 at legrandav.com

C2G3
Chief6
Da-Lite9
Middle Atlantic11
Vaddio14
Explore Full Room Solutions16

LIVE CHAT 8:30AM – 6:30PM (ET) M-F legrandav.com EMAIL av.techsupport@legrand.com CALL 8:30AM – 6:30PM (ET) M-F 1-866-977-3901

### SIMPLIFIED CONNECTIVITY



Cables are the unsung hero for most AV and IT installs. C2G's high-performing cables connect screens, devices and collaboration equipment, allowing users crisp pictures and clear connections no matter the room size. With a lifetime warranty on all cables, C2G has been the manufacturer that the AV and IT industry has trusted for decades.

#### **HDMI**°

C2G PN	Туре	Description	Max Resolution
41350	Adapter Converter	HDMI to VGA M/F	1920x1080
42516	Adapter Cable	6.6ft HDMI to DVI-D Digital Video Cable	1080p
56783	Cable	6ft High Speed HDMI Cable with Ethernet	4K @60Hz
C2G10377	Cable	6ft Ultra Flexible High Speed HDMI, In-Wall, CMG (FT4) Rated	4K @60Hz
C2G10454	Cable	6ft Ultra High Speed HDMI with Ethernet	8K @60Hz

### SIMPLIFIED CONNECTIVITY

#### DisplayPort

C2G PN	Туре	Description	Max Resolution
54340	Adapter Converter	DisplayPort to HDMI, VGA, or DVI M/F	VGA - 1920x1080 @60Hz DVI - 1920x1080 @60Hz HDMI - 3840x2160 @30Hz
54323	Adapter Converter	8in DisplayPort to VGA M/F	1920 x 1200
54321	Adapter Converter	6ft DisplayPort to HDMI M/M	1920 x 1200
54329	Adapter Cable	6ft DisplayPort to Single Link DVI-D M/M	1920 x 1200
54326	Adapter Cable	6ft DisplayPort to HDMI M/M	1080p
54332	Adapter Cable	6ft DisplayPort to VGA M/M	1920 x 1200
54401	Cable	6ft DisplayPort with Latches	8K
24904	Cable	6ft DisplayPort	4K @30Hz

#### Mini DisplayPort & Thunderbolt 2

C2G PN	Туре	Description	Max Resolution
54315	Adapter Converter	8in Mini DisplayPort to VGA M/F	1920 x 1200
54335	Adapter Cable	6ft Mini DisplayPort to Single Link DVI-D M/M	1920 x 1200
54301	Adapter Cable	6ft Mini DisplayPort to DisplayPort M/M	4K @30Hz









#### **USB-C Docking Stations**

C2G PN	Description	ндмі	DisplayPort	USB-A	USB-C	Ethernet	3.5mm Jack	Max Resolution	Power Delivery (USB-C)
C2G54535	14-in-1 Triple Display	Зx	2x	4x	1x	1x	1x		85W
C2G54538	11-in-1 Triple Display	Зx	2x	Зx	Зx	1x	1x		130W
C2G54487	9-in-1 Dual Display	2x	-	5x	1x	1x	1x		60W
C2G54488	9-in-1 Dual Display	2x	-	4x	1x	1x	1x	4K @ 30Hz	60W
54439	7-in-1 Dual Display	1x	1x	2x	1x	-	-	~	100W
28845	6-in-1 Mini Dock	1x	-	2x	1x	1x	-		60W
29616	9-in-1 Mini Dock	1x	-	2x	1x	1x	-		100W

#### **USB-C and Thunderbolt**

C2G PN	Туре	Description	Max Resolution	Refresh Rate	
28848	Cable	3.3ft Gen 2 USB-C 3.1 (20V 5A)	4K	-	10Gbps Data
C2G28887	Cable	6ft Thunderbolt 4 USB-C (40Gbps)	4K	60Hz	
29826	Adapter Converter	USB-C to Ethernet Network	-	-	
26889	Adapter Cable	6ft USB-C to HDMI Audio/Video M/M	416	2011-	
26902	Adapter Cable	6ft USB-C to DisplayPort M/M	4K	30Hz	
28831	Adapter Cable	3ft USB-C to USB-A M/M	-	-	5Gbps SuperSpeed Cable



C2G54535



### **INSTALLER** INSPIRED

With over 40 years of proven product and service excellence, Chief has earned their place as the #1 Commercial AV mount. Chief's innovative features and collaborative design efforts ensure a quicker install, sleeker look, and a flexible set up that allows the space to change as your needs do. With product warranties for up to 10 years, your customer has peace of mind and can focus on the screen, not the mount.

#### **Projector Mount**

Chief PN	Description	Weight Capacity
RPAU	Universal Ceiling Projector Mount	50 lbs

#### **Over-The-Board Mount**

Chief PN	Description	Weight Capacity
OB1U	Over-the-Whiteboard Interactive Display Mount	310 lbs

#### **Time Saving Floor Supported Mount**

Chief PN	Description	Weight Capacity
AVSFSS	Tempo Flat Panel Floor Support System	200 lbs

AVSFSS uses the floor instead of the wall to support displays, reducing install time and increasing cost savings across large roll outs. **OB1U** allows for easy installation and adjustment of heavy interactive flat panel displays over existing whiteboards.







### **INSTALLER** INSPIRED

#### **Display Wall Mounts - Fixed**

Chief PN	Description	Screen Size	Weight Capacity
RMF3	Medium FIT <sup>~</sup> Fixed Wall Mount	32-65"	125 lbs
RLF3	Large FIT <sup>≈</sup> Fixed Wall Mount	43-86"	200 lbs
RXF3	X-Large FIT <sup>™</sup> Fixed Wall Mount	49-98"	250 lbs
MSM1U	Medium Fusion <sup>®</sup> Fixed Wall Mount	32-65"	125 lbs
LSA1U	Large Fusion <sup>®</sup> Fixed Wall Mount	42-86"	200 lbs

#### **Display Wall Mounts - Tilt**

Chief PN	Description	Screen Size	Weight Capacity
RMT3	Medium Fit <sup>™</sup> Tilt Wall Mount	32-65"	125 lbs
RLT3	Large Fit <sup>™</sup> Tilt Wall Mount	43-86"	200 lbs
LTM1U	Large Fusion <sup>®</sup> Micro-Adjustable Tilt Wall Mount	42-86"	200 lbs
XTM1U	X-Large Fusion <sup>®</sup> Micro-Adjustable Tilt Wall Mount	55-100"	250 lbs





XTM1U shown with Vaddio ConferenceSHOT ePTZ camera, and PAC810K camera mount, both sold separately.

#### 

#### **Single Monitor Mounts**

**INSTALLER** INSPIRED

Chief PN	Mount Type	Description	Screen Size	Weight Capacity
K0W100B	Wall	Kontour" Wall Mount for Flat Planel Monitor	VESA° 75 x 75 mm / 100 x 100 mm	40 lbs
K2C110B	Table Clamp	Kontour <sup>≈</sup> K2C Articulating Column Mount	10 - 30″	40 lbs
DMA1B	Table Clamp	Koncīs Monitor Arm Mount, Black	Up to 32"	15 lbs
KTP225B	Table Stand	Widescreen Dual Array Table Stand	VESA <sup>°</sup> 75 x 75 mm / 100 x 100 mm	35 lbs
AVSFSS	Floor Stand	Tempo <sup>™</sup> Flat Panel Floor Support System	46 - 60"	200 lbs
LSCUW	Cart	Voyager Manual Height Adjustable AV	50"-85"	175 lbs
XPA1UB	Cart	X-Large Fusion <sup>®</sup> Manual Height Adjustable Cart	55 - 100"	300 lbs

#### **Multiple Monitor Mounts**

Chief PN	Mount Type	Description	No. Of Monitors	Screen Size*	Weight Capacity*
DMA2B	Table Clamp	Koncīs Monitor Arm Mount, Dual, Black	2	Up to 32"	15 lbs
KTP445B	Table Stand	Quad Array Monitor Stand	4	10 - 30"	20 lbs

\*Specs are per monitor



DMA1B provides a flexible workspace with enhanced ergonomics to ensure optimal productivity. Paired here with C2G dock C2G54535, sold separately.



## FOR YOUR IMAGE

Da-Lite, the inventor of the Silver Screen, has continued to be the leading producer of high-quality commercial screens for over 100 years. With more than 15 screen surfaces to choose from, Da-Lite's screen technology is specified for the most demanding installations allowing people to be seen and be heard.

#### Tensioned Advantage with SightLine<sup>™</sup>

Da-Lite PN	a-Lite PN Nominal Format		Screen Surface
DL15011LS	123" Diagonal		
DL15017LS	130" Diagonal	16:10	HD Progressive 1.1
DL15023L	137" Diagonal		

#### **Tensioned Advantage**<sup>®</sup>

Da-Lite PN	Da-Lite PN Nominal Diagonal		Screen Surface
21808LS	123" Diagonal		
21810LS	130" Diagonal	16:10	HD Progressive 1.1
21814LS	137" Diagonal		



21810LS



#### DL15017LS,

SightLine gives the impression of a floating screen and eliminates the need to measure for a black back drop.

# DA-LITE.

### FOR YOUR IMAGE

#### No Fuss Installs: Tensioned Designer Contour<sup>°</sup>

Da-Lite PN	Nominal Diagonal	Format	Screen Surface
14552	94" Diagonal		HD
14567	109" Diagonal	16:10	Progressive
14573	113" Diagonal		0.9

#### Interactive Dry Erase Screen: IDEA<sup>®</sup> Screen

Da-Lite PN	Nominal Diagonal	Format	Screen Surface	
28273	87" Diagonal	16:10		
25940	100" Diagonal	10:10	IDEA	
25943	108" Diagonal	16:09		

#### Fixed Frame Screen: Parallax<sup>°</sup> Thin

Da-Lite PN	Nominal Diagonal	Format	Screen Surface
29171	100" Diagonal		
29169	110" Diagonal	16:09	Parallax Pure 0.8
29168	120" Diagonal		

**29168** ships assembled. This technology mimics the look of a television, but without the glare from windows or lighting fixtures.



**25940** being utilized to host a hybrid meeting. Paired here with a Chief short throw projector and a Vaddio camera, sold separately.

# DA-LITE.



### WHAT GREAT SYSTEMS ARE BUILT ON

By providing exceptional support and protection products for all integrated electronic systems, a conferencing solution can now be easily managed remotely and securely. Middle Atlantic strives to design all products from an Installer's point of view, leaving tough installs in the past and the focus on the future of conferencing.

#### Vertical Wall Mount Back Models

MAP PN	MAP PN Door		Height	Depth	Finish
VWM-2-2-36K-PW	Solid	2 Pivot RU, 2 Fixed RU		12″	Putty
VWM-SD-6-36K-BW	Split, Solid Top	6 Fixed RU	36″	18″	Black
VWM-PD-8-36K-PW	Split, Solid Top	8 Fixed RU		18″	Putty

#### **Pre-Configured Credenzas: C5 Series**

Series	Numbe	r of Bay (	Options	Dep	oth Opti	ons	Height	Wood Finish	Door Type
C5	1	2	3	22″	27"	31″	32"	8 options	Solid

Continue the aesthetic from the huddle space to the boardroom with the scalable C5 series.





Series has 9 stocked models and fully customizeable options to meet the exact needs of the space.



C5 Series Credenza in bright white keeping conferencing equipment secure, BOM: C5-FF27-3, C5-VENT3-SM, C5K3A1SSHA72P001

### MIDDLE ΔΤΙ ΔΝΤΙς

WHAT GREAT SYSTEMS ARE BUILT ON

#### **Rackmount Panels: Security and Thermal Management**

MAP PN	Description	Size
SB1	Blank Rack Panel, Textured & Flanged	
EB1	Blank Rack Panel, Steel & Flanged	1 RU
BR1	Brush Grommet Panel (For cable entry and exit from the front to rear of the rack.)	

#### **Rackmount Power: Enhanced Surge Protection**

MA	AP PN	Description	
PD	)-915R	9 Outlet, 15A, Surge Protection - 9 ft Cord	Fop Seller 🔿

### **Remote Power Management With RackLink**

MAP PN	Description
RLNK-915R	Select Series PDU with RackLink, 9 Outlet
RLNK-215	Select Series PDU with RackLink, 2 Outlet
RLNK-P915R	Premium+ PDU With Racklink, 9 Outlet 15A & 2-Stage Surge







#### Why RackLink?

- Intelligent and cost effective PDUs
- Ability to control locally or virtually via 3rd party control systems or cloud
- Increases reliability and maximizes productivity



#### Line Interactive, Pure Sine Wave Backup Power Solutions

MAP PN	Description	VA/W	No of Outlets	Outlet Control Type	Plug Type
UPX-RLNK- 2000R-8	NEXSYS UPS Backup Power System	2000VA/1800W	8	Individual	5-20P Web Enabled
UPX-RLINK- 2000R-2	NEXSYS UPS Backup Power System	2000VA/1800W	8	Bank	5-20P Web Enabled

#### **Budget Friendly Lectern**

MAP PN	Description	RU	Depth	Height	Width	Cable Management	Cable
L2LDC2FCMGE	L2 Series Lectern in Ebony Ash with Removable Rack	12	25.92"	43.75″	30″	5 Grommets	6' 4k HDMI

#### **Mobile Rack**

MAP PN	Description	RU	Usable Depth	Usable Height	Width	Weight Capacity
PTRK-14	PTRK Portable Rolling Rack	14	21.5"	23.5″	22.59"	500 lb

The PTRK Series rack offers 4' casters, advanced cable management and secure locking doors making this rack ideal for adaptable solutions.







14

### Integrate Traditional AV Designs with USB-Based Applications: AV Bridges

•		
Vaddio PN	Description	
999-8240-000	AV Bridge Mini A/V Encoder	
999-8250-000	AV Bridge 2x1	Best for Multi-Camera Installs
999-9595-070	OneLINK Bridge Express for Vaddio HDBaseT Cameras	Plug & Play

Amp, two CeilingMICs and two Ceiling Speakers	Speakers: White	360		



999-86600-000

Microphones and Speakers						
Vaddio PN	Description	Color	Coverage			
999-85100-000	CeilingMIC Microphone	Black / White	360°			
999-85000-000	TableMIC Microphone	Black / White	360°			
999-85600-000	8 Ohm Ceiling Speaker Pair	White	-			
999-86600-000	USB Audio Bundle with one EasyUSB Mixer/	Mixer: Black	360°			

Vaddio products enhance the AV experience by combining industry-leading performance and support with system-configured design for simplicity of installation and operation. With kitted conferencing solutions that meet standard needs to the latest technology in auto-framing, Vaddio allows for all



Featuring PN 999-85100-000, these CeilingMICs are an economical alternative to custom installs for drop tile ceilings and open-ceiling enviornments.









# THE ART OF EASY

team members to be in the same room, no matter where they are.

### THE ART OF EASY

#### Auto-Framing and Tracking Cameras

Vaddio PN	Description	Available Colors	Room Size	Zoom	
999-21100-000	IntelliSHOT ePTZ	Black / White	Medium to Large Rooms	30x	Adjust Auto-Framing to Room
999-21050-000	ConferenceSHOT ePTZ	Black	Huddle Space	5x	Use with Existing Audio System
999-21182-000	IntelliSHOT-M ePTZ	Black / White	Med to Large Rooms	30x	Certified for Microsoft Teams

#### **RoboSHOT and Pro AV Cameras**

Vaddio PN	Description	Available Colors	Room Size	Zoom
999-9968-200	In-ceiling Recessed DocCAM 20 HDBT with OneLINK HDMI Extension System	White	-	20x
999-99200-000	RoboSHOT 12E USB PTZ Camera	Black / White	Small Conference Room	12x
999-99230-000W	RoboSHOT 30E USB PTZ Camera	DIACK / WHILE	Large Conference Room / Large Venue	30x







999-99600-270

### VADDIO.

## THE ART OF EASY

### **EasyIP: AV-over-IP Solutions**

#### Start with EasyIP Decoder or Base Kit

Vaddio PN	Description	Available Colors	Zoom	
999-60210-000	EasyIP Decoder	Black	30x	Plug & Play
999-30201-000W	EasyIP 10 Base Kit	Black / White	10x	Includes: camera, decoder
999-30232-000W	EasyIP 20 Base Kit	DIdCK / White	20x	and network switch

#### **Connect Up to 4 EasyIP Cameras**

Vaddio PN	Description	Available Colors	Zoom
999-30200-000W	EasyIP 10 PTZ		10x
999-30230-000W	EasyIP 20 PTZ	Black / White	20x
999-30250-000	EasyIP 30 ePTZ		30x 🚺

#### **Touch Screen Controller**

Vaddio PN	Description	Available Colors	
999-42300-000	Vaddio Device Controller	Black	ncluded Table Stand

#### Why EasyIP?

- Saves Money: using AV-over-IP technology
  eliminates costly extenders and video switchers
- Scalable: connect up to 4 EasyIP cameras and 2 Vaddio CeilingMICs or TableMICs
- FREE Remote Management: deploy and manage hundreds of devices from anywhere on the network
- Flexible: Video from one camera can be delivered to 2 separate PC's (think multi-function spaces)
- Software Agnostic: works seamlessly with any video conferencing or streaming platform

#### **Need Audio?**

Check out Vaddio TableMICs, CeilingMICs and Ceiling Speakers, compatible with EasyIP Decoder, on the previous page.


VADDIO



Conferencing has changed forever, sending everyone from SMBs to Fortune 100's seeking transformative workplace experiences to ensure employees feel like valuable members of the team, no matter where they are. And as much as your customers need these solutions yesterday there is a common 'wait and see' approach. We get it. Meeting the expectations of a changing work environment can be challenging. Luckily, we love a challenge.

You can build their confidence by presenting easily adaptable solutions that can be used in multiple ways, changing in tandem with their organization's needs. And we can help you do just that—from a simple video conferencing cart to a multi-camera hybrid collaboration space with accessible, interactive technologies, Legrand | AV solutions create the best seat in the house for all employees.

Big Conference Rooms for Big Ideas



**L**legrand<sup>®</sup>

AV

#### A Conference Room Made Anywhere



L'ilegrand<sup>®</sup> AV

Speakers 999-85600-000 Dongle Adapter Ring C2G30028 Display Camera Mount Accessory FCA810K Amplifier 40880 Forum 5 Person Angle Table TBL-ANG-5P-SH-WW ConferenceSHOT ePTZ Camera 999-21050-000 Laptop Forum Floor-to-Wall **Display Stand** DS-1-FTW-XL-WH Unmanaged PoE+ Switch Network SW-100-04P HDMI Network and Network USB Audio Speaker PoE (+, ++)

Flexing the Huddle Space

L'ilegrand<sup>®</sup> AV





Find more conferencing resources right at your finger tips!

#### AMAZING AV EXPERIENCES

USA 800.506.9607 | c2g.com | legrandav.com | customer-service@c2g.com

EMEA +31 495 580 840 | c2g.com/uk | legrandav.com | c2g.emea@av.legrand.com

LEGRAND | AV COMMERCIAL BRANDS

C2G | Chief | Da-Lite | Luxul | Middle Atlantic | Vaddio | Wiremold

©2023 Legrand AV Inc. 230053 (Original 210839 Rev B) 2/23 C2G is a registered trademark of Legrand AV Inc. All other brand names or marks are used for identification purposes and are trademarks of their respective owners. All patents are protected under existing designations. Other patents pending.