

TAA Compliant Guide

TAA compliant connectivity solutions for work spaces, conference rooms, and classrooms



C2G[®]
A brand of **legrand**

TAA Made Connectivity Solutions from C2G

C2G specializes in providing TAA compliant products for work spaces, conference rooms, and classrooms. Choose from a wide variety of TAA compliant Cat5e/Cat6 cables, conference room solutions, and power cords.

TAA compliant products are approved to be used in United States government projects and facilities.

TAA Compliant Product Lines:



Cat5e/Cat6



Conference Room
Video Hub



Power Cords



Docking Stations



TAA Compliant Countries

Afghanistan
Angola
Antigua & Barbuda
Armenia
Aruba
Australia
Austria
Bahamas
Bahrain
Bangladesh
Barbados
Belgium
Belize
Benin
Bhutan
Bonaire
British Virgin Islands
Bulgaria
Burkina Faso
Burundi
Cambodia
Canada
Central African Republic
Chad
Chile
Colombia
Comoros
Costa Rica
Croatia
Curacao
Cyprus
Czech Republic
Democratic Republic of Congo
Denmark
Djibouti
Dominica
Dominican Republic
El Salvador
Equatorial Guinea
Eritrea
Estonia
Ethiopia

Finland
France
Gambia
Germany
Greece
Grenada
Guatemala
Guinea
Guinea-Bissau
Guyana
Haiti
Honduras
Hong Kong
Hungary
Iceland
Ireland
Israel
Italy
Jamaica
Japan
Kiribati
Korea (Republic of)
Laos
Latvia
Lesotho
Liberia
Liechtenstein
Lithuania
Luxembourg
Madagascar
Malawi
Mali
Malta
Mauritania
Mexico
Moldova
Montenegro
Montserrat
Morocco
Mozambique
Nepal
Netherlands

New Zealand
Nicaragua
Niger
Norway
Oman
Panama
Peru
Poland
Portugal
Romania
Rwanda
Saba
Samoa
Sao Tome & Principe
Senegal
Sierra Leone
Singapore
Sint Eustatius
Sint Maarten
Slovak Republic
Slovenia
Solomon Islands
Somalia
South Sudan
Spain
St. Kitts & Nevis
St. Lucia
St. Vincent & the Grenadines
Sweden
Switzerland
Taiwan
Tanzania
Timor-Leste
Togo
Trinidad & Tobago
Tuvalu
Uganda
Ukraine
United Kingdom
Vanuatu
Yemen
Zambia

Cat5e Category Cables



Cat5e Bulk Unshielded (UTP) Ethernet Network Cable with Stranded Conductors In-Wall CM-Rated

Create custom length Cat5e network patch cables with in-wall rated and plenum rated cabling.

Part #	Length	Color	Conductors	Jacket Rating
43400	1000ft	Gray	Stranded	In-Wall CM-Rated
43401		Blue		
43402		Green		
43403		Red		
43404		Yellow		




Cat5e RJ45 Modular Plugs

Terminate round solid or stranded conductor cable in Cat5e network applications.

Part #	Quantity	Description
11380	50 Pack	Modular Plug for Round Stranded Cable
11381	100 Pack	

Cat6 Category Cables



Cat6 Snagless UTP Unshielded Ethernet Network Patch Cable

Snagless design for network adapters, hubs, switches, routers, DSL/cable modems, patch panels and other high performance networking applications.

Length	Gray	Blue	Black
1ft	10301	10312	10290
3ft	10302	10313	10291
5ft	10303	10314	10292
7ft	10304	10315	10293
10ft	10305	10316	10294
14ft	10306	10317	10295
20ft	10307	10318	10296
25ft	10308	10319	10297
50ft	10309	10320	10298
75ft	10310	10321	10299
100ft	10311	10322	10300

Cat6 Category Cables Cont...



Cat6 Bulk Unshielded (UTP) Ethernet Network Cable

Create custom length Cat6 network patch cables with in-wall rated and plenum rated cabling.

Part #	Length	Color	Conductors	Jacket Rating
43405	1000ft	Blue	Stranded	In-Wall CM-Rated
43406		Gray		



Cat6 RJ45 Modular Plugs

Terminate round solid or stranded conductor cable in Cat6 network applications.

Part #	Quantity	Description
00887	10 Pack	Modular Plug for Round Solid/ Stranded Cable
00888	25 Pack	
00889	50 Pack	
00890	100 Pack	

Conference Room Video Hub – HDMI® and USB-C®

The Conference Room Video Hub is the perfect addition to display and share 4K content in conference rooms and huddle spaces, allowing multiple users to connect and switch between their laptops and tablets.



29974

Part #	Display Output	Input	Max Resolution	Refresh Rate	Special Feature
29974	HDMI Female	2x HDMI Female	4K (3840 x 2160)	60Hz	CEC Control
		2x USB-C Female			

USB-C Docking Stations

USB-C Docking Stations offer many features that contribute to increased productivity in the office or when working from home. Connect to multiple displays, multiple peripherals, transmit data, and provide power delivery all through a single USB-C port of a computer.



C2G54535

USB-C® 12-in-1 Triple Display Docking Station with HDMI®, DisplayPort™, Ethernet, USB, 3.5mm Audio and Power Delivery up to 85W - 4K 30Hz

Part #	Input Connector	Audio/Video Configurations	Max Resolution	Refresh Rate	Data Ports	Protocol	Max Transmit Speed	Audio Jack	Power Delivery	Included Power Adapter
C2G54535	USB-C Male	3x HDMI Female	3 Displays 4K (3840 x 2160)	30Hz	4x USB-A Female	USB 3.0	5 Gbps	3.5mm Headphone	85W	135W
		1x HDMI Female & 2x DisplayPort Female			1x Front USB-A Female	BC 1.2 Enhanced Mobile Charging				
		2x HDMI Female	2 Displays 4K (4096 x 2160)	60Hz	USB-C Female	USB 3.1 Gen 2	10 Gbps	3.5mm Microphone		
		2x DisplayPort Female			USB-C Female	Power Delivery Only				
		1x HDMI Female	1 Display 4K (4096 x 2160)	RJ45 Female	Gigabit Ethernet	1000 Mbps				
1x DisplayPort Female	1 Display 5K (5120 x 2880)									

USB-C® 9-in-1 Dual Display Docking Station with 60W Power Supply, HDMI®, Ethernet, USB, 3.5mm Audio and Power Delivery up to 60W - 4K 30Hz



C2G54487-8

Part #	Input Connector	Audio/Video Configurations	Max Resolution	Refresh Rate	Data Ports	Bandwidth	Max Transmit Speed	Audio Jack	Power Delivery	Included Power Adapter
C2G54487	USB-C Male	2x HDMI Female	2 Displays 1080p (1920 x 1080)	60Hz	5x USB-A Female	3x USB 3.0	5 Gbps	3.5mm Combo	60W	60W
						2x USB 3.0	480 Mbps			
		1x HDMI Female	1 Display 4K (4096 x 2160)	30Hz	USB-C Female	Power Delivery Only				
C2G54488	USB-C Male	2x HDMI Female	2 Displays 1080p (1920 x 1080)	60Hz	5x USB-A Female	3x USB 3.0	5 Gbps	3.5mm Combo	60W	No
						2x USB 2.0	480 Mbps			
		1x HDMI Female	1 Display 4K (4096 x 2160)	30Hz	USB-C Female	Power Delivery Only				
					RJ45 Female	Gigabit Ethernet	1000 Mbps			



C2G54537

Thunderbolt™ 4 USB-C® 10-in-1 Dual Display Docking Station with Ethernet, USB, SD Card Reader, 3.5mm Audio and Power Delivery up to 90W - 4K 60Hz

Part #	Input Connector	Audio/Video Configurations	Max Resolution	Refresh Rate	Data Ports	Bandwidth	Max Transmit Speed	Audio Jack	Power Delivery	Included Power Adapter	
C2G54537	Thunderbolt 3 USB-C Male	4x Thunderbolt 4 Female	2 Displays 4K (3840 x 2160)	60Hz	Thunderbolt 4 USB-C Female	Thunderbolt 4	40 Gbps	3.5mm Combo	90W	135W	
					3x USB-A Female	USB 3.1	10 Gbps				
			1 Display 8K (7680 x 4320)	30Hz	1x Front USB-A Female	BC 1.2 Enhanced Mobile Charging	USB 3.0				480 Mbps
					RJ45 Female	Gigabit Ethernet					1000 Mbps
SD Card Reader	4.0	104 Mbps									



C2G54536

Thunderbolt™ 3 USB-C® Docking Station 11-in-1 8K UHD with DisplayPort™, Ethernet, USB, SD Card Reader, 3.5mm Audio and Power Delivery up to 85W - 8K 30Hz


Part #	Input Connector	Audio/Video Configurations	Max Resolution	Refresh Rate	Data Ports	Bandwidth	Max Transmit Speed	Audio Jack	Power Delivery	Included Power Adapter
C2G54536	Thunderbolt 3 USB-C Male	1x DisplayPort Female & 1x Thunderbolt 3 Female	2 Displays 4K (3840 x 2160)	60Hz	Thunderbolt 3 USB-C Female	Thunderbolt 3	40 Gbps	3.5mm Combo	85W	180W
					3x USB-A Female	USB 3.0	5 Gbps			
		1x Thunderbolt 3 Female	1 Display 4K (4096 x 2160)	1x Front USB-A Female	BC 1.2 Enhanced Mobile Charging	USB 3.0	1000 Mbps			
		1x DisplayPort Female	1 Display 8K (7680 x 4320)	30Hz	RJ45 Female	Gigabit Ethernet				
SD Card Reader	4.0	104 Mbps								

Power Cords

Universal Power Cords

Replacement power cords for PCs, monitors, printers, and scanners.

29925



Part #	Length	Conductor	Connector 1	Connector 2
29925	2ft	16 AWG	NEMA 5-15P	IEC320C13
29926	4ft			
29927	5ft			
25545	6ft			
29928	8ft			
24240	1ft	18 AWG	NEMA 5-15P	IEC320C13
03129	3ft			
03130	6ft			
03134	10ft			
53406	12ft			
09482	15ft			
14719	25ft			

Outlet Saver Power Extension Cords

These outlet saver cords keep your surge strips and UPS outlets from being blocked by bulky AC transformers.

29929



Part #	Length	Conductor	Connector 1	Connector 2
29929	2ft	16 AWG	NEMA 5-15P	NEMA 5-15R
29930	4ft			
29932	8ft			
03137	1ft	18 AWG	NEMA 5-15P	NEMA 5-15R
03114	3ft			
03115	6ft			
03116	10ft			
53408	12ft			
03117	15ft			
53410	25ft			

Power Cord Splitters

These power cord splitters allow you to turn one outlet into multiple while keeping your surge strips and UPS outlets free.



29810

Part #	Length	Conductor	Connector 1	Connector 2	Connector 3
29802	1.5ft	16 AWG	NEMA 5-15P	2 x NEMA 5-15R	—
29805	3ft				
29807	6ft				
29803	1.5ft		NEMA 5-15P	4 x NEMA 5-15R	—
29806	3ft				
29810	1.5ft				
29812	6ft				
			NEMA 5-15P	NEMA 5-15R	IEC320C13

Power Cords

250 Volt Power Cords

These 250 Volt power extension cords allow you to extend the power cords of most monitors, scanners, and printers.



30823

Part #	Length	Conductor	Connector 1	Connector 2
30823	6ft	14 AWG	IEC320C14	IEC320C13
30824	10ft			

250 Volt Computer Power Extension Cords

These 250 Volt computer power extension cords allow you to extend the power cords of most desktop computers.



29964

Part #	Length	Conductor	Connector 1	Connector 2
29964	1ft	16 AWG	IEC320C14	IEC320C13
29965	2ft			
29966	3ft			
29917	4ft			
29933	5ft			
29967	6ft			
29934	8ft			

250 Volt Locking Power Cords

These 250 Volt locking power cords prevent accidental power cable disconnection from critical computer or server equipment.



Part #	Length	Conductor	Connector 1	Connector 2
10358	2ft	17 AWG	Locking IEC320C14	IEC320C13
10359	3ft			
10360	6ft			
10361	10ft			



LEGRAND | AV COMMERCIAL BRANDS

C2G | Chief | Da-Lite | Luxul | Middle Atlantic | Vaddio | Wiremold

SIMPLIFIED CONNECTIVITY

USA 800.506.9607 | c2g.com | legrandav.com | customer-service@c2g.com

EMEA +31 495 580 840 | c2g.com/uk | legrandav.com | c2g.emea@avlegrand.com

©2022 Legrand AV Inc. 220738 Rev A 11/22 C2G is a registered trademark of Legrand AV Inc. All other brand names or marks are used for identification purposes and are trademarks of their respective owners. All patents are protected under existing designations. Other patents pending.