



NOTE(S):
1) ALL DIMENSIONS SHOWN IN FORMAT:
INCHES [MILLIMETERS]
2) ADJUSTABLE RAIL BRACKET ONLY AVAILABLE
FOR 27" AND 31" DEEP MODELS



REV	DESCRIPTION	REV BY	REV DATE	APP'D BY	DATE APP.
-	PRODUCTION RELEASE	///	////	JJP	01/19/15
A	EC-10510 - NEW PRODUCT RELEASE, C5 22" DEEP MODELS	TDP	06/13/18	RHP	06/13/18
B	EC-15590- TLAM DISCONTINUATION	TJL	02/23/23	RHP	02/23/23




FRONT VIEW




SIDE VIEW
SECTION A-A
REAR RAIL SHOWN IN MAX POSITION




PART NUMBER	COMPATIBLE WITH
C5-ARB27	C5-FF27-1 C5-FF27-2 C5-FF27-3
C5-ARB31	C5-FF31-1 C5-FF31-2 C5-FF31-3



C5-ARB31



C5-ARB27



SCALE = 1/8

SHEET 1 OF 1


UNLESS OTHERWISE SPECIFIED, ALL
DIMENSIONS ARE IN INCHES
GENERAL TOLERANCES:
DEC: 1 PLACE +/-0.1 ANGLE: +/-1°
2 PLACE +/-0.03 FRAC: +/-1/32
3 PLACE +/-0.010
HOLE SIZE: +/-0.002

APPROVALS	DATE
MODELED DS	02/26/14
DRAWN RHP	01/15/15


MIDDLE ATLANTIC

TITLE	C5 CREDENZA ADJUSTABLE RAIL BRACKET
DWG NO.	96-01195_C5-ARBXX
DWG REV	B

THIS DRAWING CONTAINS TRADE INFORMATION DEEMED TO BE CONFIDENTIAL AND PROPRIETARY PROPERTY OF MIDDLE ATLANTIC PRODUCTS, INC. AND IS TO BE USED ONLY FOR THE PURPOSES FOR WHICH IT IS SUBMITTED AND FURTHER SHALL NOT BE COPIED IN WHOLE OR PART WITHOUT WRITTEN PERMISSION FIRST OBTAINED FROM MIDDLE ATLANTIC PRODUCTS, INC.







6		7		8	
REV	DESCRIPTION	REV BY	REV DATE	APP'D BY	DATE APP.
-	PRODUCTION RELEASE	///	////	JJP	08/06/14
A	EC 7595: ADDED NOTE TO CLARIFY SRSR ROTATION LIMITATIONS	DCR	04/24/15	AP	04/27/15
B	EC-10510 - NEW PRODUCT RELEASE, C5 22" DEEP MODELS	TDP	06/13/18	RHP	06/13/18
C	EC-15590 - TLAM DISCONTINUATION	TJL	02/23/23	RHP	02/23/23




C5D-SRSR12 SHOWN ROTATED
60° IN BOTH DIRECTIONS.

IT IS RECOMMENDED THAT THE FRONT DOOR BE REMOVED TO PROVIDE REAR ACCESS WHEN EXTENDING AND ROTATING THE RACK BAY.



NOTE(S):
1) ALL DIMENSIONS SHOWN IN FORMAT:
INCHES [MILLIMETERS]
2) C5D-SRSR12 ONLY AVAILABLE FOR 27" AND 31" DEEP MODELS

SIZE B	PROJECTION: 1" ANGLE 	UNLESS OTHERWISE SPECIFIED, ALL DIMENSIONS ARE IN INCHES GENERAL TOLERANCES: DEC: 1 PLACE +/-0.1 ANGLE: +/-1° 2 PLACE +/-0.3 FRAC: +/-1/32 3 PLACE +/-0.010 HOLE SIZE: +/-0.002	APPROVALS	DATE		TITLE	C5 CREDENZA SRSR-12	
	SCALE = 5/64		MODELED NC	08/06/12		DWG NO.	96-01195_C5D-SRSR12	DWG REV C
	SHEET 1 OF 1		DRAWN DS	08/06/14				



1

2

3

4

5

6

7

8

NOTES:
1) ALL DIMENSIONS SHOWN IN FORMAT:
INCHES [MILLIMETERS]
2) AMPERAGE IS BASED ON ACTUAL AMPERAGE RATINGS,
NOT ON NAMEPLATE RATINGS, WHICH HAVE BEEN PROVEN
TO VARY SIGNIFICANTLY
3) IDEAL MAX. TEMP. CHANGE 15° F BASED ON AN AMBIENT
ROOM TEMP. OF 70° F
4) THIS DATA IS MADE ASSUMING THAT THE CREDENZA IS
PLACED AGAINST A WALL IN A ROOM
5) 1 POWER SUPPLY PER FRAME WITH 68 [1727] LONG CORD
6) FRONT AND REAR STABILIZING FEET INCLUDED ONLY ON
22" DEEP MODELS (SEE DETAIL A)
7) RATED WEIGHT CAPACITY IS WITH MAP WOODKIT
22" DEEP MODELS RATED FOR MAX. 250LBS ON TOP, 250LBS INSIDE
27" AND 31" MODELS RATED FOR MAX. 350LBS ON TOP, 250LBS INSIDE
8) TOTAL WEIGHT CAPACITY INCLUDES USER-PROVIDED WOODKIT

50 CFM BLOWER PER BAY
(1 RELOCATABLE TEMPERATURE
SENSOR PER FRAME)

CUT OUT FOR TABLETOP BOX
SEE TABLE FOR CUT OUT SIZE

AIR VENT PANEL, REQUIRED FOR
INSTALLATION SEE NEXT PAGE FOR
MODEL NUMBERS

24.74
[628]

19.60
[498]

4 INCH CASTER (4) NOT LOCKABLE

CABLE TIE SLOTS

14 SPACE REMOVABLE
FRONT RACK RAIL

FRONT
STABILIZING
FEET

DETAIL A
C5-FF27-X / C5-FF31-X
SCALE 1/8

C5-FF22-X
SCALE 1/8

REAR
STABILIZING
FEET

COOLING CAPABILITIES

THERMAL LOAD	TEMP CHANGE (° F) C5-FF22-1 C5-FF27-1 / IC5-FF27-1 C5-FF31-1 / IC5-FF31-1	TEMP CHANGE (° F) C5-FF22-2 C5-FF27-2 / IC5-FF27-2 C5-FF31-2 / IC5-FF31-2	TEMP CHANGE (° F) C5-FF22-3 C5-FF27-3 / IC5-FF27-3 C5-FF31-3 / IC5-FF31-3
0.8A-100W	3.3	1.8	1.3
1.7A-200W	7.4	4.6	3.7
2.5A-300W	9.9	6.5	4.7
3.3A-400W	14.5	7.2	5.3
4.2A-500W	17.8	10.0	7.8
5.0A-600W	21.2	11.3	9.0
5.8A-700W	25.8	14.5	10.1
6.7A-800W	26.6	15.0	12.2
7.5A-900W	31.5	17.7	13.3
8.A-1000W	33.3	19.5	15.6

1BAY
SCALE 1/32

2BAY
SCALE 1/32

3BAY
SCALE 1/32

FRAME PART
NUMBER

"A"
DEPTH

"B"
WIDTH

"C"
USEABLE DEPTH

"D"
CLEARANCE

CUT OUT SIZE

CUT OUT
QTY

DBA

FAN FREE AIR
RATED CFM

ACTUAL
INSTALLED CFM

RATED
WEIGHT
CAPACITY

TOTAL
WEIGHT
CAPACITY

C5-FF22-1

19.67 [500]

21.05 [535]

15.48 [393]

.15 [4]

3.13 [80] X 17.05 [433]

1

33

50

46

500LBS/227KG

550LBS/250KG

C5-FF22-2

19.67 [500]

43.39 [1102]

15.48 [393]

.15 [4]

3.13 [80] X 39.39 [1001]

1

34

100

91

500LBS/227KG

550LBS/250KG

C5-FF22-3

19.67 [500]

65.75 [1670]

15.48 [393]

.15 [4]

3.13 [80] X 14.00 [356]

3

36

150

138

500LBS/227KG

550LBS/250KG

C5-FF27-1

24.27 [616]

21.05 [535]

20.08 [510]

1.00 [25]

7.75 [197] X 17.05 [433]

1

33

50

46

600LBS/273KG

800LBS/363KG

C5-FF27-2

24.27 [616]

43.39 [1102]

20.08 [510]

1.00 [25]

7.75 [197] X 39.39 [1001]

1

34

100

91

600LBS/273KG

800LBS/363KG

C5-FF27-3

24.27 [616]

65.75 [1670]

20.08 [510]

1.00 [25]

7.75 [197] X 14.00 [356]

3

36

150

138

600LBS/273KG

800LBS/363KG

C5-FF31-1

28.13 [714]

21.05 [535]

23.94 [608]

1.00 [25]

10.00 [254] X 17.05 [433]

1

33

50

46

600LBS/273KG

800LBS/363KG

C5-FF31-2

28.13 [714]

43.39 [1102]

23.94 [608]

1.00 [25]

10.00 [254] X 39.39 [1001]

1

34

100

91

600LBS/273KG

800LBS/363KG

C5-FF31-3

28.13 [714]

65.75 [1670]

23.94 [608]

1.00 [25]

10.00 [254] X 14.00 [356]

3

36

150

138

600LBS/273KG

800LBS/363KG

REV

DESCRIPTION

REV BY

REV DATE

APP'D BY

DATE APP.

-

PRODUCTION RELEASE

///

////

JJP

07/29/14

A

EC-7044 CHANGED THICKNESS OF TOP ON KLASIK STYLE TO 1"

RHP

09/17/14

JJP

09/17/14

B

EC-6941 REDUCED NUMBER OF BLOWER CONTROLLERS TO 1 PER FRAME

RHP

10/16/14

BKW

10/16/14

C

EC-7563 INCREASE THE WIDTH ON MODERNO TOPS & ADJUST DOOR SWING

DCR

04/01/15

RHP

04/01/15

D

EC-8569 UPDATED WITH NEW C5 FNISHING KIT NUMBERS

RHP

04/04/16

JJP

04/04/16

E

EC-10510 - NEW PRODUCT RELEASE, C5 22" DEEP MODELS

TDP

07/30/18

RHP

07/30/18

F

EC-11350 - ADD MISSING DIM, FRONT OF RACKRAIL TO INSIDE DOOR

SB

10/16/19

RHP

10/17/19

G

EC-15288 - TLAM DISCONTINUATION

TDP

03/11/22

AP

03/11/22

H

EC-15590 - OFF WHITE VENT DISCONTINUATION

TJL

02/08/23

RHP

02/09/23

TOP VIEW

FRONT VIEW

BOTTOM VIEW

SIDE VIEW

REAR VIEW

*SEE NOTES 7 AND 8

WOOD SIDE PANEL
MOUNTING HOLES

LACER BAR
ONE PAIR PER BAY

TOP BRUSH GROMMET
1 PER CREDENZA

BRUSH GROMMET
ONE PER BAY

REAR ACCESS PANEL,
LOCKABLE, 1 PER BAY

14 SPACE REMOVABLE
REAR RACK RAIL (REAR
ACCESS PANEL
REMOVED FOR CLARITY)

PROJECTION: 3° ANGLE

SCALE = 3/64

UNLESS OTHERWISE SPECIFIED, ALL
DIMENSIONS ARE IN INCHES
GENERAL TOLERANCES:
DEC: 1 PLACE +/-0.1 ANGLE: +/-1°
2 PLACE +/-0.3 FRAC: +/-1/32
3 PLACE +/-0.010
HOLE SIZE: +/-0.002

APPROVALS

DATE

MODELED DS 02/17/14

DRAWN RHP 05/13/14

SHEET 1 OF 5

MIDDLE ATLANTIC

TITLE 96-01195 C5 FURNITURE FRAME

DWG NO. 96-01195_C5-FF

DWG REV H

THIS DRAWING CONTAINS TRADE INFORMATION DEEMED TO BE CONFIDENTIAL AND PROPRIETARY PROPERTY OF MIDDLE ATLANTIC PRODUCTS, INC. AND IS TO BE USED ONLY FOR THE PURPOSES FOR WHICH IT IS SUBMITTED AND FURTHER SHALL NOT BE COPIED IN WHOLE OR PART WITHOUT WRITTEN PERMISSION FIRST OBTAINED FROM MIDDLE ATLANTIC PRODUCTS, INC.

NOTES:
1) ALL DIMENSIONS SHOWN IN FORMAT:
INCHES [MILLIMETERS]
2) AIR VENT PANEL IS REMOVABLE AND OFFERED IN
DIFFERENT COLORS, REQUIRED FOR INSTALLATION

COLOR CODE	
WH	WHITE
SM	SILVER METALLIC
BK	FLAT BLACK

FRAME PART NUMBER	"E" CENTER DISTANCE	AIR VENT PART NUMBER
C5-FF22-1	NA	C5-VENT1-WH C5-VENT1-SM C5-VENT1-BK
C5-FF27-1		
C5-FF31-1		
C5-FF22-2	22.35 [568]	C5-VENT2-WH C5-VENT2-SM C5-VENT2-BK
C5-FF27-2		
C5-FF31-2		
C5-FF22-3	22.35 [568]	C5-VENT3-WH C5-VENT3-SM C5-VENT3-BK
C5-FF27-3		
C5-FF31-3		

A


B

C


D

E

AIR VENT PANEL




FRONT VIEW
SCALE 3/32




BOTTOM VIEW

SEE DETAIL B




DETAIL B
SCALE 1/4



SOTA STYLE: HPL AND VENEER



TOP VIEW




SCALE 1/16




MAGNETIC TOUCH LATCH (1 PER BAY)

.07 [2] TOP OVERHANG FROM DOOR




SIDE VIEW

3.16 [80] FROM BACK OF WOOD TO BACK OF RACK




REAR VIEW

REAR RACK RAIL (REAR ACCESS PANEL REMOVED FOR CLARITY)



DETAIL C SCALE 3/16



SCALE 1/32

FINISHING KIT NUMBER	DOOR TYPE	"F" WIDTH	"G" DEPTH	COMPATIBLE WITH
C5K1C1SSXYY	SOLID	22.8 [580]	21.9 [557]	C5-FF22-1
C5K2C1SSXYY	SOLID	45.1 [1146]	21.9 [557]	C5-FF22-2
C5K3C1SSXYY	SOLID	67.5 [1715]	21.9 [557]	C5-FF22-3
C5K1A1SPXYY	PLEXI	22.8 [580]	26.6 [676]	C5-FF27-1
C5K1A1SSXYY	SOLID			
C5K2A1SPXYY	PLEXI			
C5K2A1SSXYY	SOLID	45.1 [1146]	26.6 [676]	C5-FF27-2
C5K3A1SPXYY	PLEXI	67.5 [1715]	26.6 [676]	C5-FF27-3
C5K3A1SSXYY	SOLID			
C5K1B1SPXYY	PLEXI			
C5K1B1SSXYY	SOLID	22.8 [580]	30.4 [773]	C5-FF31-1
C5K2B1SPXYY	PLEXI	45.1 [1146]	30.4 [773]	C5-FF31-2
C5K2B1SSXYY	SOLID			
C5K3B1SPXYY	PLEXI			
C5K3B1SSXYY	SOLID	67.5 [1715]	30.4 [773]	C5-FF31-3

X = SUFFIX WITH V FOR VENEER FINISH, SUFFIX WITH H FOR HPL FINISH
YY = COLOR SELECTION; REFER TO WWW.LEGRANDAV.COM FOR OPTIONS.






ACCESSORY PART NUMBER	ACCESSORY TYPE	COLOR CODE
ACC-LOCK1-BK	LOCK	BLACK
ACC-LOCK1-MA	LOCK	MODERN ALUMINUM (MATTE FINISH)
ACC-LOCK1-WH	LOCK	WHITE
ACC-HANDLE1-MA	HANDLE	MODERN ALUMINUM (MATTE FINISH)

- NOTE(S):
- 1) ALL DIMENSIONS SHOWN IN FORMAT: INCHES [MILLIMETERS]
 - 2) TO ORDER, FULL PART NUMBER MUST BE GENERATED AT WWW.LEGRANDAV.COM.
 - 3) 2 BAY CREDENZAS HAVE A LEFT AND RIGHT DOOR BY DEFAULT, 3 AND 1 BAY CREDENZAS HAVE LEFT DOORS BY DEFAULT

SIZE B	SHEET 3 OF 5	UNLESS OTHERWISE SPECIFIED, ALL DIMENSIONS ARE IN INCHES GENERAL TOLERANCES: DEC: 1 PLACE +/-0.1 ANGLE: +/-1° 2 PLACE +/-0.3 FRAC: +/-1/32 3 PLACE +/-0.010 HOLE SIZE: +/-0.002	APPROVALS		DATE	MIDDLE ATLANTIC	TITLE 96-01195 C5 FURNITURE FRAME	
			MODELED	DS	04/06/14		--	
			DRAWN	RHP	05/13/14		DWG NO. 96-01195_C5-FF	DWG REV H

THIS DRAWING CONTAINS TRADE INFORMATION DEEMED TO BE CONFIDENTIAL AND PROPRIETARY PROPERTY OF MIDDLE ATLANTIC PRODUCTS, INC. AND IS TO BE USED ONLY FOR THE PURPOSES FOR WHICH IT IS SUBMITTED AND FURTHER SHALL NOT BE COPIED IN WHOLE OR PART WITHOUT WRITTEN PERMISSION FIRST OBTAINED FROM MIDDLE ATLANTIC PRODUCTS, INC.

MODERNO STYLE: HPL AND VENEER



FINISHING KIT NUMBER	DOOR TYPE	"H" WIDTH	"J" DEPTH	COMPATIBLE WITH
C5K1A1MPXYY	PLEXI	24.9 [632]	27.3 [694]	C5-FF27-1
C5K1A1MSXYY	SOLID			
C5K2A1MPXYY	PLEXI	47.2 [1199]	27.3 [694]	C5-FF27-2
C5K2A1MSXYY	SOLID			
C5K3A1MPXYY	PLEXI	69.6 [1768]	27.3 [694]	C5-FF27-3
C5K3A1MSXYY	SOLID			
C5K1B1MPXYY	PLEXI	24.9 [632]	31.1 [790]	C5-FF31-1
C5K1B1MSXYY	SOLID			
C5K2B1MPXYY	PLEXI	47.2 [1199]	31.1 [790]	C5-FF31-2
C5K2B1MSXYY	SOLID			
C5K3B1MPXYY	PLEXI	69.6 [1768]	31.1 [790]	C5-FF31-3
C5K3B1MSXYY	SOLID			

X = SUFFIX WITH V FOR VENEER FINISH, SUFFIX WITH H FOR HPL FINISH
YY = COLOR SELECTION; REFER TO WWW.LEGRANDAV.COM FOR OPTIONS.

ACCESSORY PART NUMBER	ACCESSORY TYPE	COLOR CODE
ACC-LOCK1-BK	LOCK	BLACK
ACC-LOCK1-MA	LOCK	MODERN ALUMINUM (MATTE FINISH)
ACC-LOCK1-WH	LOCK	WHITE
ACC-HANDLE1-MA	HANDLE	MODERN ALUMINUM (MATTE FINISH)

- NOTE(S):
- 1) ALL DIMENSIONS SHOWN IN FORMAT: INCHES [MILLIMETERS]
 - 2) TO ORDER, FULL PART NUMBER MUST BE GENERATED AT WWW.LEGRANDAV.COM.
 - 3) 2 BAY CREDENZAS HAVE A LEFT AND RIGHT DOOR BY DEFAULT, 3 AND 1 BAY CREDENZAS HAVE LEFT DOORS BY DEFAULT

PROJECTION: 1" ANGLE
SCALE = 3/64
SHEET 4 OF 5

UNLESS OTHERWISE SPECIFIED, ALL DIMENSIONS ARE IN INCHES
GENERAL TOLERANCES:
DEC: 1 PLACE +/-0.1 ANGLE: +/-1°
2 PLACE +/-0.03 FRAC: +/-1/32
3 PLACE +/-0.010
HOLE SIZE: +/-0.002



APPROVALS
MODELED DS
DRAWN RHP

DATE
03/29/14
05/13/14

MIDDLE ATLANTIC


TITLE 96-01195 C5 FURNITURE FRAME
DWG NO. 96-01195_C5-FF
DWG REV H

KLASIK STYLE: VENEER



FINISHING KIT NUMBER	DOOR TYPE	"K" WIDTH	"L" DEPTH	COMPATIBLE WITH
C5K1A1KPVYY	PLEXI	23.6 [600]	27.2 [691]	C5-FF27-1
C5K1A1KSVYY	SOLID			
C5K2A1KPVYY	PLEXI	46.0 [1169]	27.2 [691]	C5-FF27-2
C5K2A1KSVYY	SOLID			
C5K3A1KPVYY	PLEXI	68.3 [1735]	27.2 [691]	C5-FF27-3
C5K3A1KSVYY	SOLID			
C5K1B1KPVYY	PLEXI	23.6 [600]	31.1 [790]	C5-FF31-1
C5K1B1KSVYY	SOLID			
C5K2B1KPVYY	PLEXI	46.0 [1169]	31.1 [790]	C5-FF31-2
C5K2B1KSVYY	SOLID			
C5K3B1KPVYY	PLEXI	68.3 [1735]	31.1 [790]	C5-FF31-3
C5K3B1KSVYY	SOLID			

YY = COLOR SELECTION; REFER TO WWW.LEGRANDAV.COM FOR OPTIONS.



ACCESSORY PART NUMBER	ACCESSORY TYPE	COLOR CODE
ACC-LOCK1-SN	LOCK	SATIN NICKEL
ACC-LOCK1-CB	LOCK	CLASSIC BRONZE
ACC-KNOB1-CN	KNOB	CLASSIC NICKEL
ACC-KNOB1-CB	KNOB	CLASSIC BRONZE

- NOTE(S):
- 1) ALL DIMENSIONS SHOWN IN FORMAT: INCHES [MILLIMETERS]
 - 2) TO ORDER, FULL PART NUMBER MUST BE GENERATED AT WWW.LEGRANDAV.COM.
 - 3) 2 BAY CREDENZAS HAVE A LEFT AND RIGHT DOOR BY DEFAULT, 3 AND 1 BAY CREDENZAS HAVE LEFT DOORS BY DEFAULT





SIZE B	SHEET 5 OF 5	UNLESS OTHERWISE SPECIFIED, ALL DIMENSIONS ARE IN INCHES GENERAL TOLERANCES: DEC: 1 PLACE +/-0.1 ANGLE: +/-1° 2 PLACE +/-0.3 FRAC: +/-1/32 3 PLACE +/-0.010 HOLE SIZE: +/-0.002	APPROVALS		DATE	MIDDLE ATLANTIC	TITLE 96-01195 C5 FURNITURE FRAME	
			MODELED		DS		--	
			DRAWN		RHP		DWG NO. 96-01195_C5-FF	DWG REV H

THIS DRAWING CONTAINS TRADE INFORMATION DEEMED TO BE CONFIDENTIAL AND PROPRIETARY PROPERTY OF MIDDLE ATLANTIC PRODUCTS, INC. AND IS TO BE USED ONLY FOR THE PURPOSES FOR WHICH IT IS SUBMITTED AND FURTHER SHALL NOT BE COPIED IN WHOLE OR PART WITHOUT WRITTEN PERMISSION FIRST OBTAINED FROM MIDDLE ATLANTIC PRODUCTS, INC.

1		2		3		4	
PART NUMBER	COMPATIBLE FRAMES	COMPATIBLE STYLES	COMPATIBLE FINISH TYPE	"A" OVERHANG	"B" DEPTH		
C5-MFS27-VXX	C5-FF27-1, C5-FF27-2, C5-FF27-3	MODERNO	veneer	2.25 [57]	27.3 [694]		
C5-MFS31-VXX	C5-FF31-1, C5-FF31-2, C5-FF31-3	MODERNO	veneer	2.25 [57]	31.1 [790]		
C5-MFS27-HXX	C5-FF27-1, C5-FF27-2, C5-FF27-3	MODERNO	HPL	2.25 [57]	27.3 [694]		
C5-MFS31-HXX	C5-FF31-1, C5-FF31-2, C5-FF31-3	MODERNO	HPL	2.25 [57]	31.1 [790]		
C5-SFS27-VXX	C5-FF27-1, C5-FF27-2, C5-FF27-3	SOTA	veneer	2.25 [57]	26.6 [676]		
C5-SFS31-VXX	C5-FF31-1, C5-FF31-2, C5-FF31-3	SOTA	veneer	2.25 [57]	30.4 [773]		
C5-SFS22-HXX	C5-FF22-1, C5-FF22-2, C5-FF22-3	SOTA	HPL	2.25 [57]	21.9 [557]		
C5-SFS27-HXX	C5-FF27-1, C5-FF27-2, C5-FF27-3	SOTA	HPL	2.25 [57]	26.6 [676]		
C5-SFS31-HXX	C5-FF31-1, C5-FF31-2, C5-FF31-3	SOTA	HPL	2.25 [57]	30.4 [773]		
C5-KFS27-VXX	C5-FF27-1, C5-FF27-2, C5-FF27-3	KLASIK	veneer	2.25 [57]	27.2 [691]		
C5-KFS31-VXX	C5-FF31-1, C5-FF31-2, C5-FF31-3	KLASIK	veneer	2.25 [57]	31.1 [790]		

XX=COLOR DESIGNATION; REFER TO
WWW.LEGRANDAV.COM FOR OPTIONS

REV	DESCRIPTION	REV BY	REV DATE	APP'D BY	DATE APP.
-	PRODUCTION RELEASE	///	////	JJP	06/27/14
A	EC-7044 CHANGED THICKNESS OF SIDE SHELF ON KLASIK STYLE TO 1"	RHP	09/17/14	JJP	09/17/14
B	EC-8978; ADDED 'XX' SUFFIX TO ALL PART NUMBERS, FOR COLOR DESIGNATION	RAR	08/16/16	RHP	08/17/16
C	EC-10510 - NEW PRODUCT RELEASE, C5 22" DEEP MODELS	TDP	06/13/18	RHP	06/13/18
D	EC-15288 - TLAM DISCONTINUATION	TJL	02/23/23	RHP	02/23/23



NOTE(S):
1) ALL DIMENSIONS SHOWN IN FORMAT:
INCHES [MILLIMETERS]

SIZE B	PROJECTION: 3" ANGLE 	UNLESS OTHERWISE SPECIFIED, ALL DIMENSIONS ARE IN INCHES GENERAL TOLERANCES: DEC: 1 PLACE +/-0.1 ANGLE: +/-1° 2 PLACE +/-0.03 FRAC: +/-1/32 3 PLACE +/-0.010 HOLE SIZE: +/-0.002	APPROVALS	DATE		TITLE C5 CREDENZA SIDE SHELF --	
	SCALE = 5/64		MODELED DS	03/29/14		DWG NO. 96-01195_C5-SIDE-SHELF	DWG REV D
	SHEET 1 OF 1		DRAWN RAR	06/26/14			

THIS DRAWING CONTAINS TRADE INFORMATION DEEMED TO BE CONFIDENTIAL AND PROPRIETARY PROPERTY OF MIDDLE ATLANTIC PRODUCTS, INC. AND IS TO BE USED ONLY FOR THE PURPOSES FOR WHICH IT IS SUBMITTED AND FURTHER SHALL NOT BE COPIED IN WHOLE OR PART WITHOUT WRITTEN PERMISSION FIRST OBTAINED FROM MIDDLE ATLANTIC PRODUCTS, INC.

