



- NOTE(S):
1. ALL DIMENSIONS SHOWN IN FORMAT:  
INCHES [MILLIMETERS]
  2. INCLUDED DISPLAY MOUNT WEIGHT CAPACITY: 150 LBS (68 KGS)
  3. SLIDING DOORS TO ACCESS 2 BAY 2 RU VERTICAL EQUIPMENT  
MOUNTING (SECTION A-A). WEIGHT CAPACITY: 50 LBS (22 KGS) PER BAY
  4. LEVELING FOOT ADJUSTMENT ALLOWS FOR  
USE OF CONNECTTRAC OR WIREMOLD OVER FLOOR  
RACEWAY. FLOOR CLEARANCE MIN: 0.42 [10] MAX: 2.15 [54]



REV	DESCRIPTION	REV BY	REV DATE	APP'D BY	DATE APP
A	PRODUCTION RELEASE	///	////	JP	06/24/21




SECTION A-A




DETAIL A  
2 PLACES  
SCALE 1 : 8




LEFT VIEW




FRONT VIEW




BACK VIEW



DETAIL B  
REAR PANEL REMOVED  
SCALE 1 : 16



BOTTOM VIEW



DETAIL C  
DOORS OPEN  
SEE NOTE 3

PART NUMBER	COMPACT LAMINATE COLOR	ACOUSTIC FELT (PET) COLOR	TOWER INCLUDED	SHROUD INCLUDED	FRAME COLOR
DS-1-FS-M-BK	ASIAN NIGHT	CHARCOAL GRAY	DS-1-FS-BK	SRD-1-M-BK	BLACK
DS-1-FS-L-BK	ASIAN NIGHT	CHARCOAL GRAY	DS-1-FS-BK	SRD-1-L-BK	BLACK
DS-1-FS-XL-BK	ASIAN NIGHT	CHARCOAL GRAY	DS-1-FS-BK	SRD-1-XL-BK	BLACK
DS-1-FS-M-WH	DESIGNER WHITE	SILVER GRAY	DS-1-FS-WH	SRD-1-M-WH	WHITE
DS-1-FS-L-WH	DESIGNER WHITE	SILVER GRAY	DS-1-FS-WH	SRD-1-L-WH	WHITE
DS-1-FS-XL-WH	DESIGNER WHITE	SILVER GRAY	DS-1-FS-WH	SRD-1-XL-WH	WHITE

PROJECTION: 3' ANGLE
SCALE = 1:24
SHEET 1 OF 6

UNLESS OTHERWISE SPECIFIED, ALL DIMENSIONS ARE IN INCHES  
GENERAL TOLERANCES  
DEC: 1 PLACE +/-0.1 ANGLE +/-1°  
2 PLACE +/-0.03 FRAC: +/-1/32  
3 PLACE +/-0.010  
HOLE SIZE: +/-0.002








APPROVALS	DATE
MODELED AP	01/14/21
DRAWN TDP	06/10/21

*Middle Atlantic Products, Inc.*


TITLE	TECH SPEC, COLLABORATION SUITE
DWG NO.	120-00027
DWG REV	A

THIS DRAWING CONTAINS TRADE INFORMATION DEEMED TO BE CONFIDENTIAL AND PROPRIETARY PROPERTY OF MIDDLE ATLANTIC PRODUCTS, INC. AND IS TO BE USED ONLY FOR THE PURPOSES FOR WHICH IT IS SUBMITTED AND FURTHER SHALL NOT BE COPIED IN WHOLE OR PART WITHOUT WRITTEN PERMISSION FIRST OBTAINED FROM MIDDLE ATLANTIC PRODUCTS, INC.

- NOTE(S):
1. ALL DIMENSIONS SHOWN IN FORMAT:  
INCHES [MILLIMETERS]
  2. INCLUDED DISPLAY MOUNT WEIGHT CAPACITY: 150 LBS (68 KGS)
  3. SLIDING DOORS TO ACCESS 2 BAY 2 RU VERTICAL EQUIPMENT  
MOUNTING (SECTION A-A). WEIGHT CAPACITY: 50 LBS (22 KGS) PER BAY
  4. LEVELING FOOT ADJUSTMENT ALLOWS FOR  
USE OF CONNECTRAC OR WIREMOLD OVER FLOOR  
RACEWAY. FLOOR CLEARANCE MIN: 1.00 [25] MAX: 2.67 [67]



PART NUMBER	COMPACT LAMINATE COLOR	ACOUSTIC FELT (PET) COLOR	TOWER INLCUDED	SHROUD INCLUDED	FRAME COLOR
DS-1-FTW-M-BK	ASIAN NIGHT	CHARCOAL GRAY	DS-1-FTW-BK	SRD-1-M-BK	BLACK
DS-1-FTW-L-BK	ASIAN NIGHT	CHARCOAL GRAY	DS-1-FTW-BK	SRD-1-L-BK	BLACK
DS-1-FTW-XL-BK	ASIAN NIGHT	CHARCOAL GRAY	DS-1-FTW-BK	SRD-1-XL-BK	BLACK
DS-1-FTW-M-WH	DESIGNER WHITE	SILVER GRAY	DS-1-FTW-WH	SRD-1-M-WH	WHITE
DS-1-FTW-L-WH	DESIGNER WHITE	SILVER GRAY	DS-1-FTW-WH	SRD-1-L-WH	WHITE
DS-1-FTW-XL-WH	DESIGNER WHITE	SILVER GRAY	DS-1-FTW-WH	SRD-1-XL-WH	WHITE




UNLESS OTHERWISE SPECIFIED, ALL DIMENSIONS ARE IN INCHES  
GENERAL TOLERANCES  
DEC: 1 PLACE +/-0.1 ANGLE +/-1°  
2 PLACE +/-0.03 FRAC: +/-1/32  
3 PLACE +/-0.010  
HOLE SIZE: +/-0.002

APPROVALS	DATE
MODELED AP	01/14/21
DRAWN TDP	06/10/21





TITLE	TECH SPEC, COLLABORATION SUITE
DWG NO.	120-00027
DWG REV	A


- NOTE(S):
1. ALL DIMENSIONS SHOWN IN FORMAT:  
INCHES [MILLIMETERS]
  2. CHIEF MOUNT INCLUDED: LSA1U  
WEIGHT CAPACITY: 150LBS (68 KGS)  
COMPATIBLE VESA MOUNTING PATTERNS: 100mm X 100mm - 870mm X 500mm  
WORKS WITH CHIEF FUSION ACCESSORIES SEE LEGRANDAV.COM
  3. MIDDLE OF DISPLAY HEIGHT(2" INCREMENTS):  
MINIMIUM HEIGHT: 44.00 [1117]  
MAXIMUM HEIGHT: 62.00 [1574]
  4. DSA-DW-LLKIT1 INCLUDES 1X LL-VP2110



DETAIL G  
SCALE 1 : 10




FRONT VIEW  
SHROUD REMOVED FOR CLARITY



MIDDLE OF  
DISPLAY HEIGHT  
SEE NOTE 3

BACK VIEW



PART NUMBER	"A" SHORUD WIDTH	"B" SHROUD HEIGHT	RECOMMENDED DISPLAY SIZE	COLOR
SRD-1-M-BK	61.01 [1550]	32.96 [837]	42"-55"	CHARCOAL GRAY
SRD-1-L-BK	69.72 [1771]	37.87 [962]	55"-65"	CHARCOAL GRAY
SRD-1-XL-BK	78.44 [1992]	42.77 [1086]	65"-75"	CHARCOAL GRAY
SRD-1-M-WH	61.01 [1550]	32.96 [837]	42"-55"	SILVER GRAY
SRD-1-L-WH	69.72 [1771]	37.87 [962]	55"-65"	SILVER GRAY
SRD-1-XL-WH	78.44 [1992]	42.77 [1086]	65"-75"	SILVER GRAY

PROJECTION: 3 ANGLE  
SCALE = 1:20  
SHEET 3 OF 6







UNLESS OTHERWISE SPECIFIED, ALL DIMENSIONS ARE IN INCHES  
GENERAL TOLERANCES  
DEC: 1 PLACE +/-0.1 ANGLE +/-1°  
2 PLACE +/-0.03 FRAC: +/-1/32  
3 PLACE +/-0.010  
HOLE SIZE: +/-0.002

APPROVALS	DATE
MODELED AP	01/14/21
DRAWN TDP	06/10/21



*Middle Atlantic Products, Inc.*

TITLE	TECH SPEC, COLLABORATION SUITE
DWG NO.	120-00027
DWG REV	A

NOTE(S):  
1. ALL DIMENSIONS SHOWN IN FORMAT:  
INCHES [MILLIMETERS]  
2. THIS AREA AVAILABLE FOR CUSTOM TABLEBOX CUTOUT;  
CONTACT CUSTOMER CARE, TABLETOP NOT FIELD MODIFIABLE  
3. OPTIONAL WIREMOLD MODPOWER™ ACCESSORIES;  
START: MDSA10-WH CENTER: MDCA3-WH END: MDEA3-WH  
SEE DETAIL H FOR PRE-DRILLED MOUNTING PATTERN/LOCATIONS  
MAXIMUM DISTANCE BETWEEN UNITS: 72.00 [1828]



PART NUMBER	WORKSURFACE HEIGHT	ACOUSTIC FELT (PET) COLOR	FRAME COLOR	RECOMMENDED NUMBER OF SEATS
TBL-ANG-5P-SH-WW	30.00 [762]	SILVER GRAY	WHITE	5
TBL-ANG-5P-CH-WW	38.00 [965]	SILVER GRAY	WHITE	5
TBL-ANG-5P-SH-WB	30.00 [762]	CHARCOAL GRAY	BLACK	5
TBL-ANG-5P-CH-WB	38.00 [965]	CHARCOAL GRAY	BLACK	5


SIZE B	PROJECTION: 3 ANGLE 	UNLESS OTHERWISE SPECIFIED, ALL DIMENSIONS ARE IN INCHES GENERAL TOLERANCES DEC: 1 PLACE +/-0.1 ANGLE: +/-1° 2 PLACE +/-0.03 FRAC: +/-1/32 3 PLACE +/-0.010 HOLE SIZE: +/-0.002	APPROVALS		DATE		TITLE		
	MODELED AP		01/14/21	TECH SPEC, COLLABORATION SUITE					
	DRAWN TDP		06/10/21	DWG NO.	120-00027		DWG REV A		
SHEET 4 OF 6									

THIS DRAWING CONTAINS TRADE INFORMATION DEEMED TO BE CONFIDENTIAL AND PROPRIETARY PROPERTY OF MIDDLE ATLANTIC PRODUCTS, INC. AND IS TO BE USED ONLY FOR THE PURPOSES FOR WHICH IT IS SUBMITTED AND FURTHER SHALL NOT BE COPIED IN WHOLE OR PART WITHOUT WRITTEN PERMISSION FIRST OBTAINED FROM MIDDLE ATLANTIC PRODUCTS, INC.


NOTE(S):  
1. ALL DIMENSIONS SHOWN IN FORMAT:  
INCHES [MILLIMETERS]  
2. THIS AREA AVAILABLE FOR CUSTOM TABLEBOX CUTOUT;  
CONTACT CUSTOMER CARE, TABLETOP NOT FIELD MODIFIABLE  
3. OPTIONAL WIREMOLD MODPOWER™ ACCESSORIES;  
START: MDSA10-WH CENTER: MDCA3-WH END: MDEA3-WH  
SEE DETAIL J FOR PRE-DRILLED MOUNTING PATTERN/LOCATIONS  
MAXIMUM DISTANCE BETWEEN UNITS: 72.00 [1828]




FRONT VIEW  
WIREMOLD MODPOWER™ ACCESSORIES  
SEE NOTE 3




OPTIONAL WIREMOLD MODPOWER™  
ACCESSORIES INSTALLED  
(SEE NOTE 3)




SIDE VIEW



FRONT VIEW



DETAIL J  
6 LOCATIONS  
SCALE 1 : 2



SEE NOTE 2

BOTTOM VIEW

PART NUMBER	WORKSURFACE HEIGHT	ACOUSTIC FELT (PET) COLOR	FRAME COLOR	RECOMMENDED NUMBER OF SEATS
TBL-ANG-3P-SH-WW	30.00 [762]	SILVER GRAY	WHITE	3
TBL-ANG-3P-CH-WW	38.00 [965]	SILVER GRAY	WHITE	3
TBL-ANG-3P-SH-WB	30.00 [762]	CHARCOAL GRAY	BLACK	3
TBL-ANG-3P-CH-WB	38.00 [965]	CHARCOAL GRAY	BLACK	3

PROJECTION: 3' ANGLE

SCALE = 1:20

SHEET 5 OF 6

UNLESS OTHERWISE SPECIFIED, ALL DIMENSIONS ARE IN INCHES  
GENERAL TOLERANCES  
DEC: 1 PLACE +/-0.1 ANGLE +/-1°  
2 PLACE +/-0.03 FRAC: +/-1/32  
3 PLACE +/-0.010  
HOLE SIZE: +/-0.002

APPROVALS

MODELED AP

DRAWN TDP

DATE

01/14/21

06/10/21

TITLE

TECH SPEC, COLLABORATION SUITE

DWG NO.

120-00027


DWG REV

A


NOTE(S):  
1. ALL DIMENSIONS SHOWN IN FORMAT:  
INCHES [MILLIMETERS]  
2. THIS AREA AVAILABLE FOR CUSTOM TABLEBOX CUTOUT;  
CONTACT CUSTOMER CARE, TABLETOP NOT FIELD MODIFIABLE  
3. OPTIONAL WIREMOLD MODPOWER™ ACCESSORIES;  
START: MDSA10-WH CENTER: MDCA3-WH END: MDEA3-WH  
SEE DETAIL K FOR PRE-DRILLED MOUNTING PATTERN/LOCATIONS  
MAXIMUM DISTANCE BETWEEN UNITS: 72.00 [1828]




FRONT VIEW  
WIREMOLD MODPOWER™ ACCESSORIES  
SEE NOTE 3




OPTIONAL WIREMOLD MODPOWER™  
ACCESSORIES INSTALLED  
(SEE NOTE 3)




FRONT VIEW




SIDE VIEW



DETAIL K  
5 LOCATIONS  
SCALE 1 : 2



BOTTOM VIEW



DETAIL M  
JOINING MULTIPLE ARCS TOGETHER

PART NUMBER	WORKSURFACE HEIGHT	ACOUSTIC FELT (PET) COLOR	FRAME COLOR	RECOMMENDED NUMBER OF SEATS
TBL-ARC-3P-SH-WW	30.00 [762]	SILVER GRAY	WHITE	3
TBL-ARC-3P-CH-WW	38.00 [965]	SILVER GRAY	WHITE	3
TBL-ARC-3P-SH-WB	30.00 [762]	CHARCOAL GRAY	BLACK	3
TBL-ARC-3P-CH-WB	38.00 [965]	CHARCOAL GRAY	BLACK	3

PROJECTION: 3' ANGLE

SCALE = 1:20

SHEET 6 OF 6

UNLESS OTHERWISE SPECIFIED, ALL DIMENSIONS ARE IN INCHES

GENERAL TOLERANCES

DEC: 1 PLACE +/-0.1 ANGLE +/-1°

2 PLACE +/-0.03 FRAC: +/-1/32

3 PLACE +/-0.010

HOLE SIZE: +/-0.002

APPROVALS

MODELED AP

DRAWN TDP

DATE

01/14/21

06/10/21

Middle Atlantic Products, Inc.

TITLE

TECH SPEC, COLLABORATION SUITE

DWG NO.

120-00027

DWG REV

A