










- NOTE(S):
1. ALL DIMENSIONS SHOWN IN FORMAT:
INCHES [MILLIMETERS]
 2. INCLUDED DISPLAY MOUNT WEIGHT CAPACITY: 150 LBS (68 KGS)
 3. SLIDING DOORS TO ACCESS 2 BAY 2 RU VERTICAL EQUIPMENT
MOUNTING (SECTION A-A). WEIGHT CAPACITY: 50 LBS (22 KGS) PER BAY
 4. LEVELING FOOT ADJUSTMENT ALLOWS FOR
USE OF CONNECTTRAC OR WIREMOLD OVER FLOOR
RACEWAY. FLOOR CLEARANCE MIN: 0.42 [10] MAX: 2.15 [54]

REV	DESCRIPTION	REV BY	REV DATE	APP'D BY	DATE APP
A	PRODUCTION RELEASE	///	////	JP	06/24/21



DETAIL C
DOORS OPEN
SEE NOTE 3

PART NUMBER	COMPACT LAMINATE COLOR	ACOUSTIC FELT (PET) COLOR	TOWER INCLUDED	SHROUD INCLUDED	FRAME COLOR
DS-1-FS-M-BK	ASIAN NIGHT	CHARCOAL GRAY	DS-1-FS-BK	SRD-1-M-BK	BLACK
DS-1-FS-L-BK	ASIAN NIGHT	CHARCOAL GRAY	DS-1-FS-BK	SRD-1-L-BK	BLACK
DS-1-FS-XL-BK	ASIAN NIGHT	CHARCOAL GRAY	DS-1-FS-BK	SRD-1-XL-BK	BLACK
DS-1-FS-M-WH	DESIGNER WHITE	SILVER GRAY	DS-1-FS-WH	SRD-1-M-WH	WHITE
DS-1-FS-L-WH	DESIGNER WHITE	SILVER GRAY	DS-1-FS-WH	SRD-1-L-WH	WHITE
DS-1-FS-XL-WH	DESIGNER WHITE	SILVER GRAY	DS-1-FS-WH	SRD-1-XL-WH	WHITE

PROJECTION: 3' ANGLE
SCALE = 1:24
SHEET 1 OF 6

UNLESS OTHERWISE SPECIFIED, ALL DIMENSIONS ARE IN INCHES
GENERAL TOLERANCES
DEC: 1 PLACE +/-0.1° ANGLE +/-1°
2 PLACE +/-0.03° FRAC: +/-1/32
3 PLACE +/-0.010
HOLE SIZE: +/-0.002

APPROVALS	DATE
MODELED	
DRAWN TDP	06/10/21

MIDDLE ATLANTIC.
A brand of Molex

TITLE	TECH SPEC, FORUM COLLABORATION SUITE
DWG NO.	120-00027
DWG REV	B

THIS DRAWING CONTAINS TRADE INFORMATION DEEMED TO BE CONFIDENTIAL AND PROPRIETARY PROPERTY OF MIDDLE ATLANTIC PRODUCTS, INC. AND IS TO BE USED ONLY FOR THE PURPOSES FOR WHICH IT IS SUBMITTED AND FURTHER SHALL NOT BE COPIED IN WHOLE OR PART WITHOUT WRITTEN PERMISSION FIRST OBTAINED FROM MIDDLE ATLANTIC PRODUCTS, INC.

- NOTE(S):
1. ALL DIMENSIONS SHOWN IN FORMAT:
INCHES [MILLIMETERS]
 2. INCLUDED DISPLAY MOUNT WEIGHT CAPACITY: 150 LBS (68 KGS)
 3. SLIDING DOORS TO ACCESS 2 BAY 2 RU VERTICAL EQUIPMENT
MOUNTING (SECTION A-A). WEIGHT CAPACITY: 50 LBS (22 KGS) PER BAY
 4. LEVELING FOOT ADJUSTMENT ALLOWS FOR
USE OF CONNECTTRAC OR WIREMOLD OVER FLOOR
RACEWAY. FLOOR CLEARANCE MIN: 1.00 [25] MAX: 2.67 [67]

3X AVIP KNOCKOUTS

SINGLE GANG
KNOCKOUT FOR USE
WITH RACO 440 BOX

SEE PAGE 3 FOR
SCREEN SIZES AND
ADDITIONAL SHROUD DIMS.

DETAIL D
2 PLACES
SCALE 1 : 8

3.50 [89]
2 RACK UNITS

SECTION B-B

4X MOUNTING SLOTS
LEFT OR RIGHT SLOTS
MUST ALIGN WITH WALL
STUD

INCLUDED LL-VP2110 CAN BE
MOUNTED IN 5 VERTICAL POSTIONS,
BOTH FRONT OR BACK OF INTERNAL
CHANNEL

DETAIL E
SCALE 1 : 16

BRUSH GROMMET

74.50 [1892]

BACK VIEW

1.00 [25]

FRONT VIEW

DETAIL F
DOORS OPEN
SEE NOTE 3

16.66 [423]
RACKRAIL
USABLE DEPTH

21.82 [554]

KNOCKOUT FOR
CABLE PASS THROUGH

B

B

LEFT VIEW

5.94 [151]

5.00 [127]

BOTTOM VIEW

Ø 2.38 [60]

3X Ø 2.37 [60] X 4.66 [118] OB
CABLE PASS THROUGH

PART NUMBER	COMPACT LAMINATE COLOR	ACOUSTIC FELT (PET) COLOR	TOWER INLCUDED	SHROUD INCLUDED	FRAME COLOR
DS-1-FTW-M-BK	ASIAN NIGHT	CHARCOAL GRAY	DS-1-FTW-BK	SRD-1-M-BK	BLACK
DS-1-FTW-L-BK	ASIAN NIGHT	CHARCOAL GRAY	DS-1-FTW-BK	SRD-1-L-BK	BLACK
DS-1-FTW-XL-BK	ASIAN NIGHT	CHARCOAL GRAY	DS-1-FTW-BK	SRD-1-XL-BK	BLACK
DS-1-FTW-M-WH	DESIGNER WHITE	SILVER GRAY	DS-1-FTW-WH	SRD-1-M-WH	WHITE
DS-1-FTW-L-WH	DESIGNER WHITE	SILVER GRAY	DS-1-FTW-WH	SRD-1-L-WH	WHITE
DS-1-FTW-XL-WH	DESIGNER WHITE	SILVER GRAY	DS-1-FTW-WH	SRD-1-XL-WH	WHITE

PROJECTION: 3° ANGLE	UNLESS OTHERWISE SPECIFIED, ALL DIMENSIONS ARE IN INCHES GENERAL TOLERANCES DEC: 1 PLACE +/-0.1° ANGLE +/-1° 2 PLACE +/-0.03° FRAC: +/-1/32 3 PLACE +/-0.010 HOLE SIZE: +/-0.002
SCALE = 1:24	
SIZE B	SHEET 2 OF 6

APPROVALS	DATE
MODELED	
DRAWN tdp	06/10/21

**MIDDLE
ATLANTIC.**
A brand of Molex


TITLE
TECH SPEC, FORUM
COLLABORATION SUITE

DWG NO. 120-00027



DWG REV
B

THIS DRAWING CONTAINS TRADE INFORMATION DEEMED TO BE CONFIDENTIAL AND PROPRIETARY PROPERTY OF MIDDLE ATLANTIC PRODUCTS, INC. AND IS TO BE USED ONLY FOR THE
PURPOSES FOR WHICH IT IS SUBMITTED AND FURTHER SHALL NOT BE COPIED IN WHOLE OR PART WITHOUT WRITTEN PERMISSION FIRST OBTAINED FROM MIDDLE ATLANTIC PRODUCTS, INC.


- NOTE(S):
- 1. ALL DIMENSIONS SHOWN IN FORMAT:
INCHES [MILLIMETERS]
 - 2. CHIEF FIXED FUSION DISPLAY MOUNT
WEIGHT CAPACITY: 150LBS (68 KGS)
COMPATIBLE VESA MOUNTING PATTERNS: 100mm X 100mm - 870mm X 500mm
WORKS WITH CHIEF FUSION ACCESSORIES, SEE LEGRANDAV.COM FOR
COMPLETE LIST OF SKU'S
 - 3. MIDDLE OF DISPLAY HEIGHT(2" INCREMENTS):
MINIMIUM HEIGHT: 44.00 [1117]
MAXIMUM HEIGHT: 62.00 [1574]
 - 4. DSA-DW-LLKIT1 INCLUDES 1X LL-VP2110




DETAIL G
SCALE 1 : 10



FRONT VIEW
SHROUD REMOVED FOR CLARITY



BACK VIEW



PART NUMBER	"A" SHORUD WIDTH	"B" SHROUD HEIGHT	RECOMMENDED DISPLAY SIZE	COLOR
SRD-1-M-BK	61.01 [1550]	32.96 [837]	42"-55"	CHARCOAL GRAY
SRD-1-L-BK	69.72 [1771]	37.87 [962]	55"-65"	CHARCOAL GRAY
SRD-1-XL-BK	78.44 [1992]	42.77 [1086]	65"-75"	CHARCOAL GRAY
SRD-1-M-WH	61.01 [1550]	32.96 [837]	42"-55"	SILVER GRAY
SRD-1-L-WH	69.72 [1771]	37.87 [962]	55"-65"	SILVER GRAY
SRD-1-XL-WH	78.44 [1992]	42.77 [1086]	65"-75"	SILVER GRAY

PROJECTION: 3° ANGLE

SCALE = 1:20

SHEET 3 OF 6

UNLESS OTHERWISE SPECIFIED, ALL
DIMENSIONS ARE IN INCHES
GENERAL TOLERANCES
DEC: 1 PLACE +/-0.1° ANGLE +/-1°
2 PLACE +/-0.3° FRAC: +/-1/32
3 PLACE +/-0.010
HOLE SIZE: +/-0.002

APPROVALS

MODELED

DRAWN tdp

DATE

06/10/21

MIDDLE ATLANTIC

A brand of Molex

TITLE

TECH SPEC, FORUM
COLLABORATION SUITE







DWG NO.

120-00027

DWG REV

B

NOTE(S):
1. ALL DIMENSIONS SHOWN IN FORMAT:
INCHES [MILLIMETERS]
2. THIS AREA AVAILABLE FOR CUSTOM TABLEBOX CUTOUT;
CONTACT CUSTOMER CARE, TABLETOP NOT FIELD MODIFIABLE
3. OPTIONAL WIREMOLD MODPOWER™ ACCESSORIES;
START: MDSA10-WH CENTER: MDCA3-WH END: MDEA3-WH
SEE DETAIL H FOR PRE-DRILLED MOUNTING PATTERN/LOCATIONS
MAXIMUM DISTANCE BETWEEN UNITS: 72.00 [1828]



PART NUMBER	WORKSURFACE HEIGHT	ACOUSTIC FELT (PET) COLOR	FRAME COLOR	RECOMMENDED NUMBER OF SEATS
TBL-ANG-5P-SH-WW	30.00 [762]	SILVER GRAY	WHITE	5
TBL-ANG-5P-CH-WW	38.00 [965]	SILVER GRAY	WHITE	5
TBL-ANG-5P-SH-WB	30.00 [762]	CHARCOAL GRAY	BLACK	5
TBL-ANG-5P-CH-WB	38.00 [965]	CHARCOAL GRAY	BLACK	5

PROJECTION: 3' ANGLE

SCALE = 1:20

SHEET 4 OF 6

UNLESS OTHERWISE SPECIFIED, ALL DIMENSIONS ARE IN INCHES

GENERAL TOLERANCES

DEC: 1 PLACE +/-0.1 ANGLE +/-1°

2 PLACE +/-0.3 FRAC: +/-1/32

3 PLACE +/-0.010

HOLE SIZE: +/-0.002

APPROVALS

MODELED

DRAWN TDP

DATE

06/10/21

MIDDLE ATLANTIC

A World of Tables™

TITLE

TECH SPEC, FORUM COLLABORATION SUITE

DWG NO.

120-00027


DWG REV

B


NOTE(S):
1. ALL DIMENSIONS SHOWN IN FORMAT:
INCHES [MILLIMETERS]
2. THIS AREA AVAILABLE FOR CUSTOM TABLEBOX CUTOUT;
CONTACT CUSTOMER CARE, TABLETOP NOT FIELD MODIFIABLE
3. OPTIONAL WIREMOLD MODPOWER™ ACCESSORIES;
START: MDSA10-WH CENTER: MDCA3-WH END: MDEA3-WH
SEE DETAIL J FOR PRE-DRILLED MOUNTING PATTERN/LOCATIONS
MAXIMUM DISTANCE BETWEEN UNITS: 72.00 [1828]




FRONT VIEW
WIREMOLD MODPOWER™ ACCESSORIES
SEE NOTE 3




OPTIONAL WIREMOLD MODPOWER™
ACCESSORIES INSTALLED
(SEE NOTE 3)




SIDE VIEW



FRONT VIEW



DETAIL J
6 LOCATIONS
SCALE 1 : 2



BOTTOM VIEW

PART NUMBER	WORKSURFACE HEIGHT	ACOUSTIC FELT (PET) COLOR	FRAME COLOR	RECOMMENDED NUMBER OF SEATS
TBL-ANG-3P-SH-WW	30.00 [762]	SILVER GRAY	WHITE	3
TBL-ANG-3P-CH-WW	38.00 [965]	SILVER GRAY	WHITE	3
TBL-ANG-3P-SH-WB	30.00 [762]	CHARCOAL GRAY	BLACK	3
TBL-ANG-3P-CH-WB	38.00 [965]	CHARCOAL GRAY	BLACK	3

PROJECTION: 3° ANGLE
SCALE = 1:20
SHEET 5 OF 6

UNLESS OTHERWISE SPECIFIED, ALL DIMENSIONS ARE IN INCHES
GENERAL TOLERANCES
DEC: 1 PLACE +/-0.1° ANGLE +/-1°
2 PLACE +/-0.3° FRAC: +/-1/32
3 PLACE +/-0.010
HOLE SIZE: +/-0.002

APPROVALS
MODELED
DRAWN TDP
06/10/21

DATE
06/10/21


MIDDLE ATLANTIC
A World of Tables™

TITLE
TECH SPEC, FORUM COLLABORATION SUITE
DWG NO. 120-00027
DWG REV B


NOTE(S):
1. ALL DIMENSIONS SHOWN IN FORMAT:
INCHES [MILLIMETERS]
2. THIS AREA AVAILABLE FOR CUSTOM TABLEBOX CUTOUT;
CONTACT CUSTOMER CARE, TABLETOP NOT FIELD MODIFIABLE
3. OPTIONAL WIREMOLD MODPOWER™ ACCESSORIES;
START: MDSA10-WH CENTER: MDCA3-WH END: MDEA3-WH
SEE DETAIL K FOR PRE-DRILLED MOUNTING PATTERN/LOCATIONS
MAXIMUM DISTANCE BETWEEN UNITS: 72.00 [1828]




FRONT VIEW
WIREMOLD MODPOWER™ ACCESSORIES
SEE NOTE 3




OPTIONAL WIREMOLD MODPOWER™
ACCESSORIES INSTALLED
(SEE NOTE 3)




FRONT VIEW




SIDE VIEW



DETAIL K
5 LOCATIONS
SCALE 1 : 2



BOTTOM VIEW



DETAIL M
JOINING MULTIPLE ARCS TOGETHER

PART NUMBER	WORKSURFACE HEIGHT	ACOUSTIC FELT (PET) COLOR	FRAME COLOR	RECOMMENDED NUMBER OF SEATS
TBL-ARC-3P-SH-WW	30.00 [762]	SILVER GRAY	WHITE	3
TBL-ARC-3P-CH-WW	38.00 [965]	SILVER GRAY	WHITE	3
TBL-ARC-3P-SH-WB	30.00 [762]	CHARCOAL GRAY	BLACK	3
TBL-ARC-3P-CH-WB	38.00 [965]	CHARCOAL GRAY	BLACK	3

PROJECTION: 3° ANGLE

SCALE = 1:20

SHEET 6 OF 6

UNLESS OTHERWISE SPECIFIED, ALL
DIMENSIONS ARE IN INCHES
GENERAL TOLERANCES
DEC: 1 PLACE +/-0.1° ANGLE +/-1°
2 PLACE +/-0.03° FRAC: +/-1/32
3 PLACE +/-0.010
HOLE SIZE: +/-0.002

APPROVALS	DATE
MODELED	
DRAWN TDP	06/10/21

MIDDLE ATLANTIC
A brand of Milliput

TITLE
TECH SPEC, FORUM
COLLABORATION SUITE

DWG NO. 120-00027

DWG REV
B