

Marie (Black)

D.O.B.: 02/20/2024 | 25.2kg | 2y 0m | Dog | American Pit Bull Terrier | FI

Patient ID: fpe6crx0

Status: Outpatient

CUSTOMER	PRIMARY RDVM
Latrice Black 2513 Brookfield Ave. Baltimore, MD 21217 301-665-8788 blacklatrice6@gmail.com	No Primary Vet noemail@no.com

PRESENTING COMPLAINTS

Laceration of skin

HISTORY

- jumped over a wire fence and cut her chest
- not currently on any medications, no relevant medical hx, no primary vet

VITALS	SYSTEM	INTAKE	SYSTEM	INTAKE
	Mentation	BAR	Respiratory Effort	0
	Mucous Membranes	pink, moist	Respiratory Rate	panting BPM
	Heart Rate	145 BPM	Temperature	101.1 °F
	Capillary Refill Time	<2	Weight	25.2 KG

INITIAL PHYSICAL EXAM	SYSTEM	INTAKE	NOTES
	Abdomen	Normal	
	Ears	Normal	
	Eyes	Normal	
	Heart	Normal	
	Integument	Abnormal	large (roughly 6 inch) linear laceration on chest, appears to go through skin and muscle but unable to examine closely without sedation, actively bleeding
	Lungs	Normal	
	Lymph nodes	Normal	
	Mouth	Normal	
	Musculoskeletal	Normal	
	Neurologic	Normal	
	Nose	Normal	
	Pulses	Normal	
	Rectal	Not Observed	

SYSTEM	INTAKE	NOTES
Urogenital	Normal	

Intake Note: BAR

PROBLEMS AND DIFFERENTIALS

PROBLEMS	DIFFERENTIALS
----------	---------------

Laceration of skin

NOTES

February 20, 2026 at 04:42 PM

Progress Note

Diagnostics:

None

Treatment Plan/Medications:

Methadone 0.2mg/kg IM

RX TGH:

Carprofen 100mg tab, 1/2 tab PO q12 for 5 days

Gabapentin 300mg, 1 cap PO q8-12 PRN

Trazodone 100mg, 1.5 tab PO q8-12 PRN

Clavamox 875/125mg, 1/2 tab PO q12 for 7 days

Client Communication:

Explained that Marie sustained a wound from jumping over a wired fence. Gave dose of pain medication. Discussed concern for possible thoracic cavity penetration, which could cause pneumothorax and require surgical repair. Explained that sedation would be needed to fully assess the wound and determine if sutures alone would suffice or if a drain would be needed for fluid pocketing. Discussed that cone would be required during healing along with pain medications, antibiotics, and anti-inflammatories.

Client unable to afford recommended care. Discussed payment options including credit-based plans; client did not qualify for any plans (annual income is \$0). Client has no available funds and no family or friends able to assist financially.

Emphasized that without treatment, the wound could become infected, and if it penetrates the chest, Marie could have extensive internal damage and could die from this injury.

Strongly recommended client follow up with Baltimore Animal Care and Rescue Shelter (BARCS), which may have low-cost treatment options, though some payment would still be required. Discussed that surrendering Marie to BARCS may be the best option to ensure she receives necessary care if client has no financial resources. Client unwilling to consider surrender. Emphasized that if surrender is the only way Marie will receive care, client needs to consider it for Marie's welfare.

Instructed client to go directly to BARCS from hospital. Advised against attempting wound cleaning prior to BARCS evaluation to avoid disrupting blood clots. Advised against bandaging as wound requires surgical repair; bandage would only last about one day and owner attempting home management could cause further damage including restricted breathing and increased infection risk. Provided pee pads to keep car clean during transport. Client agreed to go directly to BARCS. See discharges for additional client communication as well as home care/monitoring instructions.

TREATMENT SUMMARY



VEG

Treatment Sheet

VEG - Pikesville
410-793-4910
Dr. Bailey Brough

Marie (Latrice) | #fpe6crx0 | 2y 0m, FI, Dog

Friday, Feb 20, 2026 (Day 1 of 1)

ORDER	12AM	1AM	2AM	3AM	4AM	5AM	6AM	7AM	8AM	9AM	10AM	11AM	12PM	1PM	2PM	3PM	4PM	5PM	6PM	7PM	8PM	9PM	10PM	11PM
VITALS																								
Weight																25.2 kg								
Temperature																101.1 F								
Heart Rate																145 BPM								
Respiratory Rate																panting 6								
Respiratory Effort																0								
Check Mucous Membranes (MM)																pink, moi								
Note Capillary Refill Time (CRT)																<2 Secon								
Check Mentation																BAR								
TASKS																								
E-Collar / Place E-Collar (Hard)																								



Notes



Incomplete



Complete

Treatment Details: To view details, please visit https://www.dogbyte.vet/treatment_details/ta2x6n

Discharge Summary

Visit Date: February 20, 2026 02:51 PM

Pikesville
 1858 Reisterstown Road
 Pikesville, MD 21208
 410-793-4910

Marie (Black)
 D.O.B.: 02/20/2024 | 25.2kg | 2y 0m | Dog | American Pit Bull Terrier | FI
 Patient ID: fpe6crx0

Status: Outpatient

CUSTOMER	PRIMARY RDVM
Latrice Black 2513 Brookfield Ave. Baltimore, MD 21217 301-665-8788 blacklatrice6@gmail.com	No Primary Vet noemail@no.com

MEDICATIONS

- Carprofen 100 mg Tablets**
 Give 1/2 tablet by mouth every 12 hours for 5 days. Give with food. Discontinue if vomiting, diarrhea, or not eating occurs.
Total Qty: 5.0 tablet
Next Dose: With next meal
- Gabapentin 300 mg Capsules**
 Give 1 capsule by mouth every 8-12 hours for pain/discomfort. May cause mild sedation.
Total Qty: 21.0 capsule
Next Dose: Now
- TraZODone 100 mg Tablets**
 Give 1.5 tablets by mouth every 8-12 hours as needed for sedation.
Total Qty: 30.0 tablet
Next Dose: Now
- Amoxicillin with Clavulanate 875 mg / 125 mg Tablets**
 Give 1/2 tablet by mouth every 12 hours for 7 days. Give with food.
Total Qty: 7.0 tablet
Next Dose: With next meal

HOME CARE AND MONITORING

- Thank you for trusting us with Marie's care.
- We discussed that she needs to be sedated and have the wound repaired as soon as possible. If the wound is very deep, gets infected, or gets worse this is something she could pass away from. Please follow up with a vet as soon as possible. We gave you the phone number, email, and address for BARCs. Please go there directly after you leave here to inquire about potential options for care.
- EXERCISE RESTRICTION**
 Keep your pet confined to a small room without furniture or large dog crate. No running, jumping or high activity playing for the next two weeks. Your pet should be taken out for leash walks only for urination and defecation. Keep them isolated from other pets.
- E-COLLAR**
 Your pet should wear their e-collar at ALL times until instructed otherwise.
- MONITORING:**
 Contact your primary care veterinarian or Veterinary Emergency Group if you see any of the following signs:
 Labored breathing, excessive panting, or persistent cough

Vomiting that is persistent, bloody, or nonproductive
Pain, inability to get comfortable, or crying
Gums that are not their normal pink color, especially if white, gray, or blue
Diarrhea that is persistent, bloody, or painful
Excessive sleepiness or lethargy
Straining to urinate or defecate, especially if nonproductive
Seizures, loss of consciousness, or episodes of bizarre behavior
Not eating or drinking for more than 24 hours

MEDICATIONS

Name: Carprofen

Description: This medication is a non-steroidal anti-inflammatory pain medication.

Storage: Room temperature

Adverse Effects: Vomiting, Diarrhea, Decreased appetite. Dark stool, central nervous system signs, gum color changes and skin redness are less effects.

Additional Warnings: This medication should not be added to a pet who is on other NSAIDs or steroids. This medication should not be given to cats. Caution should be used in patients who have stomach ulcers, are dehydrated, or have liver/kidney problems. Caution should also be used in young patients (under 6 months)

Name: Gabapentin

Description: This medication is a nerve pain reliever drug. It may also be less frequently prescribed for seizures.

Storage: Room Temperature (Tablets) or Refrigerated if liquid

Adverse Effects: Drowsiness, Loss of Coordination

Additional Warnings: Use with caution in patients with kidney disease. Keep away from other pets and children

Name: Trazodone

Description: This medication is an anti-anxiety medication that acts as a sedative

Storage: Room temperature, protected from light

Adverse Effects: Drowsiness, loss of coordination, diarrhea, vomiting. Irregular heartbeats and severe aggression are uncommon side effects.

Additional Warnings: This medication should be used with caution in patients with kidney, liver, heart issues. It should be used with caution in patients that are working animals or pregnant animals.

Name: Amoxicillin/Clavulanate (Clavamox)

Description: This medication is an antibiotic.

Storage: Tablets - Room Temperature; Liquid - Refrigerator

Adverse Effects: Vomiting, Diarrhea, Loss of Appetite.

Additional Warnings: This medication should not be used in rabbits, guinea pigs, chinchillas, hamsters, rodents. It should also not be given to animals with a penicillin allergy.

If you have any questions or concerns about your visit, please don't hesitate to reach out via email at pikesville@veg.com or by phone at 410-793-4910. We are available 24/7.

+Dr. Bailey Brough & the VEG Pikesville team

FOLLOW-UP

When

As soon as possible.