




PARTS AND HARDWARE

ZINTRA STICKS TRIM - TO BE CUT ON SITE



UNCUT



YOU WILL NEED

SUITABLE SCREWS

SCREWS ARE NOT INCLUDED - INSTALLER TO SUPPLY BASED ON FIXING SUBSTRATE



SPIRIT LEVEL



DROP SAW WITH SUITABLE BLADE FOR ALUMINIUM CUTTING




DRILL




TAPE MEASURE



HIGH STRENGTH CONSTRUCTION ADHESIVE



APPROPRIATE APPLICATOR







STEP 1

MEASURE THE SPACE OF THE DOOR OR WINDOW WHERE THE STICKS WILL BE INSTALLED.

THIS IS GOING TO DETERMINE THE DIMENSIONS AT WHICH THE STICKS WILL BE CUT TO.





STEP 2

MEASURE THE WIDTH [X] OF THE INSTALL AND CUT THE ALUMINIUM TO SUIT

NOTE: AFTER MEASURING AND MARKING WHERE TO CUT THE ALUMINIUM TUBE, COUNT THE NUMBER OF NOTCHES TO ENSURE IT WILL SUIT THE QUANTITY OF STICKS REQUIRED. FOR EXAMPLE, A WIDE STICK USES 4 NOTCHES, THEREFORE THE NOTCHES IN THE ALUMINIUM TUBE WILL NEED TO EQUAL A MULTIPLE OF 4.


USE A LASER LEVEL OR SPIRIT LEVEL TO MARK ALUMINIUM POSITION ON THE WALL

MAX DISTANCE FROM TUBE CENTRES IS 450mm [17.71"]

MAX DISTANCE BETWEEN END OF STICK AND FIRST TUBE CENTRE IS 150mm [5.9"]

INSTALL STANDARD ALUMINIUN TUBE INTO THE WALL. THESE WILL REQUIRE (2) SCREWS PER (1) ALUMINIUM TUBE

NOTE: AN ADDITIONAL ALUMINIUM TUBE NEEDS TO INSTALLED ABOVE THE WINDOW/DOOR EDGE. MAX DISTANCE FROM THE EDGE TO NEXT TUBE CENTRE IS 150mm [5.9"]





STEP 3

DRILL HOLES IN ALUMINIUM TUBES IN LOCATIONS TO SUIT SUPPORT IN WALL (STUD LOCATION ETC)


SCREW ALUMINIUM TUBES TO WALL

DRYWALL SURFACE: USE DRYWALL ANCHOR AND SUITABLE SCREW

TIMBER SURFACE: USE SELF TAPPING

TIMBER SCREW


MASONARY SURFACE: USE MASONARY ANCHOR AND SUITABLE SCREW




STEP 4

FOLD ZINTRA STICKS (8) FOR WIDE OR (16) FOR NARROW PER SET

WIDE






STICK STICK - TRIM




STEP 5


CUT STICK TO FIT FROM CEILING TO EDGE OF WINDOW/DOOR (DIMENSION A) SHOWN BELOW



CUT TRIMS TO FIT FROM CEILING TO EDGE OF WINDOW/DOOR (DIMENSION B) SHOWN BELOW









STICKS TRIM VARIATIONS



STEP 7

INSERT ZINTRA STICKS INTO ALUMINIUM NOTCHES AS SHOWN









STEP 8

DRY FIT STICKS TRIM TO ENSURE A GOOD FIT



STEP 9

APPLY CONSTRUCTION ADHESIVE TO INSIDE OF STICKS TRIM. THEN STICK TO ZINTRA STICKS THAT ARE ALREADY INSTALLED





FINISHED INSTALL

