
STRATEK

3D LAMINATES



design essentials





INDEX

6	Features + Benefits
8	3D Laminates Applications
10	STRATEK Colour Range
12	Specifications



STRATEK 3D LAMINATES

STRATEK 3D Laminates, the **industry's premier laminate** for retail fixture, food service applications, medical furnishings and high traffic areas are a rigid and hi-fidelity thermofoil (RTF) that can be used as flat sheet like a traditional wallcovering or HPL as well as membrane-pressed or vacuum-formed to contoured surface profiles. Its dimensional flexibility eliminates the need for T-molding, edgebanding, visible seams and special edge treatments.

Baresque's STRATEK **3D** Laminates provide a higher level of durability than standard thermofoils. With added impact, marring and abrasion resistance as well as **improved stain resistance**, they are suitable for use on many horizontal surfaces, such as counters, tabletops and work surfaces.

The broad selection of original designs includes **realistic woodgrains**, **beautiful stones**, solids and a range of metallics with finish levels from matte to high gloss. STRATEK is stocked in Australia in 12 core colours with an extensive range of additional colours also available on an indent basis.

design essentials

+ FEATURES + BENEFITS

STRATEK PROVIDES A WIDE RANGE OF FEATURES AND BENEFITS MAKING IT AN IDEAL SELECTION FOR HARD WEARING ENVIRONMENTS:

- Increased durability. STRATEK 3D Laminates offer our highest level of durability with enhanced resistance to impact, abrasion, marring and scratching which means maintaining a like new appearance longer.
- The advantage of STRATEK over other thermofoils is the ability to use it as a horizontal surface (including textures)
- Cost effective
- Available in a broad range of designs including a local stocking program
- Dimensionally flexible to conform to threedimensional surfaces eliminating seams and edgebanding
- Waterproof
- Chemical resistance. Most of the time soap and water is enough to clean STRATEK but when required, many leading cleaners and disinfectants can be safely used without worrying about damage to the color or finish.



ELIMINATES HPL JOIN LINE, EDGE BANDING & T-MOLD

FABRICATION



3D Laminate is applied by laying parts in a press bed and covering with the 3D Laminate film.

The press heats the film so that it is pliable and then a vacuum pulls from underneath the parts.

Some presses combine this with positive pressure pushing down from above the film to wrap the part.



SUBSTRATE - COMPOSITE WOOD PANELS

- Typically particleboard, medium-density fiberboard (MDF), or high-density fiberboard (HDF)
- They are made from pre-consumer recycled waste, wood chips and scrap*





SHAPE & CONTOUR

• Substrate can be CNC routed to create unique shapes, contours and 3D textures.





ADHESIVE

 Generally spray-applied to the substrate in a clean environment free from dust and debris



LAMINATE SURFACE

- Paper or plastic film printed with virtually any design.
- Often used instead of rare, endangered, fragile or high environmental-impact materials.



TRIM

• Excess material is trimmed from edges for sealed, smooth surface.

design essentials

3D LAMINATES APPLICATION

STRATEK CAN BE USED IN A WIDE RANGE
OF HEAVY DUTY APPLICATIONS WHERE
PERFORMANCE IS PARAMOUNT INCLUDING:



Super durable WALLCOVERING and WALL PANELING - install STRATEK just like you would a normal commercial wallcovering or lay up onto board and install as panels



TABLE TOPS - with its ability to be membrane pressed or vacuum formed, STRATEK is ideal for use as a cost effective and durable table top. Check out p. 12 for complete STRATEK table top specifications



SCREENS



CABINET DOORS & DRAWER FRONTS, COUNTER TOPS, STORE FIXTURES



CHAIR SEATS & BACKS

+APPLIED DESIGN ADVANTAGES



DESIGN FLEXIBILITY FOR UNIQUE SHAPES - NO BROWN LINES!





ENABLES SMOOTH CONTOURED EDGES & COMPLEX SHAPES





ELIMINATES THE HPL BROWN LINE, EDGEBANDING

PROJECT TYPES

High wear project types that are ideally suited to STRATEK's durability and cleanability include:

- HOSPITALS & AGED CARE
- SCHOOLS
- AIRPORTS
- SHOPPING CENTRES
- COMMERCIAL
- HOTELS, PUBS AND CLUBS
- RETAIL






SOLIDS







WOOD GRAINS

Stocked



Aged Brown Oak



Market Oak Whitewashed



Market Oak Grey



Rift Oak Natural



Smokehouse Oak

Indent







Avant Kaffe



Mackinac



Rift Oak Brown



Almond Cherry



River Cherry



Palos Mahogony

METALLIC

Stocked



Concrete



Corten



Oxidized Pewter

Indent



Cast in Bronze

STONES

Indent



Carrara



Imperial Gold



Pompeii Marble Gray



Pompeii Marble Cream



Platino Granite Grey

SPECIFICATIONS

STRATEK 3D Laminates, the industry's premier laminate for retail fixture, food service applications and medical furnishings, are a rigid thermofoil (RTF) that can be membrane-pressed or vacuum-formed to contoured surface profiles as well as being installed as a wallcovering. Its dimensional flexibility eliminates the need for T-molding, edgebanding, visible seams and special edge treatments.

Baresque's STRATEK 3D Laminates provide a higher level of durability than standard thermofoils. With added impact, marring and abrasion resistance as well as improved stain resistance, they are suitable for use on many horizontal surfaces, such as counters, tabletops and work surfaces.

COMPOSITION: VINYL 3D LAMINATE. TABLE TOPS SUPPLIED ON MR MDF SUBSTRATE

ROLL WIDTH / LENGTH: STOCKED COLOURS - 132CM WIDE X 228M - AVAILABLE BY THE LINEAL METRE

INDENT COLOURS - 132CM WIDE X 45.7M OR 228M - AVAILABLE BY THE FULL

ROLL ONLY

SIZES - TABLE TOPS: UP TO 3000MM X 1150MM. 19MM THICK

WEIGHT: STRATEK - 560 G/M²

AS A TABLE TOP - 13KG / M³

PATTERN REPEAT: N/A

FIRE RATING: IN ACCORDANCE WITH AS/NZS 3837

CLASSIFICATION - GROUP 1

SPECIFIC EXTINCTION - LESS THAN 250M²/KG

INDOOR / OUTDOOR: INDOOR ONLY

WET AREAS: NO

LEADTIME: STOCKED COLOURS - SYDNEY, MELBOURNE, BRISBANE - 2 WORKING DAYS,

ADELAIDE - 4 WORKING DAYS, PERTH - 5 WORKING DAYS.

INDENT COLOURS – 3-4 WEEKS

FOR TABLE TOPS - ADD 2 WEEKS TO THE STOCKED OR INDENT LEAD TIME

(SUBJECT TO ORDER SIZE)

THERMOFORMABLE: COLD FORMABLE

CUSTOMISABLE DESIGN: YES. 1,500M MINIMUM.

TABLE TOP SIZE - YES

MDF SUBSTRATE DESIGN - YES

FABRICATION: FLAT LAMINATED, MEMBRANE PRESS, MITRE FOLDABLE

INSTALLATION: AS A WALLCOVERING – PREPARE THE WALL AND SIMPLY OVERLAP AND DOUBLE

CUT. BARESQUE RECOMMEND AND SUPPLY ROMAN PRIMER AND ADHESIVES FOR

THE INSTALLATION OF WALLCOVERINGS.

BARESQUE CAN ALSO RECOMMEND WALLCOVERING INSTALLERS.

FLAT LAMINATED – LAMINATE WITH CONTACT ADHESIVE (REFER TO ADHESIVE

SUPPLIER FOR APPROPRIATE CONTACT DEPENDING ON SUBSTRATE)

TABLE TOPS - SCREW FIX TO SUITABLE TABLE BASE (NO SCREWS SUPPLIED)

REFINISHABLE: NO

CARE INSTRUCTIONS: WIPE MATERIAL WITH A CLEAN, SOFT CLOTH DAMPENED WITH A MILD SOLUTION

OF LIQUID DETERGENT AND WARM WATER. REPEAT USING ONLY CLEAN WATER,

THEN DRY WITH A LINT FREE CLOTH.

AVOID USING WAX POLISHES, SOLVENTS OR CONCENTRATED ABRASIVES. FOR MORE DIFFICULT STAINS, DAMPEN A SOFT WHITE CLOTH WITH A SOLUTION OF HOUSEHOLD BLEACH (10% BLEACH / 90% WATER). RUB GENTLY. RINSE WITH A WATER DAMPENED CLOTH TO REMOVE BLEACH CONCENTRATION.

ALWAYS TEST IN AN INCONSPICUOUS AREA FIRST.

TABLE TOP DETAILS TABLETOP STANDARD SHAPES R5 TYP R50 TYP SQUARE CORNERS RADIUS CORNERS ROUND TABLETOP STANDARD EDGE DETAILING HMR WHITEBOARD MDF TYPICAL EDGE DETAIL SECTION FLAT EDGE TYPICAL EDGE DETAIL SECTION HALF BULLNOSE 22.500 TYPICAL EDGE DETAIL SECTION HALF BEVEL TYPICAL EDGE DETAIL SECTION REVERSE BEVEL NOTE: NOT AVAILABLE WITH SQUARE CORNER TABLETOPS

TYPICAL PROPERTIES COMPARISON

TEST METHOD	STRATEK	HPL
Hoffman Scratch	1300g	1000g
Burnish	None / Slight	Slight
MEK Double Wipes	<50	>100
NEMA Wear (Initial)	750 cycles	300 cycles
NEMA Cleanability	13 / 17** (see below)	10
NEMA Ball Impact	3000mm	1100mm
Coating Adhesion	None / Moderate	None

KCMA CHEMICAL RESISTANCE (9.3)

STAINING AGENT	RESULTS*
Vinegar	No Effect
Lemon Juice	No Effect
Grape Juice	No Effect
Orange Juice	No Effect
Tomato Ketchup	No Effect
Coffee	No Effect
Olive Oil	No Effect
Alcohol, 100 Proof	No Effect
Detergent Solution	No Effect
Mustard	Moderate Effect

^{*} Results

No Effect = No discoloration or stain after cleaning immediately with water. Moderate Effect = Slight stain or discoloration apparent after cleaning. Severe Effect = Definite stain after cleaning, remaining after 14 days.

STAIN RESISTANCE ** (See NEMA LD 3-2005 for full description.)

CLEANING STEP DESCRIPTION (In order of use)

0 - Removed	with water
-------------	------------

1 - 25 cycles spray cleaner or sponge

2 - 25 cycles baking soda plus spray cleaner on brush

3 - Acetone and cotton ball

4 - Bleach plus cotton ball

5 - Not removed

Required Cleaning Step to Remove Stain

	to Remove Stain		
Staining agent	PRINTED	SOLID	
Distilled Water	0	0	
Ethyl Alcohol / Water (50:50)	0	0	
Acetone	5	5	
Household Ammonia	0	0	
Citric Acid 10%	0	0	
Vegetable Oil	0	0	
Coffee	0	0	
Tea	0	0	
Tomato Ketchup	0	0	
Mustard	0	3	
10% lodine	0	2	
Black Permanent Marker	2	0	
#2 Pencil	2	2	
Wax Crayon	2	2	
Black Shoe Polish	2	2	
Total NEMA Cleanability Score	13	17	

^{**} Actual results may vary depending on color - lighter shades are more susceptible to staining.



Product Xorel Kaleidoscope as Wallcovering and Upholstery

Baresque is an industry leader and can provide you with the inspiration you need through all different channels. **BE INSPIRED** by product type, brand, application or check out some of the awesome projects we have been involved with.

Project Deutsche Bank
Designer Martin and Ollmand
Product Lightblocks Ice as joinery

Project Roly Poly Childcare
Designer KW Interiors
Product Custom Seraphic
Digital Print on Commercial
Wallcovering





Project Hallam Hotel
Designer Enth Degree Architects
Product Bengal engraved Lucere
Mirror on Black MDF



Product Xorel Deco Embroider as wall panelling



Project QUT Kelvin
Grove Partnering Office
Designer Bureau Proberts Architects
Product Bhushan 2D Perforated
Screen in Reatec with ply core





Product Lucere Encapsulated, Fly-Away-White



Product Panaz Magma smoke Commercial Upholstery

