

OMEXCO
Fine Belgian Wallcoverings



ATELIER
BANANA STEM FIBRE



AT 2 4



AT 2 1



AT 2 3




AT 2 2

NB: The portrayed colours may differ from reality.


References AT 2

Composition: banana stem fibre

Weight: $\pm 835 \text{ g/m}^2$ (24.63 oz/sq yd)



Width of the wallcovering.



Pattern repeat is 0 cm (0") and the design does not need to be matched.



Apply a ready mixed PVA or EVA clear adhesive directly to the wall, abundantly humidify the backing of the wallcovering – long soaking time.



Seamless.



Light resistant: Xeno test 6.



Sold by the metre/yard. No minimum.



Ecological.

More information and samples are available on request.

Omexco n.v. - Ambachtenlaan 12 - 3001 Heverlee - Belgium
t. +32 16 40 18 80 - info@omexco.com - www.omexco.com

OMEXCO
Fine Belgian Wallcoverings



ATELIER
HEAVY WEAVE WITH HANDSPUN YARNS



AT 3 2



AT 3 3




AT 3 1



AT 3 4


NB: The portrayed colours may differ from reality.

References AT 3
Composition: heavy weave with handspun yarns
Weight: $\pm 955 \text{ g/m}^2$ (28.17 oz/sq yd)



91 cm /
35"4/5

Width of the
wallcovering.



Pattern repeat
is 0 cm (0") and
the design does
not need to be
matched.



Apply a ready
mixed PVA or EVA
clear adhesive
directly to the wall,
no need to humidify
the back of the
wallcovering.



Ecological.



Light resistant:
Xeno test 6.



Sold by the
metre/yard.
No minimum.

More information and samples are available on request.

Omexco n.v. - Ambachtenlaan 12 - 3001 Heverlee - Belgium
t. +32 16 40 18 80 - info@omexco.com - www.omexco.com

OMEXCO
Fine Belgian Wallcoverings




ATELIER
RECYCLED SILK AND PAPER STRINGS




AT 4 I

NB: The portrayed colours may differ from reality.

Reference AT 4 I
Composition: recycled silk and paper strings
Weight: $\pm 374 \text{ g/m}^2$ (11.03 oz/sq yd)



Width of the wallcovering.



Pattern repeat is 0 cm (0") and the design does not need to be matched.



Apply a ready mixed PVA or EVA clear adhesive directly to the wall, no need to humidify the back of the wallcovering.



Ecological.



Light resistant:
Xeno test 4.



Sold by the metre/yard.
No minimum.

More information and samples are available on request.

Omexco n.v. - Ambachtenlaan 12 - 3001 Heverlee - Belgium
t. +32 16 40 18 80 - info@omexco.com - www.omexco.com

OMEXCO
Fine Belgian Wallcoverings



ATELIER
CHUNKY TEXTILE YARNS



AT 5 1



AT 5 2


NB: The portrayed colours may differ from reality.

References AT 5


Composition: chunky textile yarns

The wallcovering can be installed vertically or horizontally.

Weight: $\pm 390 \text{ g/m}^2$ (11.46 oz/sq yd)



Width of the wallcovering.



Pattern repeat is 0 cm (0") and the design does not need to be matched.



Apply a ready mixed PVA or EVA clear adhesive directly to the wall, no need to humidify the back of the wallcovering.



Ecological.



Light resistant:
Xeno test 6.



Sold by the metre/yard.
No minimum.



Seamless.


More information and samples are available on request.

Omexco n.v. - Ambachtenlaan 12 - 3001 Heverlee - Belgium
t. +32 16 40 18 80 - info@omexco.com - www.omexco.com

OMEXCO
Fine Belgian Wallcoverings



ATELIER
INDIAN SARI SILK & ABACA



AT62




AT61

NB: The portrayed colours may differ from reality.


References AT 6

Composition: indian sari silk & abaca

Weight: $\pm 840 \text{ g/m}^2$ (24.77 oz/sq yd)



Width of the wallcovering.



Pattern repeat is 0 cm (0") and the design does not need to be matched.



Apply a ready mixed PVA or EVA clear adhesive directly to the wall, abundantly humidify the backing of the wallcovering – long soaking time.



Seamless.



Light resistant:
Xeno test 3-4.



Sold by the metre/yard.
No minimum.



Ecological.

More information and samples are available on request.

Omexco n.v. - Ambachtenlaan 12 - 3001 Heverlee - Belgium
t. +32 16 40 18 80 - info@omexco.com - www.omexco.com

OMEXCO
Fine Belgian Wallcoverings



ATELIER
PATCHWORK OF HANDWOVEN RAFFIA



AT7 1



AT7 4




AT7 2




AT7 3

NB: The portrayed colours may differ from reality.

References AT 7
Composition: patchwork of handwoven raffia
Weight: $\pm 445 \text{ g/m}^2$ (13.12 oz/sq yd)



Width of the wallcovering.



Pattern repeat is 0 cm (0") and the design does not need to be matched.



Apply a ready mixed PVA or EVA clear adhesive directly to the wall, abundantly humidify the backing of the wallcovering – long soaking time.



Seamless.



Light resistant: Xeno test 3-4.



Sold by the metre/yard. No minimum.



Ecological.

More information and samples are available on request.

Omexco n.v. - Ambachtenlaan 12 - 3001 Heverlee - Belgium
t. +32 16 40 18 80 - info@omexco.com - www.omexco.com

OMEXCO
Fine Belgian Wallcoverings



ATELIER

ARTISANAL PAPER & PAPER STRINGS



AT 8 2




AT 8 1


NB: The portrayed colours may differ from reality.

References AT 8

Composition: artisanal paper & paper strings
Weight: $\pm 465 \text{ g/m}^2$ (13.71 oz/sq yd)



Width of the wallcovering.



Pattern repeat is 0 cm (0'') and the design does not need to be matched.



Apply a ready mixed PVA or EVA clear adhesive directly to the wall, abundantly humidify the backing of the wallcovering – long soaking time.



Ecological.



Light resistant:
Xeno test 6.



Sold by the metre/yard.
No minimum.

More information and samples are available on request.

Omexco n.v. - Ambachtenlaan 12 - 3001 Heverlee - Belgium
t. +32 16 40 18 80 - info@omexco.com - www.omexco.com

OMEXCO
Fine Belgian Wallcoverings



ATELIER
IKAT PRINT ON LINEN






AT9 1




AT9 2

NB: The portrayed colours may differ from reality.

References AT 9
Composition: printed linen
The wallcovering can be installed vertically or horizontally.
Weight: $\pm 208 \text{ g/m}^2$ (5,58 oz/sq yd)



Width of the wallcovering.



Pattern repeat is 0 cm (0") and the design does not need to be matched.



Fire resistant:
EU: B, s1-d0
US: class A



Light resistant:
Xeno test 6.



Printed with solar energy.



Sold by the metre/yard.
No minimum.



Ecological.



Seamless.



Apply a ready mixed PVA or EVA clear adhesive directly to the wall, no need to humidify the back of the wallcovering.



Breathable.

More information and samples are available on request.

Omexco n.v. - Ambachtenlaan 12 - 3001 Heverlee - Belgium
t. +32 16 40 18 80 - info@omexco.com - www.omexco.com