Koroseal[®]

3875 Embassy Parkway Fairlawn, OH 44333

855.753.5474 koroseal.com



Reflection like the inside of a crystal. Modern glamour and three-dimensional reflection exploring the art and architecture of today.

		US UNITS	METRIC UNITS	
Total Weigh	t	25.0 oz. PLY 16 oz. PSY	775 g PLM 566 g PSM	
Roll Width		52'' - 54''	132 cm - 140 cm	
Gauge				
Fabric		Woven		
Tensile (Minimum)		50 x 55 lb _f	222 x 245 N	
Tear (Minimum)		25 x 25 lb _f	111 x 111 N	
Federal Spec.		CCC-W-408D, Type II		
WA Spec.		WA-101, Type II		
ASTM F-793		Category V, Type II		
Fire Testing		NFPA 101 [®] Life Safety Code [®] NFPA 255 (ASTM E-84) Tunnel Test ¹ Class A Rating NFPA 286 Corner Burn Test ² Meets requirements for Flame Spread, Smoke Developed and Flashover		
Indoor Air Quality		California 01350 - Meets emission requirements for schools and offices		
Repeat	Vertical Horizontal Nominal Information Match Information	N/A N/A 51" Non-Reverse Hang, Rand	dom Match	
1 When applie	d to GRC board with A-848-B adhesive	2 When applied to 5/8" Type-	X-Gypsum board with A-848-B adhesive	

Available in 18 Colorways

SPR1-10 Arena	SPR1-03 White House	SPR1-16 Castle
SPR1-11 Villa	SPR1-14 Colosseum	*SPR1-18 Pyramid
SPR1-12 Igloo	SPR1-15 Taj Mahal	*SPR1-17 Brownstone
*SPR1-01 Hermitage	*SPR1-04 Skyscraper	*SPR1-07 Greenhouse
SPR1-02 Cathedral	SPR1-05 Museum	SPR1-08 Sphinx
SPR1-13 Pagoda	*SPR1-06 Palace	*SPR1-09 Stonehenge

* These decorative metallic wallcoverings should only be cleaned with mild ingredients such as soap, detergent and water. Stronger, more alkaline household cleaners have the potential to damage the surface of the material along with excessive scrubbing.

Koroseal® is a registered trademark of Koroseal Interior Products, LLC. NFPA 101® and Life Safety Code® are registered trademarks of National Fire Prevention Association.

^{©2017} Koroseal Interior Products, LLC.