



SPECIFICATIONS

Abrasion 515,000 Double Rubs (Wyzenbeek)

Brand Ennis Fabrics

Cold Crack -40 OC

Construction Polyurethane Coated Faux Leather Fabric

Content Backing ["100% Polyester"]

Content Face ["100% Polyurethane - PVC Free"]

Fire Retardancy CALTB117-2013, MVSS302, NFPA 260 Class 1

Hydrostatic Head ISO 1419 Method C (Accelerated Ageing) (Jungle Test) 3 Weeks

Number of Colors Available in 6 colors

RAILROADED Non Railroaded

Roll Size 40 yds (36 m)

SEAM SLIPPAGE ASTM D4034 Fill 69 X Warp 104 lb

Product Description

Abilene 9009 Black is a gorgeous black, faux leather. It has a natural looking leather grain and a soft hand.

Industry

["Residential"]

Uses

Apparel, Bags, Residential Seating, RV Seating

SPECIFICATIONS

Tear Strength	Passes ASTM D2261 - Weft 12 x Warp 9
Tensile Strength	Passes ASTM D5034 - Weft 98 x Warp 127
Weight	["449.9 gsm","19.9 oz/yd","13.2 oz/sq yd"]
Width	54 in. (137 cm)
Part Number	ABILE6006
Variant Name	6006 Black
Primary Colour	Black
Style	["Contemporary","Solid"]

SPECIFICATIONS