


HAVEN STEEL



SKU: 189HAV1/911 | **Categories:** [Haven](#), [Haven](#) |

Wash & Care: Wipe clean routinely with a microfibre cloth lightly dampened with cold water only and then dry with a clean absorbent cloth Soak up spillages as soon as possible with an absorbent dry cloth to prevent staining If soiling has accumulated use a mild proprietary cleaner (non-alkaline). Take care to remove all soap residues and dry with a clean absorbent cloth Remove body fluids and extreme soiling immediately (within 15 minutes) with cold water then apply approved infection control protocol: Haz Tabs, Chlor Clean or Shield Plus etc. As the concentration of bleach can vary greatly among proprietary brands we recommend these be avoided but in extreme circumstances, a 5,000PPM chlorine bleach solution may be used.. Remove product residues and then dry with a clean absorbent cloth Do not tumble dry Do not dry clean Do not fully immerse in water Do not apply solvents, alcohol or any other chemical cleaners Do not steam clean Note dyes and pigments from indigo jeans, ball point and felt tip pens may permanently stain |

ADDITIONAL INFORMATION

Collection

[Haven](#)

Flammability Ratings

[B1](#), [BS 5852 IGN Source 5](#), [BS 7176 Medium Hazard](#), [EN 1021 1/2](#), [IMO FTP CODE 2010 Part 8, M2](#), [NFPA 260](#)

Design	<u>Haven</u>
Colourway	<u>911 Steel</u>
Colour	<u>Grey</u>
Product Type	<u>Faux Leather</u>
End Use	<u>Outdoor, Upholstery</u>
Sector	<u>Cruise, Healthcare, Hospitality</u>
Material	<u>Fire Retardant, Polyvinyl Chloride (PVC)</u>
Pattern Type	<u>Plain</u>
Width	<u>Standard Width</u>
Width (cm)	<u>140</u>
Weight (g/m2)	<u>750</u>
Martindale Scale	<u>200,001 - 350,000</u>
Martindale Abrasion	<u>300,000</u>
Wyzenbeek Scale	<u>100,001 - 200,000</u>
Wyzenbeek DR	<u>200,000</u>
Burst Strength	<u>800</u>
Technical Features	<u>Antimicrobial, Outdoor, Stain Resistant, Waterproof</u>
LRV Scale	<u>21 - 30</u>
LRV	<u>21.8</u>
FR Territories	<u>Cruise, France, Germany, UK, USA</u>
Colour Fastness	Colour Fastness to Artificial Weathering - Grade 6-7, Colour Fastness to Chlorinated Water - Grade 4-5, Colour Fastness to Sea Water - Grade 4-5, Colour Fastness to Light - Grade 6+