

SPECIFICATIONS

Abrasion	20, 000 Double Rubs (Wyzenbeek)
After Treatment Finish	Stock Finished with Endurepel Shield
Brand	SolarShade
Roll Size	50 yds (46 m)
Construction	Woven Textured Jacquard
Content Backing	100% Polyester
Content Face	100% Solution Dyed Polyester
Crocking	ASTM D3597: Dry crocking = Class 4.5
Fire Retardancy	CALTB117-2013, NFPA 260 Class 1, UFAC Class 1
Mildew Resistance	AATCC 30:III
Number of Colors	Available in 5 colors
RAILROADED	Railroaded

Product Description

Textured solid woven, made with solution dyed polyester to achieve high UV resistance to be suitable for indoor/outdoor use. Finished with Endurepel Shield.

Cleaning Code

W - Clean fabrics with water-based cleaning agents or water based foam

SPECIFICATIONS

SEAM SLIPPAGE	ASTM D4034 Fill 93.3 X Warp 90.1 lb
Weight	258 gsm,7.61 oz/sq yd,11.84 oz/yd
Width	54 in. (137 cm)
Collection	SolarShade Furniture Secret Garden: Set of 3 Bindercards,SolarShade Furniture Secret Garden Stackbook
Primary Colour	Natural
Warranty	Our SolarShade Furniture fabrics have a limited 5-year fabric warranty against becoming unserviceable due to loss of colour, loss of strength, abrasion and pilling from normal usage and exposure conditions
Water Resistance	Water Resistent
UV Resistance	Colorfastness to Light AATCC 16 - Grade 4, 1000 hours

SPECIFICATIONS

Style	Solid, Texture
Repeat Width	14.37 in. (36.5 cm) across the roll
Repeat Length	15.75 in. (40 cm) up the roll
Pilling	ASTM D3512 - Class 4.5
Oil Repellency	AATCC 184 Class 5
Uses	Indoor / Outdoor, Marine Seating, Decorative Accessories, Pillows

SPECIFICATIONS