

# BOLT BAFFLES INSTALL GUIDE







baresque.com.au e info@baresque.com.au p 1300 306 399 1) Thread baffles onto the SHS mounting beams provided.




STEP 1

2) Lock each baffle into position by pushing downwards as shown.










## SUSPENSION METHOD

4) Place baffle assembly up to ceiling in desired location. Mark position of **6 off** through holes which correspond to the mounting holes.



**SQUARE** MOUNTING BEAM HANGING WIRE WITH "DEAD END"


STEP 6

6) Thread wires through mounting holes in square mounting beams.




## SUSPENSION METHOD


7) Feed top of wire through tip of 'wire adjuster' (as shown). Push button (shown in grey) to adjust wire length. Release the button to lock in place.



8) Feed wire through hole in the side of 'hanger head'. Screw 'wire adjuster' into 'hanger head'. When all wires are in place, adjust lengths so baffle assembly hangs level.







**COMPLETED INSTALL** 




PLEASE NOTE: BAFFLE INSTALLATION WILL REQUIRE 2 PEOPLE.

# **CONNECTOR & CAPPING DETAIL**


# **CONNECTOR DETAIL**


To connect multiple baffle assemblies together, insert connectors into open ends of square mounting beams and push assemblies together as shown.



# CAPPING DETAIL

To cap ends of baffle assembly-insert end caps provided as shown.







**PARTS** 


# **3x SQUARE MOUNTING BEAM**







6x **END CAPS** 









PROFILE 10

