





Model:Kensington-29.5R

All Wood Bathroom Vanity


Technical Drawing




FRONT VIEW



SIDE VIEW



BACK VIEW



TOP VIEW

Installation Guide

REQUIRED TOOLS NOT IN BOX




Tape measure




Pencil



Electric Drill



Phillips Screwdriver





Spirit Level



Silicone sealant

Step 1: Open the box, place the cabinet on the back side (see box), level the cabinet with the leg adjusters as needed.





Leg adjusters x4pcs



Installation Guide

Step 2: Apply bead of quality and clear or white silicone sealant evenly along the top of the cabinet sparingly.



Step 3: Place the counter-top onto the cabinet and align prior to the silicone drying



Installation Guide

Step 4: Apply clear silicone sealant evenly and sparingly along the bottom and back of the backsplash


Step 5: Finally, place the bottom side of backsplash with sealant onto the counter-top and check the alignment of backsplash
Adjust the leg adjusters as needed




Step 6: Remove the handles from inside the cabinet doors and drawers and reinstall facing outwards.
Do not over tighten when reattaching to

Installation&Adjustment of Hings&Sliders


HOW TO ADJUST HINGES AFTER INSTALLATION (if required)



adjust height



adjust laterally




adjust depth




DRAWERS REMOVAL & RE-INSTALLATION (if required)

Do not do adjustments until the cabinet has been leveled and installed

REMOVAL



RE-INSTALLATION



CARE AND MAINTENANCE

- * Dust the vanity regularly with soft, non-lint producing cloth or household dusting products.
- * You can clean the vanity with a gentle, non-abrasive household cleaner.
- * Make sure to dry the wood immediately with a soft cloth/towel.
- * The ceramic sink can be cleaned using standard ceramic cleaning agents available at your local supplier.
- * Remove this statement

IMPORTANT

- * Shade variations and patterns are an inherent characteristic of stone (e.g. granite, marble, engineered stone). Stone tops will vary from product to product. Use caution placing items such as soap or any fragranced material on the stone surface. Use a soap dish, coaster or similar item to protect the surface if placing any soap or fragranced products on the stone.
- * If soap or fragranced products come in contact with stone top, rinse the surface with water and dry using a soft non-abrasive cloth.
- * **WARNING:** Must use cleaning agents safe for stone. Check your cleaning agents use restrictions before using on any stone. Damage to the stone may result. Vanity manufacturer is not responsible for damage caused by improper cleaning agent or soap used. Warranty will not cover damage caused by improper soap or cleaning agents.
- * **DO NOT** use products to clean the stone top that contain acetone, lemon, vinegar or other acids as these may cause damage to the stone surface
- * Periodically reseal the stone top using a appropriate stone sealer available from your local store. Follow the manufacturer's directions on how to apply.