



NO.2120093033



中國认可 检验 INSPECTION CMAS IRRORT

Certification for Safe Transport of Chemical Goods

锂电池类货物

样品名称:

电池组套 POWER X-CHANGE STARTER KIT 内含锂离子电池组 Battery

Power X-Change 4,0(Tenpower ICR18650 2000mAh电芯) 18V 4Ah

72Wh

Sample name:

POWER X-CHANGE STARTER KIT packed with Battery Power

X-Change 4,0(Tenpower ICR18650 2000mAh cell) 18V 4Ah 72Wh

委托单位:

重庆市汉斯·安海酉阳进出口有限公司

Hansi Anhai Youyang Import and Export Co., Ltd.

生产单位:

上海拜骋电器有限公司

Shanghai Baicheng Electric Equipment Manufacture Co., Ltd



上海化工院检测有限公司

Shanghai Research Institute of Chemical Industry Testing Co., Ltd





	品名称 ample	中文 Chinese	电池组套 POWER X-CHANGE STARTER KIT 内含锂离子电池组 Battery Power X-Change 4,0(Tenpower ICR18650 2000mAh电芯) 18V 4Ah 72Wh POWER X-CHANGE STARTER KIT packed with Battery Power X-Change 4,0(Tenpower ICR18650 2000mAh cell) 18V 4Ah 72Wh			
r	name	英文 English				
委托单位 Consignor			重庆市汉斯·安海酉阳进出口有限公司 Hansi Anhai Youyang Import and Export Co., Ltd.			
生产单位 Manufacturer			上海拜骋电器有限公司 Shanghai Baicheng Electric Equipment Manufacture Co., Ltd			
		and procedure	国际海事组织《国际海运危险货物规则》(2018版) IMO International Maritime Dangerous Goods Code (2018 Edition)			
S	样品》 ample ap		黑色,红色双色塑胶外壳 Black and red Plastics cement shell			
P	包装件 ackage in		重量≤30kg。 Weight≤30kg.			
序号 NO.		池种类 ery type	型号 Model	容量Cap /锂含量Li	content	放置方式 Placement
1	Recharge	豐离子电池组 cable Li-ion attery	Battery Power X-Change 4,0(Tenpower ICR18650 2000mA 芯)	4Ah 7:	2Wh	电池单独运输 Battery only
	型 是 Lit	 1. 危险性识别 (Hazards identification) 锂离子电池。 Lithium ion battery. 2. 海运按照国际海事组织《国际海运危险货物规则》办理的类项 (Suggestion according to IMO IMDG Code) 根据特殊规定188,该物品不受IMO IMDG Code其他条款限制。 				
鉴	DE NT IMO					
定	The 188	The article is not subject to other provisions of IMO IMDG Code according to special provision 188.				
结	g 无。	3. 包装要求(Packaging requirements) 无。 None.				
论	USI ON					
	In	检验日期: spection Date:	2020-09-27		生效日期 Effective D	
备注 Comm				(()

审核 Checker:

童管性

主检 Appraiser:



货物运输条件鉴定书


Certification for Safe Transport of Chemical Goods

序号 检验结果及其他事项 No. Inspection results and other things 本报告所述锂电池按照《国际海运危险货物规则》(2018版) 2.9.4.5规定的质量管理体系进行制造。 Lithium cells and batteries listed in this report were manufactured under the quality management programme as described in IMDG CODE 2018 EDITION 2.9.4.5. 1 本报告所述锂电池已通过《联合国试验和标准手册》第III部分38.3小节相应测试要求。 包装件能够承受1.2m跌落试验。 Lithium cells and batteries listed in this report are of the types proven to meet the requirements 2 of each applicable test in the UN Manual of Tests and Criteria, Part III, sub-section 38.3. The package has passed the 1.2m drop test. UN38. 3试验概要编号 The UN38.3 Test Summary No. (s) 811900100036336 详细信息请扫描右侧二维码。 Please scan the QR code on the right for more information. 锂电池完全封装在内包装内,位于坚固的外包装中。 Lithium cells and batteries are packed in inner packagings that completely enclose the cell or battery and placed in a strong outer packaging. 3 电池具有适当的防短路措施。 Cells and batteries are properly protected to prevent short circuits. 4 每个包装件必须标示恰当的锂电池标记。 装有锂电池的包装件,符合国际民航组织关于危险货物安全空运的《技术细则》第4部分第11章的包装说 明965或968第IB部分规定的,黏贴5. 2. 1. 10(锂电池标记)和5. 2. 2. 2所示的9A型标签,应视为符合木特殊规定188的规 5 定。 Each package shall be marked with the appropriate lithium battery mark. Packages containing lithium batteries packed in conformity with the provisions of part 4, chapter 11, packing instructions 965 or 968, section IB of the ICAO Technical Instructions for the Safe Transport of Dangerous Goods by air that bear the mark as shown in 5.2.1.10(lithium battery mark) and the label shown 5.2.2.2, Model No.9A shall be deemed to meet the provisions of this special provision 188. 6 7 -验证码:626246-

货物运输条件鉴定书

Certification for Safe Transport of Chemical Goods

NO. 2120093033 Page 3/3





Rechargeable Li-Ion Battery Pack Battery Power X-Change 4,0 18 V d.c. · 4,0 Ah · 72 Wh 5INR19/66-2 Art.-Nr.: 45.113.99 I-Nr.: 11015



报告结束

