





选验 MSPECTION 货物运输条件鉴定书

Certification for Safe Transport of Chemical Goods

锂电池类货物

冲击电钻 _TE-CD 18/2 Li-i +64(2x2, 0Ah) _内置及内含锂离子电池组 _Battery 样品名称:

Power-X-Change 2,0 _18V 2,0Ah 36Wh

Cordless Impact Drill _TE-CD 18/2 Li-i +64(2x2, OAh) _Contain and Packed Sample name:

with Lithium ion Battery pack_ Battery Power-X-Change 2,0 _18V 2,0Ah 36Wh

安海机电科技(苏州)有限公司 委托单位:

EINHELL ELECTRO MACHINERY TECHNOLOGY CO., LTD

宁波良业电器有限公司 生产单位:

Ningbo Liangye Electric Appliances Co.,Ltd



Shanghai Institute of Chemical Industry Testing Co., Ltd





货物运输条件鉴定书

NO. 212200145786313

Page 1/3

Certification for Safe Transport of Chemical Goods

		C	ertification for Safe Transport o	The state of the s	Page 1/3	
		中文		x2,0Ah) 内置及内含锂离子电	池纽 Battery Power-X-Change 2,	
样品名	140	イ文 Chinese	_18V 2, 0Ah 36Wh			
Sample		Crimese				
Jampie	Ivanie	** >	No. 2		tain and Packed with Lithium io	
		英文	Battery pack Battery Power-X-	Change 2,0 18V 2,0Ah 36Wh		
		English				
			安海机电科技(苏州)有限公司			
Consignor			EINHELL ELECTRO MACHINERY TECHNOLOGY CO., LTD			
生产单位			宁波良业电器有限公司			
エアキゼ Manufacturer			Ningbo Liangye Electric Appliances Co., Ltd			
000 FARE TO 0000 FARE TO 000 F			国际海事组织《国际海运危险货物规则》(2020版)			
检验方法、程序 Inspection method and procedure			INO International Manitime Dengangue Code Code (2020 Edition)			
nspection			多种颜色塑胶及金属外壳			
样品外观			Multicolor Plastics cement and metal shell			
Sample appearance						
包装件信息						
		formation				
序号		电池种类	型号 Model	容量Capacity	放置方式 Placement	
NO.		attery type L锂离子电池组	Battery Power X-Change 2,0	/锂含量Li content 2.0Ah 36Wh	Placement 安装在设备内	
		geable Li-ion	bactery rower a change 2,0	a. omi com	Contained in equipment	
		battery			5 (3) E	
2		理离子电池组	Battery Power X-Change 2,0	2. 0Ah 36Wh	与设备包装在一起	
		geable Li-ion battery			Packed with equipment	
	1.	危险性识别(H	azards identification)	7		
	钽	离子电池。				
	Li	thium ion batte	ery.			
	_					
	DE					
鉴	DENT 2.	海运按照国际	海事组织《国际海运危险货物	规则》办理的类项(Sugge	stion according to IMO IMD	
	Co	ode)				
	O根		该物品不受IMO IMDG Code其他条款			
定		e article is no	ot subject to other provisions of	of IMO IMDG Code according	to special provision 188.	
	9					
结	2				i lei	
	N N				心特测者。	
	₹ 3.	包装要求(Pac	kaging requirements)		1 Morand Wall	
论	SI 无	۰			123 30 51	
	Andrew Control	ne.			造	
	_				一一二十四音	
					中田支服討如母	
					(15)	
		检验日期:	2022 07 05 签发日期:	2000.07.05 生效日期:	2000 27 25	
		Inspection Date	2022-07-05	022-07-05 Effective Da	te: 2022-07-05	
	1					
备注						
Comme	ent					
	and a Property of the Control of the					

审核 走完成 Checker: 主检 Appraiser:

品质



Page 2/3

货物运输条件鉴定书

Certification for Safe Transport of Chemical Goods

序号	检验结果及其他事项
No.	Inspection results and other things
1	本报告所述锂电池按照《国际海运危险货物规则》(2020版) 2.9.4.5规定的质量管理体系进行制造。 Lithium cells and batteries listed in this report were manufactured under the quality management program described in IMDG CODE 2020 EDITION 2.9.4.5.
2	本报告所述锂电池已通过《联合国试验和标准手册》第III部分38.3小节相应测试要求。 包装件能够承受1.2m跌落试验。 Lithium cells and batteries listed in this report are of the types proved to meet the requirements of each applicable test in the UN Manual of Tests and Criteria, Part III, sub-section 38.3. The package has passed the 1.2m drop test. UN38.3试验概要编号 The UN38.3 Test Summary No.(s) 812200000533160 详细信息请扫描右侧二维码。 Please scan the QR code on the right for more information.
3	设备应装入由适当材料构造的坚固外包装内,材料的强度和设计应与包装的容量和用途相符,除非装有电池的设备对电池提供了等效保护。 锂电池完全封装在内包装内,位于坚固的外包装中。 The equipment should be packed in strong outer packagings constructed of suitable material of adequate strength and design in relation to the packaging's capacity and its intended use unless the battery is afforded equivalent protection by the equipment in which it is contained. Lithium cells and batteries are packed in inner packagings that completely enclose the cell or battery and placed in a strong outer packaging.
4	电池具有适当的防短路措施。 设备固定在外包装内以免移动,并配备防止发生意外启动的有效手段。 Cells and batteries are properly protected to prevent short circuits. The equipment is secured against movement within the outer packaging and is equipped with an effective means of preventing accidental activation.
5	每个包装件必须标示恰当的锂电池标记。 Each package shall be marked with the appropriate lithium battery mark.
6	
7	
	-验证码:185363-

货物运输条件鉴定书

Certification for Safe Transport of Chemical Goods

0. 212200145786313 Page 3/3







报告结束

