IN ACCORDANCE WITH SUB-SECTION 38.3 OF MANUAL OF TESTS AND CRITERIA

N/A = Not Applicable

1. Name/Description of battery					
1a. Name/Desc	ription of the cells inside t	he battery			
The test summary be confirmed that	y of the cells inside the bat the UN 38.3 test summar	tery must either be presented or unitry for the cells is available.	der checkpoint 9 and 9a it must		
2. Manufacture	r of baltery				
Name					
Address					
Phone					
Email					
Website	te e				
	r of the equipment (if the t	battery is contained in equipment)			
Name					
Address					
Phone					
Email					
Website					
3. Test laborato	ory of battery				
Name					
Address					
Phone					
Email					
Website					
4. ID-number a	and date				
Unique test repo	Unique test report identification number Date of test report				

Page 1



IN ACCORDANCE WITH SUB-SECTION 38.3 OF MANUAL OF TESTS AND CRITERIA

Name/Description of battery (taken from field 1)	

DESCRIPTION OF BATTERY

5. M	ark the type of battery with an "●"					
	Lithium ion battery	Lithium metal ba	ttery			
	Lithium hybrid battery					
6. Pa	rameters					
Mass	in gram (g):					
Lithium ion: Indicate watt-hour rating (Wh):						
Lithium metal: Indicate lithium metal content in gram (g):						
Libbiu	Libbium hubrid ladicate lithium metal contact is grow (a) and watt hour rating (A/b).					
Littilo	Lithium hybrid: Indicate lithium metal content in gram (g) and watt-hour rating (Wh):					
7. Pl	nysical description of battery					
8. M	odel numbers					

TESTS AND RESULTS

9. List of tests conducted and results - Mark N/A, pass or fail with an "•"	N/A	pass	fail
T1 - Altitude simulation			
T2 - Thermal Test			
T3 - Vibration			
T4 - Shock			
T5 - External Short Circuit			
T6 - Impact - for cylindrical cells having a diameter of at least 18 mm See check point 1a and 9a.			
T6 - Crush - for prismatic cells, pouch cells, button cells and cylindrical cells having a diameter of less than 18 mm. See check point 1a and 9a.			
T7 - Overcharge			
T8 - Forced Discharge, only valid for cells. See check point 1a and 9a.			



IN ACCORDANCE WITH SUB-SECTION 38.3 OF MANUAL OF TESTS AND CRITERIA

9a.UN 38.3 Test Confirmation for the Cells inside the battery

Name/Description of battery (taken from field 1)

the cells inside the battery (see checkpoint 1.a.) have successfully passed the UN 38.3 test. In this case under checkpoint 9 the T.6 and T.8 must be marked as "passed" and here under 9.a. "Cell UN 38.3 Test confirmed" needs to be ticked.	Cell UN 38.3 Te confirmed		3 Test NOT irmed		
10. Reference to assembled battery testing requirements					
			N/A		
11. Reference to the revised edition of the Manual of Tests and Criteria used and	l to amendmen	ts thereto			
ADDITIONAL SUPPLIER INQUIRY					
12. Quality management system for manufacturing batteries Does the manufacturer of the battery manufacture the products based on a documented quality management system according to transport regulations?		YES	NO		
13. Are the following parameters exceeded? Lithium ion battery: more than 100 Wh Lithium metal battery: more than 2 g Lithium Lithium hybrid Battery: more than 1,5 g Lithium and/or more than 10 Wh		YES	NO		
Check point 14 – 16 need to be answered when 13 has been ticked "YES":					
14. Does each battery incorporates a safety venting device or is designed to preclude a violent rupture under normal conditions of carriage?		YES	NO		
15. Is each battery equipped with an effective means of preventing external short of	ircuits?	YES	NO		
16. Is each battery containing cells or series of cells connected in parallel equipped with effective means as necessary to prevent dangerous reverse current flow (e.g. diodes, fuses, etc.)?	N/A	YES	NO		
17. Only in air transport: State of Charge (SoC) for UN 3480 Lithium ion batterio	es and lithium p	oolymer batte	eries		

NO

YES

N/A

State of Charge (SoC) max. 30 %

IN ACCORDANCE WITH SUB-SECTION 38.3 OF MANUAL OF TESTS AND CRITERIA

Name/Description of battery (taken from field 1)	
	1

BATTERIES INSTALLED IN EQUIPMENT

18. Check point 18 needs to be answered when the batteries are installed in articles:						
18.a) Only button cells enclosed?			NO			
18.b) Number of enclosed batteries per equipment						
When the equipment is intentionally active/switched on during transport e.g. data loggers:						
18.c) Confirmation that no dangerous amount of heat is emitted from the equipment N/A YES				YES	NO	
18.d) Confirmation that the equipment when transported by air fulfills the defined air transport standards for electromagnetic radiation according to DO-160		N/A		YES	NO	

19. Place, Date	20. Title, Surname, First name	21. Company stamp and signature
		ZHENJIANG SHENGBAOLI IMPORT
		& EXPORT CORPORATION LTD
		镇江晟宝力进出口有限公司