

this document, after being transported from a Manufactured XYZ

applicable transport regulations and the UN Manual of Tests and Criteria as of the date of the certification. The model(s) must be

packaged, labeled, and documented according to country and

The model(s) has (have) been classified according to the

other international regulations for transportation.

LITHIUM CELLS OR BATTERIES TEST SUMMARY IN ACCORDANCE WITH SUB-SECTION 38.3 OF MANUAL OF TESTS AND CRITERIA

BATTERY TRANSPORTATION INFORMATION

for Albert Kerbl GmbH, Cattle Prod AniShock Comfy, article no. 11267

Name of cells, batt	tery or product manufac	cturer, as applicable:	Cell, battery or product manufacturer's contact information to		
Item Number:	INR18650-26E - 112	20040202	include address, phone number, email address and website for more information:		
Item Name:	Li-ion Battery INR18	650-26E	Albert Kerbl GmbH Felizenzell 9		
Item Description	Li-Ion Battery INR18650 2600mAh 3.65V 9.49Wh 84428 Buchbach (Germany) Phone: +49 8086 933-100 Email: info@kerbl.de Website: www.kerbl.de				
Name of the test laboratory to include address, phone number, email address and website for more information:			A unique test report ident number:	tification	Date of the latest report:
Shanghai Research Institute of Chemical Industry Testing Co., Ltd. No. 345 East Yunling Road Putuo			1120040202	20040202	
Shanghai, China Phone: +86-21-31765555 Email: battery@ghs.cn Website: www.ghs.cn			List of tests conducted and results (i.e., pass/fail):		
			Test T.1: Altitude Simulation : Pass		
			Test T.2: Thermal Test : Pass		
Description of cell or battery to include at a minimum: Lithium ion or Lithium metal cell or battery; Mass; Watt-hour rating, or lithium content; Physical description of the cell/battery; and Model numbers: Battery used in consumer power tools.			Test T.3: Vibration : Pass		
			Test T.4: Shock : Pass		
			Test T.5 External short circuit : Pass		
Cell/battery Type : Cylindrical Li-Ion Battery			Test T.6: Impact/Crush : Pass / Not applicable		
Cell or Battery : Battery			Test T.7: Overcharge	: No	ot applicable
LC or W/h rating : 9,49 W/h			Test T.8: Forced discharge : Pass		
Cell or Battery Weight : 44,8 g			Testing additional comments:		
Reference to asse	embled battery testing	Reference to the revised	edition of the Manual of	For air trans	port only
requirements, if applicable (i.e., 38.3.3;(f) and 38.3.3;(g)): Tests and Criteria use thereto, if any:			· · · · · · · · · · · · · · · · · · ·		
Not applicable		Revision 6		<30%	
F	PRODUKT CLAS	SIFICATION FOR TE	RANSPORT (Accord	ling to UN	– DGP)
UN Classification: Proper Shipping Name:					
UN34 Sea: SF	188	nium-Ion Battery c	ontained in equip	oment	
Air: Pl967, S			I		
Signature with name and title of signatory as an indication of the validity of information provided:			This document remains valid as long as no changes, modifications, or additions are made to the model(s) described in this document often heing transported from a Magnifectured XXZ		

Testing Manager:

15-May-2024

Date document was generated: