

LITHIUM BATTERY TEST SUMMARY AND SUPPLIER INQUIRY

IN ACCORDANCE WITH SUB-SECTION 38.3
OF MANUAL OF TESTS AND CRITERIA

N/A = Not Applicable

1. Name/Description of battery
Rechargeable Li-ion cell

1a. Name/Description of the cells inside the battery
1NR18650 2000mAh/ 3.7V, 2000mAh, 7.4Wh

The test summary of the cells inside the battery must either be presented or under checkpoint 9 and 9a it must be confirmed that the UN 38.3 test summary for the cells is available.

2. Manufacturer of battery	
Name	Henan Haihong Technology Co., Ltd.
Address	Haihong Road, Gaozhuang Village, Pushan Town, Wolong District, Nayang City, He'nan, China
Phone	+86-0377-68091999
Email	haihong@henanhaihong.com
Website	http://www.henanhaihong.com/

2a. Manufacturer of the equipment (if the battery is contained in equipment)	
Name	Huijing Power Tools (Taizhou) Co., Ltd.
Address	Room 105, No.12, Houshi New Village Luotang Street, Jiangyan District, Taizhou City, Jiangsu, P. R. China
Phone	+86-13770693555
Email	lc@js-huijing.com.cn
Website	

3. Test laboratory of battery	
Name	UL-CCIC Company Limited Guangzhou Branch
Address	Electronic Building, Parage Electronic Industrial Park, No. 8 Nanyun Er Road, Guangzhou Science Park, Guangzhou, China
Phone	+86-20-3213 1000
Email	customerservice.cn@cn.ul.com
Website	www.ul.com

4. ID-number and date			
Unique test report identification number	4788055526-1	Date of test report	2017. 08. 15



LITHIUM BATTERY TEST SUMMARY AND SUPPLIER INQUIRY

IN ACCORDANCE WITH SUB-SECTION 38.3
OF MANUAL OF TESTS AND CRITERIA

Name/Description of battery (taken from field 1)

Rechargeable Li-ion cell

DESCRIPTION OF BATTERY

5. Mark the type of battery with an "•"	
<input checked="" type="radio"/> Lithium ion battery	Lithium metal battery <input type="radio"/>
<input type="radio"/> Lithium hybrid battery	

6. Parameters	
Mass in gram (g):	44
Lithium ion: Indicate watt-hour rating (Wh):	7.4
Lithium metal: Indicate lithium metal content in gram (g):	
Lithium hybrid: Indicate lithium metal content in gram (g) and watt-hour rating (Wh):	g
	Wh

7. Physical description of battery
Violet cylinder plastics film shell

8. Model numbers
3. 7V, 2000mAh, 7.4Wh

TESTS AND RESULTS

9. List of tests conducted and results - Mark N/A, pass or fail with an "•"	N/A	pass	fail
T1 - Altitude simulation	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
T2 - Thermal Test	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
T3 - Vibration	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
T4 - Shock	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
T5 - External Short Circuit	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
T6 - Impact - for cylindrical cells having a diameter of at least 18 mm See check point 1a and 9a.	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
T6 - Crush - for prismatic cells, pouch cells, button cells and cylindrical cells having a diameter of less than 18 mm. See check point 1a and 9a.	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>
T7 - Overcharge	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>
T8 - Forced Discharge, only valid for cells. See check point 1a and 9a.	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

LITHIUM BATTERY TEST SUMMARY AND SUPPLIER INQUIRY

IN ACCORDANCE WITH SUB-SECTION 38.3
OF MANUAL OF TESTS AND CRITERIA

Name/Description of battery (taken from field 1)

Rechargeable Li-ion cell

9a. UN 38.3 Test Confirmation for the Cells Inside the battery When no separate document for the cells is provided, this confirms that the cells inside the battery (see checkpoint 1.a.) have successfully passed the UN 38.3 test. In this case under checkpoint 9 the T.6 and T.8 must be marked as „passed“ and here under 9.a. „Cell UN 38.3 Test confirmed“ needs to be ticked.	<input checked="" type="radio"/>	Cell UN 38.3 Test confirmed	Cell UN 38.3 Test NOT confirmed	<input type="radio"/>

10. Reference to assembled battery testing requirements		
	N/A	<input checked="" type="checkbox"/>

11. Reference to the revised edition of the Manual of Tests and Criteria used and to amendments thereto		
Section 38.3 of the Fifth Revised Edition Amendment 1 and Amendment 2 of the Recommendations on the Transport of Dangerous Goods, Manual of Test and Criteria (ST/SG/AC.10/11/Rev.5/Amend.1/Section 38.3 and ST/SG/AC.10/11/Rev.5/Amend.2/Section 38.3)		

ADDITIONAL SUPPLIER INQUIRY

12. Quality management system for manufacturing batteries Does the manufacturer of the battery manufacture the products based on a documented quality management system according to transport regulations?	<input checked="" type="radio"/>	YES	NO	<input type="radio"/>

13. Are the following parameters exceeded? Lithium ion battery: more than 100 Wh Lithium metal battery: more than 2 g Lithium Lithium hybrid Battery: more than 1,5 g Lithium and/or more than 10 Wh	<input type="radio"/>	YES	NO	<input checked="" type="radio"/>

Check point 14 – 16 need to be answered when 13 has been ticked "YES":				
14. Does each battery incorporates a safety venting device or is designed to preclude a violent rupture under normal conditions of carriage?	<input type="radio"/>	YES	NO	<input checked="" type="radio"/>
15. Is each battery equipped with an effective means of preventing external short circuits?	<input type="radio"/>	YES	NO	<input checked="" type="radio"/>
16. Is each battery containing cells or series of cells connected in parallel equipped with effective means as necessary to prevent dangerous reverse current flow (e.g. diodes, fuses, etc.)?	<input checked="" type="radio"/>	N/A	YES	NO

17. Only in air transport: State of Charge (SoC) for UN 3480 Lithium ion batteries and lithium polymer batteries						
State of Charge (SoC) max. 30 %	<input type="radio"/>	N/A	<input checked="" type="radio"/>	YES	NO	<input type="radio"/>



LITHIUM BATTERY TEST SUMMARY AND SUPPLIER INQUIRY

IN ACCORDANCE WITH SUB-SECTION 38.3
OF MANUAL OF TESTS AND CRITERIA

Name/Description of battery (taken from field 1)

Rechargeable Li-ion cell

BATTERIES INSTALLED IN EQUIPMENT

18. Check point 18 needs to be answered when the batteries are installed in articles:					
18.a) Only button cells enclosed?				<input type="radio"/> YES	<input checked="" type="radio"/> NO
18.b) Number of enclosed batteries per equipment				1	
When the equipment is intentionally active/switched on during transport e.g. data loggers:					
18.c) Confirmation that no dangerous amount of heat is emitted from the equipment		<input type="radio"/> N/A	<input checked="" type="radio"/> YES	<input type="radio"/> NO	<input type="radio"/>
18.d) Confirmation that the equipment when transported by air fulfills the defined air transport standards for electromagnetic radiation according to DO-160		<input type="radio"/> N/A	<input checked="" type="radio"/> YES	<input type="radio"/> NO	<input type="radio"/>

19. Place, Date	20. Title, Surname, First name	21. Company, Stamp and signature
Hangzhou, China 29/8/2024	Sales Louis Zhao	<i>For use on behalf of FLYING TOOLS & EQUIPMENT INC.</i> <i>Authorized Signature(s)</i>

