

MAGNIFICA[®]

PORCELAIN

by Bedrosians[®] Tile & Stone

Now
Available
in 2cm





TABLE OF CONTENTS

3	The Magnitude of Magnifica®
5	Dream Big with Magnifica® - Sizes and Thickness
7	Cut to Size Program
9	Benefits of Porcelain
11	Applications
13	Unparalleled Realism <ul style="list-style-type: none">• Pure White Thru-Color• Luxe White• Statuarietto• Bianco Carrara• Calacatta Oro• Taj Mahal• Calacatta Super White• Lincoln Super White• Statuario Super White• Cementi• Pietra Grey• Basalto• Pure Black• Nero Marquina
27	Abundant Choices: <ul style="list-style-type: none">• Statuario Super White (Multiple Faces)• Calacatta Super White (Multiple Faces)• Lincoln Super White (Multiple Faces)
35	Magnifica® Marketing Displays Placement

THE MAGNITUDE OF MAGNIFICA®

Magnifica® Porcelain by Bedrosians® is the ideal surface for creating seamless countertops, islands, floors, walls, cabinet coverings, furniture and ventilated building facades because of its thin profile options and large dimensions. Now available in 2cm, it is the perfect solution for countertops.

The large and lean Magnifica® porcelain panels combine the look of natural materials with an advanced, innovative technology. Bringing projects the large scale and drama of slab stone, while expressing all the benefits of porcelain in a product of unrivaled performance and appearance.

Water, heat-proof and resistant to scratching, staining, wear and aggressive chemicals, Magnifica® slabs are tangible evidence of the material's versatility and vast expressive potential.








DREAM BIG WITH MAGNIFICA®

SIZES & THICKNESS

Available in 7 sizes:


- 127"x60" in 2cm
- 120"x60" in 6mm
- 60"x60" in 6mm*
- 60"x30" in 6mm*
- 48"x48" in 8mm
- 30"x30" in 8mm
- 30"x15" in 6mm*



*60"x60" 6mm, 60"x30" 8mm and 30"x15" 6mm Sizes are Special Order Only.

CUSTOM CUT TO SIZE PROGRAM

For sizes other than our stocked option, our fabrication facility can specialty cut the 120"x60"x6mm panels to any size. Minimum purchase of 250 sq. ft. of material (equal to five panels) required to qualify for this program. Lead times vary, average 30-60 days based on stock. Please speak to your sales representative for more information.





BENEFITS OF PORCELAIN

LOW MAINTENANCE

- Made from 100% natural materials
- Impervious to germs and bacteria
- Totally hygienic
- Stain, scratch and etch resistant
- Resistant to high temperatures and atmospheric stress
- Easy to clean and maintain - we recommend Bar Keepers Friend with Dobie™ scrub pads

VERSATILE

- Available in 2cm thickness for countertops, 6mm for walls and cladding, and 8mm 30"x30" for floors
- Large sizes limit grout lines
- Endless design possibilities
- Perfect for interior and exterior countertops, walls and facade applications creating continuity for indoor-outdoor living space

EASY INSTALLATION

- New 2cm thickness cuts as easy as engineered quartz or granite
- 6mm thickness can easily be installed over existing surfaces for remodeling projects
- Light weight and easy to handle

Photo Features Magnifica® Porcelain in Nero Marquina on Wall and Luxe White on Floor.

APPLICATIONS

The perfect choice tool for homeowners, designers and architects, Magnifica® offers endless possibilities for indoor and outdoor applications, ranging from traditional floors and walls to uses as cabinet, table and door coverings. Available in 2cm, 6mm or 8mm, low thickness, light weight and strength make the Magnifica® Collection a second skin perfect for just about any surface, including those in aircrafts, yachts, RVs and elevators.

- Floors
- Walls
- Countertops (Interior and Exterior)
- Seamless Backsplash
- Shower Walls
- Concealed Doors
- Cabinetry Cladding
- Table Tops / Benches
- Fireplace Surrounds
- Sinks
- Exterior Walls and Facades
- Residential and Commercial Uses



FLOORS, WALLS & CABINERY
(Recommended thickness 6mm or 8mm)

APPLICATION NOTES

Suitable for exterior applications in freezing and non-freezing climates, when proper installation methods are followed.

IMAGES FEATURE

Top: Photo features Pietra Grey on Island Front and Cabinets, and Luxe White on Floor and Countertop.

Bottom Left: Photo features Calacatta Super White on Countertop.

Bottom Right: Photo features in Statuario Super White on Countertop and Basalto on Backsplash.




COUNTERTOPS
(Recommended thickness 2cm)



BACKSPLASH
(Recommended thickness 2cm)

UNPARALLELED REALISM

Capture unmatched realism of the finest marbles, volcanic basalt and industrial concrete with our 13 colors.



PURE WHITE THRU-COLOR

DOLMAGPUW3030-8H - 30"x30" 8mm Honed
DOLMAGPUW3030-8P - 30"x30" 8mm Polished
DOLMAGPUW4848-8H - 48"x48" 8mm Honed
DOLMAGPUW4848-8P - 48"x48" 8mm Polished
DOLMAGPUW60120-6P - 60"x120" 6mm Polished
DOLMAGPUW60126-2H - 60"x127" 2cm Honed
DOLMAGPUW60126-2P - 60"x127" 2cm Polished




LUXE WHITE

DOLMAGLUX3030-8H - 30"x30" 8mm Honed
DOLMAGLUX3030-8P - 30"x30" 8mm Polished
DOLMAGLUX4848-8H - 48"x48" 8mm Honed
DOLMAGLUX4848-8P - 48"x48" 8mm Polished
DOLMAGLUX60120-6P - 60"x120" 6mm Polished
DOLMAGLUX60126-2P - 60"x127" 2cm Polished
DOLMAGLUX60126-2S - 60"x127" 2cm Satin



STATUARIETTO

DOLMAGETT3030-8H - 30"x30" 8mm Honed
 DOLMAGETT3030-8P - 30"x30" 8mm Polished
 DOLMAGETT4848-8H - 48"x48" 8mm Honed
 DOLMAGETT4848-8P - 48"x48" 8mm Polished
 DOLMAGETT60120-6P - 60"x120" 6mm Random Faces Polished
 DOLMAGETT60126-2P - 60"x127" 2cm Polished
 DOLMAGETT60126-2S - 60"x127" 2cm Satin



BIANCO CARRARA

DOLMAGCAR3030-8H - 30"x30" 8mm Honed
 DOLMAGCAR3030-8P - 30"x30" 8mm Polished
 DOLMAGCAR4848-8H - 48"x48" 8mm Honed
 DOLMAGCAR4848-8P - 48"x48" 8mm Polished
 DOLMAGCAR60120-6P - 60"x120" 6mm Random Faces Polished
 DOLMAGCAR60126-2P - 60"x127" 2cm Polished
 DOLMAGCAR60126-2S - 60"x127" 2cm Satin



CALACATTA ORO

DOLMAGORO3030-8H - 30"x30" 8mm Honed
 DOLMAGORO3030-8P - 30"x30" 8mm Polished
 DOLMAGORO4848-8H - 48"x48" 8mm Honed
 DOLMAGORO4848-8P - 48"x48" 8mm Polished
 DOLMAGORO60120-6P - 60"x120" 6mm Random Faces Polished
 DOLMAGORO60126-2P - 60"x127" 2cm Polished
 DOLMAGORO60126-2S - 60"x127" 2cm Satin



TAJ MAHAL


DOLMAGTJ3030-8H - 30"x30" 8mm Honed
 DOLMAGTJ3030-8P - 30"x30" 8mm Polished
 DOLMAGTJ4848-8H - 48"x48" 8mm Honed
 DOLMAGTJ4848-8P - 48"x48" 8mm Polished
 DOLMAGTJ60120-6P - 60"x120" 6mm Random Faces Polished
 DOLMAGTJ60126-2P - 60"x127" 2cm Polished
 DOLMAGTJ60126-2S - 60"x127" 2cm Satin

BOOKMATCHED

Bookmatching refers to the practice of matching two (or more) slabs and placing them side by side to mirror each other – much like an open book.

The ultimate in opulence, bookmatched (also known as butterflyed) slabs are stunning and are typically displayed across a large area (on the wall or floor) so the full effect can be captured.

The slabs can take on a look of abstract art and create stunning stonescapes that will elevate the style in your space.



BOOKMATCHED A



BOOKMATCHED B



CALACATTA SUPER WHITE

DOLMAGCAL3030-8H - 30"x30" 8mm Honed
DOLMAGCAL3030-8P - 30"x30" 8mm Polished
DOLMAGCAL4848-8H - 48"x48" 8mm Honed
DOLMAGCAL4848-8P - 48"x48" 8mm Polished
DOLMAGCAL60120-6AP - 60"x120" 6mm Bookmatched A Polished
DOLMAGCAL60120-6BP - 60"x120" 6mm Bookmatched B Polished

DOLMAGCAL601262CAP - 60"x127" 2cm Bookmatched A Polished
DOLMAGCAL601262CBP - 60"x127" 2cm Bookmatched B Polished
DOLMAGCAL601262CAS - 60"x127" 2cm Bookmatched A Satin
DOLMAGCAL601262CBS - 60"x127" 2cm Bookmatched B Satin

*See Pg. 31-32 for Calacatta Super White in Multiple Faces





LINCOLN SUPER WHITE

DOLMAGLIN3030-8H - 30"x30" 8mm Honed
 DOLMAGLIN3030-8P - 30"x30" 8mm Polished
 DOLMAGLIN4848-8H - 48"x48" 8mm Honed
 DOLMAGLIN4848-8P - 48"x48" 8mm Polished

DOLMAGLIN601262CAP - 60"x127" 2cm Bookmatched A Polished
 DOLMAGLIN601262CBP - 60"x127" 2cm Bookmatched B Polished
 DOLMAGLIN601262CAS - 60"x127" 2cm Bookmatched A Satin
 DOLMAGLIN601262CBS - 60"x127" 2cm Bookmatched B Satin

*See Pg. 33-34 for Lincoln Super White in Multiple Faces



STATUARIO SUPER WHITE

DOLMAGSTA3030-8H - 30"x30" 8mm Honed
 DOLMAGSTA3030-8P - 30"x30" 8mm Polished
 DOLMAGSTA4848-8H - 48"x48" 8mm Honed
 DOLMAGSTA4848-8P - 48"x48" 8mm Polished
 DOLMAGSTA60120A6P - 60"x120" 6mm Bookmatched A Polished
 DOLMAGSTA60120B6P - 60"x120" 6mm Bookmatched B Polished


DOLMAGSTA601262CAP - 60"x127" 2cm Bookmatched A Polished
 DOLMAGSTA601262CBP - 60"x127" 2cm Bookmatched B Polished
 DOLMAGSTA601262CAS - 60"x127" 2cm Bookmatched A Satin
 DOLMAGSTA601262CBS - 60"x127" 2cm Bookmatched B Satin

*See Pg. 29-30 for Statuario Super White in Multiple Faces



CEMENTI

DOLMAGCEM3030-8H - 30"x30" 8mm Honed
DOLMAGCEM4848-8H - 48"x48" 8mm Honed
DOLMAGCEM4848-8P - 48"x48" 8mm Polished
DOLMAGCEM60120-6H - 60"x120" 6mm Honed
DOLMAGCEM60126-2H - 60"x127" 2cm Honed




PIETRA GREY

DOLMAGPIE3030-8H - 30"x30" 8mm Honed
DOLMAGPIE3030-8P - 30"x30" 8mm Polished
DOLMAGPIE4848-8H - 48"x48" 8mm Honed
DOLMAGPIE4848-8P - 48"x48" 8mm Polished
DOLMAGPIE60120-6P - 60"x120" 6mm Random Faces Polished
DOLMAGPIE60126-2P - 60"x127" 2cm Polished



BASALTO

DOLMAGBAS3030-8H - 30"x30" 8mm Honed
DOLMAGBAS4848-8H - 48"x48" 8mm Honed
DOLMAGBAS4848-8P - 48"x48" 8mm Polished
DOLMAGBAS60126-2H - 60"x127" 2cm Honed



PURE BLACK

DOLMAGPUB3030-8H - 30"x30" 8mm Honed
DOLMAGPUB3030-8P - 30"x30" 8mm Polished
DOLMAGPUB4848-8H - 48"x48" 8mm Honed
DOLMAGPUB4848-8P - 48"x48" 8mm Polished
DOLMAGPUB60126-2H - 60"x120" 2cm Honed
DOLMAGPUB60126-2P - 60"x127" 2cm Polished




NERO MARQUINA

DOLMAGNER3030-8P - 30"x30" 8mm Polished
DOLMAGNER4848-8H - 48"x48" 8mm Honed
DOLMAGNER4848-8P - 48"x48" 8mm Polished
DOLMAGNER60120-6P - 60"x120" 6mm Random Faces Polished
DOLMAGNER60126-2P - 60"x127" 2cm Polished



ABUNDANT CHOICES

Because Magnifica® is meant to replicate the beauty of natural stone, the patterns in the stone must vary as well or the end result looks unnatural. To achieve the randomness found naturally in marble, we offer four unique faces in Calacatta Super White, Statuario Super White and Lincoln Super White in the 60"x120" sizes. For a large wall or floor, you can lay the faces in sequential order to create the illusion of a massive single piece of stone. Or, you can set them randomly in different compositions to create a non-uniform look.





STATUARIO SUPER WHITE (MULTIPLE FACES)

DOLMAGSTA60120FAP - 60"x120" 6mm Face A Polished
DOLMAGSTA60120FBP - 60"x120" 6mm Face B Polished
DOLMAGSTA60120FCP - 60"x120" 6mm Face C Polished
DOLMAGSTA60120FDP - 60"x120" 6mm Face D Polished



CALACATTA SUPER WHITE (MULTIPLE FACES)

DOLMAGCAL60120FAP - 60"x120" 6mm Face A Polished
DOLMAGCAL60120FBP - 60"x120" 6mm Face B Polished
DOLMAGCAL60120FCP - 60"x120" 6mm Face C Polished
DOLMAGCAL60120FDP - 60"x120" 6mm Face D Polished



LINCOLN SUPER WHITE (MULTIPLE FACES)

DOLMAGLIN60120FAP - 60"x120" 6mm Face A Polished
DOLMAGLIN60120FBP - 60"x120" 6mm Face B Polished
DOLMAGLIN60120FCP - 60"x120" 6mm Face C Polished
DOLMAGLIN60120FDP - 60"x120" 6mm Face D Polished

SKYSCRAPER DISPLAY SAMPLE PLACEMENT



NEED MORE SAMPLES?

Request additional samples by simply contacting your sales representative.

Luxe White Polished	Luxe White Satin
Calacatta Oro Polished	Calacatta Oro Satin
Bianco Carrara Polished	Bianco Carrara Satin
Statuarietto Polished	Statuarietto Satin
Statuario Super White Polished	Statuario Super White Satin
Calacatta Super White Polished	Calacatta Super White Satin
Pure White Thru-Color Honed	Pure White Thru-Color Polished
Lincoln Super White Polished	Lincoln Super White Satin
Taj Mahal Polished	Taj Mahal Satin
Cementi Honed	Pietra Grey Polished
Basalto Honed	Nero Marquina Polished
Pure Black Honed	Pure Black Polished



30"x30" FLOOR DISPLAYS PANEL PLACEMENT

MKTDSPDOLMAG2A
MKTDSPDOLMAG2B

	Color	Thickness		Color	Thickness
1	Basalto - Honed	8mm	1	Statuario Super White - Honed	8mm
2	Pure Black - Honed	8mm	2	Statuario Super White - Polished	8mm
3	Pure Black - Polished	8mm	3	Pure White Thru Color - Honed	8mm
4	Cementi - Honed	8mm	4	Pure White Thru Color - Polished	8mm
5	Taj Mahal - Polished	8mm	5	Pietra Gray - Honed	8mm
6	Taj Mahal - Honed	8mm	6	Pietra Grey - Polished	8mm
7	Statuarietto - Polished	8mm	7	Nero Marquina - Polished	8mm
8	Statuarietto - Honed	8mm	8	Luxe White - Polished	8mm
9	Calcatta Oro - Polished	8mm	9	Luxe White - Honed	8mm
10	Calcatta Oro - Honed	8mm	10	Lincoln Super White - Polished	8mm
11	Bianco Carrara - Polished	8mm	11	Lincoln Super White - Honed	8mm
12	Bianco Carrara - Honed	8mm	12	Calacatta Super White - Polished	8mm
13	*Empty		13	Calacatta Super White - Honed	8mm




Photo Features Magnifica® Porcelain in Lincoln Super White on Island, Walls and Counters, and Cementi on Floor.

SIZING & PACKAGING

Type	Shape	Item Code	Size	Description	Pcs / Ctn	Sf / Ctn
Field		DOLMAG***3030-8H	30"x30"	8mm - Honed	3	18.16
		∅ DOLMAG***3030-8P	30"x30"	8mm - Polished	3	18.16
		DOLMAG***4848-8H	48"x48"	8mm - Honed	1	16.00
		∅ DOLMAG***4848-8P	48"x48"	8mm - Polished	1	16.00
		∅ DOLMAG***60120-6P	60"x120"	6mm - Polished	1	48.42
		∅ DOLMAGCAL60120-6AP	60"x120"	6mm Calacatta Super White Bookmatched A - Polished	1	48.42
		∅ DOLMAGCAL60120-6BP	60"x120"	6mm Calacatta Super White Bookmatched B - Polished	1	48.42
		∅ DOLMAGSTA60120A6P	60"x120"	6mm Statuario Super White Bookmatched A - Polished	1	48.42
		∅ DOLMAGSTA60120B6P	60"x120"	6mm Statuario Super White Bookmatched B - Polished	1	48.42
		∅ DOLMAG***60120FAP	60"x120"	6mm Face A - Polished	1	48.42
		∅ DOLMAG***60120FBP	60"x120"	6mm Face B - Polished	1	48.42
		∅ DOLMAG***60120FCP	60"x120"	6mm Face C - Polished	1	48.42
		∅ DOLMAG***60120FDP	60"x120"	6mm Face D - Polished	1	48.42
		∅ DOLMAG***601262AP	60"x127"	2cm Bookmatched A - Polished	20	-
		∅ DOLMAG***601262BP	60"x127"	2cm Bookmatched B - Polished	20	-
		∅ DOLMAG***601262AS	60"x127"	2cm Bookmatched A - Satin	20	-
		∅ DOLMAG***601262BS	60"x127"	2cm Bookmatched B - Satin	20	-
		DOLMAG***60126-2H	60"x127"	2cm - Honed	20	-
		∅ DOLMAG***60126-2P	60"x127"	2cm - Polished	20	-
		∅ DOLMAG***60126-2S	60"x127"	2cm - Satin	20	-


ANSI TECHNICAL SPECIFICATIONS

	DCOF Acutest	PEI Rating ASTM# C1027	Frost Resistant ASTM# C1026	Scratch Resistance MOHS	Breaking Strength ASTM# C648	Water Absorption ASTM# C373	Chemical Resistance ASTM# C650
Results	≥ 0.42 (Honed Only)	Pass≤175 (ISO)	Unaffected	7	≥ 250 lbf	≤ 0.5%	Unaffected



APPLICATIONS

	Floors	Walls	Countertops	Shower Floors	Shower Walls	Pools/Spas
Residential	●	●	●	● Honed	●	● Honed
Commercial	● Honed	●	●	● Honed	●	● Honed



LEGEND

- Product rated for Interior & Exterior use
- Product rated for Interior use only
- † May be suitable for Exterior Floors
- ∅ Applications & ANSI Technical Specifications do not apply
- * Special Order only



PRODUCT CERTIFIED FOR LOW CHEMICAL EMISSIONS: UL COMGG UL 2818



Bedrosians® offers to its immediate and direct customer a nontransferable 10 Year Limited Warranty on all Magnifica® 12mm and 2cm 60" x 126" or 60"x127" porcelain panels sold on or after April 1, 2018. No registration is required, however, customer must provide proof of purchase via an original invoice. Please reference the Magnifica® Limited Warranty online for detailed information.

For warranty to apply, the Magnifica® installer must complete an ANSI A108.19 specified qualification program prior to fabricating and installing the panels and the panels must be installed in accordance with TCNA guidelines, ANSI 108.19, and all of the manufacturer's written instructions.

For installation of all polished, satin, or honed porcelain, use a grout release prior to grouting to prevent absorption of the grout into the tile's micropores. We recommend use of a grout color that matches the predominant color of the tile. Tiles with a polished finish are not appropriate for wet orexteriorfloor applications. Do not use acidic cleaners.

Merchandising materials and samples are for general reference only and representative of a product's potential characteristics. Tile is subject to variation in color/shade, size, texture, and finish. Field, mosaic and trim tile may not match exactly. Blend tiles from different boxes to achieve consistent shade distribution. Installer and end user must conduct a dry mock layout under proper lighting conditions to inspect the product. Installation constitutes product acceptance. Improper installation, application, use, care and maintenance voids warranty. Reference the TCNA Handbook and ANSI for installation guidance. Please visit bedrosians.com for current product information. We reserve the right to make product changes at any time without notice.

