Multi-Million Dollar Dairy, Food and Beverage Equipment Auction

	1161	าวก	112
رر	′16/	20	TO

Lot Number	Quantity	Description
1	16	1.5" S/S Elbows
2	3	1" S/S Elbows
3	24	2" S/S Elbows
4	3	1.5" Ts
5	6	2" Ts
6	6	(5) 1.5" and (1) 1" S/S Straights
7	5	(3) 1.5"/2" and (2) 2"/3" S/S Funnels
10	5	1.5" Apollo Check Valves, 15 WOG
11	5	2" Robert James Check Valves 1000 WOG
12	4	(3) Bradford (1) Definox S/S 2" Check Valves
		1.5" Accurate Metering Systems Inline Meters, Model
13	2	HM-150S, HMCS Numbers: 00656 and 00674
14	6	Inline Site Glass Valves
15	6	2" Tri-Clover S/S Diaphragm Valves
16	6	Alfa-Laval 1.5" S/S Check Valves
17	6	1.5" Tri-Clover S/S Check Valves
18	6	Waukesha 1.5" S/S Check Valves
19	6	1.5" Tri-Clover S/S Check Valves
20	6	2" Tri-Clover S/S Check Valves
21	6	2" Waukesha S/S Check Valves
22	1	2.5" Waukesha S/S Check Valves
23	4	3" S/S Check Valves
24	1	Definox 4" S/S Check Valve
		Tri Clover S/S 2" Tri-Flo Air Actuator Valve, Model 241-
25	1	21-A20-2-F182, S/N168568 316
26	1	Definox S/S Air Actuator 4 way Valve 1.5"
27	1	Definox Air Actuator Valve 2.5"/1.5"
28	1	LKLA-NC Air Actuator Valve
29	1	4" Check Valve
		Tri Clover S/S 2.5" Tri-Flo Air Actuator 2 Valve, Model
		361TR-10M-20-2.5-316, S/N 196023 and Model 361-
30	2	10-W-2.5-316, S/N 190604
		2.5" S/S Waukesha Air Actuator Valves Model
		WVALVE00192 S/N 302277 02, 302280 02, 302278
31	4	02, 302279 02
32	4	1.5" Tri-Clover Filter Valves L 16"
33	2	1.5" Filter Valves L 28"
		(1) 2" Tri-Clover Filter I 16", (1) 3" Tri-Clover Filter L
34	2	16"
		1" Celgard Liqui-Cel Filter, Cartridge Type M138, S/N
35	2	4420024960 and 4420024967

Multi-Million Dollar Dairy, Food and Beverage Equipment Auction 5/16/2013 Wilkerns-Anderson Cutter Model 33499-1. S/N

			Wilkerns-Anderson Cutter Model 33499-1, S/N
	36	1	05AC003, 110V/60HZ/6.0AMP
			3.0" S/S Waukesha Air Actuator Valves Model
40A		1	WMIX00370 S/N 302130 02
			3.0" S/S Waukesha Air Actuator Valves Model
40B		1	WMIX00370 S/N 302138 02
			3.0" S/S Waukesha Air Actuator Valves Model
40C		1	WMIX00370 S/N 302132 02
			3.0" S/S Waukesha Air Actuator Valves Model
40D		1	WMIX00370 S/N 302129 02
			Nordson Glue Unit Model 3500-1EA34/D, S/N
			AN96G23036, 4 Hose Outlets, 200/240V, 50/60HZ,
	41	1	27AMP
			Nordson Glue Unit Model 3700V-1DBV4F, S/N
			343479A AN02B 00002, 4 Hose Outlets, 200/240V,
	42	1	50/60HZ, 35AMP
			Nordson Glue Unit Model 3100-2EA12/4R, S/N
			AA95B60618, 2 hose outlets 230/400V, 50/60HZ,
	43	1	16AMP
			Nordson Glue Unit Model 3400-1EA32/D, S/N
			AA96E61593, 2 hose Outlets, 200/240V, 50/60HZ,
	44	1	18AMP
			Nordson Glue Unit Model 3400-2AA32, S/N
			AN944A21068, 2 Hose Outlets, 390/415V, 30/60HZ,
	45	1	17AMP
			Waukesha Centrifical Pump, Baldor Motor, 2"
	46	1	Inlet/1.5" Outlet
			Waukesha Centrifical Pump, Baldor Motor, 2.5"
	47	1	Inlet/2" Outlet, S/N 283901012065
			Waukesha Centrifical Pump, Reliance Motor, 4"
	48	1	Inlet/2" Outlet, S/N P25G6034A-63-MX
	49	1	Reliance Transfer Pump 2" Inlet/ 1.5" Outlet
	50	4	Dalda Dalla da Tarrefo Da da 2011 da 1/4 50 O da da
	50	1	Baldor-Reliance Transfer Pump 2" Inlet/ 1.5" Outlet
	51	1	Waykesha Model CORD Purps Head
	52	1	Waukesha Model 130DD Pump Head
	53 54	1	Waukesha Model 230PD Pump Head
	54	1	Waukesha Model CORD Rump Head
	55 56	1	Waukesha Model 60PD Pump Head
	56	1	G and H Model 632P Rotary Pump Head

Multi-Million Dollar Dairy, Food and Beverage Equipment Auction 5/16/2013

		5/16/2013
		Bell and Gossett 15HP Centrifugal Pump Serial
		1BF174, Size 1510 BF 3AC, Baldor 15HP Motor,
		Dimensions 3ft Long x 1ft Wide x 1ft High, 230 - 460V
57	1	60HZ 3PH
		Sulfur Springs PD Pump Serial M2333T 15HP Motor
58	1	2.5in inlet 2.5in Outlet
		Cherry Burrell 40HP Centrifugal Pump Model 2085
		Seria l17827696 US Electric 40HP Motor 230/460v
59	1	60hz 3ph 94/47amps
		Gusher Centrifugal Pump Head, Model PCL1.5X3-
60	1	13SEH-C8 with 3 inch x 1-1/2 inch Flanged Head
		, ,
		Triclover Model PR60-2MUC4-SL-S Serial 170633-01
		Reliance 7.5HP Motor 230/460v 60hz 3ph
61	1	21/10.5amps, 3in Inlet Outlet Clamp Style Connectors
		Ansimag 5 hp Centrifugal Pump, Model K326-CA with
		3 inch x 2 inch Flanged Head, 3510 RPM Motor, 208-
62	1	230/460 V, 3 Phase
		GE Electric Motor Model 5K145BC202A, S/N
		263237203, 1.5HP, 230/460V, 60Hz, 5.2/2.6 Amp,
63	1	1735 RPM
		GE Electric Motor Model 5K145BC202A, S/N
		263237201, 1.5HP, 230/460V, 60Hz, 5.2/2.6 Amp,
	1	1735 RPM
		GE Osmonics Tonkaflow 140GPM RO System Pump
		Model SS12522KZE Serial 100821980 Max Inlet
		Pressure is 200psi (14bar) Max Discharge Pressure
		750psi (51bar) Max Liquid Temp 125 F (52 C) GE 75HP
	_	Motor 230/460v 60hz 3ph 165/82.5amps New Never
64	1	Used, Still in Crate, year 2006
	1	4 Door Mild Stool Control Danel Last Dan Convoyer
	1	4 Door Mild Steel Control Panel, Last Ran Conveyor
	1	Carr 58"W X 70"L S/S Panel Box with some electrical
	1 1	componets Spiral Grip Panel Box
	1	·
	1	PAI Panel Box, SLC-5/04 CPUs, 17 Relays Lynch Tri-can International Panel, Allen Bradley
	1	Power Flex 70
	1	Pacific Scientific Panel Box 3 SC 750 Servo Units Allen
	1	Bradley SLC 5/03 CPU
	1	Cermex Panel Box Allen Bradley SLC-5/04 CPU
	1	Connex I allel box Alleli blauley 3LC-3/04 CFO

63A

64A

64B 64C 64D

64E

64F 64G

Multi-Million Dollar Dairy, Food and Beverage Equipment Auction 5/16/2013

			5/16/2013
			Danfoss VFD, Variable Speed Drives, Model VLT 2040-
			195H3307 IN:3x380 460V 50/60H 5.38A Out:
			3x0 VIN 0-120/500H 5.6A 4.5kVA Chassis IP20:
			Ambient Max. 40 Degree C/104 Dregree F Made In
	65	1	Denmark.
			Toshiba G7 True Torque Control Adjustable Speed
65A		1	Drive, 200000 RMS Sym. Amp, 240V
03/1	66	1	Pneumatic Air Fittings
	00	-	Allen Bradley PanelView, CAT. NO. 2711-KC1
	67	1	SCR C, APM GN7D
	07	1	Allen Bradley PanelView, CAT. NO. 2711-KC1X SCR C,
	CO	1	•
	68	1	APM FP7D
	69	1	Allen Bradley PanelView 600 with S/S Stand
			Liquid Box Single Head Bag 'N' Box Filler, Model 1000
	70	1	CiTW, S/N 50067
			BLH Bulk Syrup Filler Model 308A-SS, Digital Weight
70A		1	Indicator, S/N 460283
			APV S/S Plate Exchanger, Model HXL4, S/N 9863555,
			Complete with 82 Plates and Frame with CS End
	71	1	Plates
			Stainless Steel COP Tank with Controls, Appoximately
	72	1	32" H X 42" W x 20" D
			Stainless Steel COP Tank with Controls, Appoximately
	73	1	32" H X 42" W x 20" D
			New SF 3-Tank at 400 Gal. Skid-Mounted S/S CIP
			Tanks includes (3) 61 inch H x 50 inch W Hinged Lid
			Tanks (Aprox. Overall Dimensions 176 inch L x 96 inch
	74	1	H x 55 inch W
			Endress-Hauser CIP Probes Model FM151, S/N
74A		1	D6008B150F0 and D6008A150F0, L 60"
, ,, ,		-	Devert Panel with Control Box, 2 Triclover Air
	75	1	Actuated Valves
75A	, 3	1	9 Outlet Devert Panel
75B		1	5 Outlet Devert Panel
			2 Tank Devert Panel with Controls
75C		1	2 Talik Devert Patiel With Controls
			14 Tank 190 Station 2 inch Flave C/S luman Station
			14 Tank/80-Station, 2 inch Flow, S/S Jump Station
			Devert Panel with (60) Threaded Butterfly Valves with
			Allen Bradley Flex I/O Controls Mounted in Water
			Tight Enclosure, Fittings, Mounted on Stand (Aprox.
75D		1	Foot Print 176 inch L x 72 inch H x 77 inch Deep)

Multi-Million Dollar Dairy, Food	and Beverage Equipment Auction
5/1/	6/2013

5/16/2013 2009 Breddo 400 Gal. S/S Likwifier, Model LDT, S/N D.526947.309109 with 40 hp Pancake Style Pancake Motor, 230/460 V, 3 Phase, 1765 RPM, Tri-Clover 2 inch 3-Way Clamp Type S/S Air Valve, Hinged Lid, 2 inch Clamp Type Air Actuated Butterfly Valve Located 76 1 Approx. 500 Gallon S/S Cube Tank with Lower Mount 77 1 Agitation Approx. 500 gallon S/S Mix Tank, Complete with Side **Mount Agitation** 78 1 Actaris 45 Sugar Meter, S/N 272117, 43 Pulser 10 79 1 pulses/ Rev. Max 600 RPM 79A Neptune 2" Water Meter 1 300 Gallon Tank (No Lid) 3" Outlit Open, Top Float 80 1 Control 81 1 Mojonnier Deairator, Approximately 21" Diameter 82 1 Mojonnier Carbo Mix FE, S/N T8992CM 83 1 Mojonnier Carbo Mix FE, S/N T9245CM 1 84 Mojonnier Carbo Mix FE, S/N T8962CM Mojonnier M56 Carbo Cooler SN 9439 Allen Bradley PLC Controlled, 56 Plate Series 60 Carbonating Tank, Gravity Ammonia System, M Flow Mix, Hot CIP Capable, Updated DSI Controls, Mild Steel Tubular Frame, Dimensions 20ft Long x 8ft Wide x 7ft High, 85 1 Speed 60 Mojonnier 36M48 Carbo Cooler SN 9858, 36 Plate Series 60 Chiller Tank, 48 Plate Series 60 Carbonating Tank, M Flo Mix, Hot CIP Capable, Gravity Ammonia System, Tubular Base, Allen Bradley PLC Controlled, 86 1 Dimensions 12ft Long x 7ft Wide x 8ft High, Speed 5 Skid Mounted Century Cooler, Model CN2208, S/N CN 87 1 0134, 208 V, 3 Ph, 2000 Pro Chiller Systems Skid-Mounted Glycol Chiller, Model PCW2/45F16H22, S/N 814190300 10-HP Centrifugal Pump, Polaris Model 321.1S96 Plate and Frame Heat Exchanger S/N 6263 Rated at 150 psi, (2) 35-HP Glycol Compressors, (2) Positive Displacement

88

1

Pumps

Multi-Million Dollar Dairy, Food and Beverage Equipment Auction 5/16/2013

		3/10/2013
90	4	Siemens US Filter/ Pentair Water Polyethylene Water Softening Tank, S/N 063692-01, 6/2006, Max 150
89	1	PSIG/ degrees GE Osmonics Stainless Steel Carbon Tower Model 54Dia x 150H NB #28272, S/N 4020506, 100 psi at 200 Degree F with Top Mounted Door, 3 inch Pipe Manifold with Valves (Some Pneumatic) on S/S Legs, 165 in H x 54 in Diameter (Overall Dimensions) Speed
90	1	Up to 85 Hess T100 Ozone Contact Tank Dimensions 7ft High x
91	1	2.5ft Diameter DuBois Chemical Feed Skid, 50 Gallon Stainless Steel Tank 15HP Pump, Dimensions 6ft Long x 3ft Wide x
92	1	4ft High Aprox. 1,800 Gal. S/S Dome-Top Processor with Baffle, Dual Blade Agitator with 1 hp Motor (Aprox.
93	1	Dimensions 80 inch Deep x 83 inch W) New SF 2,000 Gallon Dome-Top Dome-Bottom
95	1	Vertical S/S Mix Tank, Model 2012.2000 Bell and Gossett Skid-Mounted Heat Exchanger System, Model 23CB15-30, S/N 0DU507 includes (2) Shell and Tube Heat Exchanger -(1) Aprox. 52 inch L x 20 inch W and (1) Aprox. 80 inch L x 10 inch W, (2) Bell and Gossett 5 hp and 1 hp Centrifugal Pumps
96	1	includ Toromont Cimco Skid Mounted Freon Glycol Package Chiller, S/N 8000452, Complete with, Bitzer Recip Compressor, (2) 5 Hp Centirfugal Pumps, Cimco Shell and Tube Heat, (3) Circulating Fans, Siemens Controls, 575 V, 3 Ph, 60 Hz, Dimensions 20ft Long x 7ft W x 7ft
97	1	High APV Crepaco Single Barrel Ice Cream Freezer, Model
98	1	W-104E, S/N D9212 2005 Walker Atmospheric (3) 200 Gallon Compartment (600 Gallons total) S/S Insulated Mix/Flavor Tank, 3 seperate Inverter Duty Motors,
99	1	Model: Flavor VAT, S/N SPG47779-1 2005 Walker Atmospheric (3) 200 Gallon Compartment (600 Gallons total) S/S Insulated Mix/Flavor Tank, 3 seperate Inverter Duty Motors,
100	1	Model: Flavor VAT, S/N SPG47779-2

Multi-Million Dollar Dairy, Food and Beverage Equipment Auction 5/16/2013

		5/16/2013
		Federal 18-Valve Rotary Filler, with 5-Head-Press-On
		Capper, Includes Cap Sorter, Stainless Steel Base, 1
		Gallon Change Parts, Dimensions 9ft Long x 6ft Wide
102	1	x 8ft High
		Fogg 36-Valve S/S Rotary Filler with 18-Station 43 mm
		Screw Capper, Model 36-18, S/N 510-147-9-96 LH
		with Vibratory Feeder, S/S Cap Hopper, Allen Bradley
		PLC Controls, Set Up with 64 oz. Change Parts, (Ran
		Approx. 100 BPM) Dimensions 9ft Long x 5ft Wide x
103	1	6ft High
		2002 Filler Specialties 26 Valve Rotary Gravity Filler /
		Capper, Model, S/N 261102AWFS3010R, Runs 8oz. at
		350 bpm, Capable of 8oz to 64oz, 38mm Snap and
		Snap-Screw Cap, Includes Change Parts for 8oz, 12oz
		and 20oz bottles, Dimensions 10ft Long x 6ft Wide x
104	1	6ft High
	_	Zalkin 8 head rotary capper, model CA81320NG, s/n
		23305, 500 cpm, for both 28mm flat and sport caps.
		(4) Complete sets of change parts for 12oz, 16.9 oz,
105	1	20 oz. and 24 oz. (
		H & Samp; K 64-Valve Rotary Filler, S/N 653, Equipped
		with Zalkin 14-Station Rotary Screw Capper, S/N 4382
		with 26 inch Cap Feeder, Controls, Allen Bradley DL5
		Display, 460 V, 3 Phase, Set-Up with 2-Litre Change
106	1	Parts, 28 mm Caps, Dimensions Filler: 8.5ft High
		Ave 50 Valve PET Filler with 12 Head Capper, Stainless
		Steel Package, Allen BRadley SLC 500 PLC, Includes
		16oz 20oz 1L Change Parts, 28mm Flat and Sport
		Caps, Dimensions 15ft Long x 8ft Wide x 8ft High,
107	1	Speed Last Ran 16oz - 450BPM, Electricity 460v 60hz
		Wayne Case Inspector 2014, S/N 43380, 6ft Long x 3ft
108	1	Wide 5ft High, 230/460v 60hz 3ph
		2003 3M-Matic 800r3B Adjustable Case Sealer,
		Bottom sealer, 120v 60hz 1ph, 4ft Long x 3ft Wide x
	1	4ft High
		Lot of 150ft of Stainless Steel Case Washer Conveyor,
		Includes Drives, Curves, Chain and Legs, Skidded and
		Ready for Shipment, 3 Skids Total Dimensions are 35ft
109	1	Long x 7ft Wide x 6ft High
110	1	Dual Belt Conveyor, Allen Bradley Controls

108A

Multi-Million Dollar Dairy, Food and Beverage Equipment Auction 5/16/2013

		5/16/2013
111	1	Videojet Model Excell 100, S/N E92F22009
		Camtron 5000 Series Labeling System, Model AKO-9
112	1	S/N 72574
112	-	Hub City Model AD5, Ratio 1/1, Style CF, S/N 0220-
112	1	•
113	1	05407-007, Sew-Eurodrive Motor
		Domino Coeder DPX1000, S/N 082225-0521, 120v
114	1	50/60Hz, 2005 MFG
		Meyers 40-Valve S/S Rotary Slim Line Can Filler, S/N
115	1	HP4204 includes Change Parts, Set-Up for Slim Cans
		Crown 45 Valve Filler with 6 Head Crowner, PLC
		Controlled, 460v, 60hz, 3ph, Dimensions 10ft Long x
		8.5ft Wide x 8ft , Serial D456UB75, Rebuilt 2007, Last
		Ran 20oz PET Bottles with an Arol 12 Head Stand
116		
116	1	Alone Capper, Allen Bradley PLC Controlled, Perfect f
		GAI 28 Valve Filler-24 Valve Rinser- 6 Head Corker,
		Model 7005 S/N SA-1000, Complete with Deaeration
		Vacuum, Corker Vacuum. S/S Base. CP-16 Control
		Panel, 480v 60hz 3ph, Dimensions 17ft Long x 6ft
117	1	Wide x 7ft High
		KHS Single Head ROPP Capper 460v 60hz 3ph
118	1	Dimensions 4ft Long x 4ft Wide x 6ft High
		JetFlow S/S Cap Blower with Cap Elevator Last
		Running 28mm Plastic Caps, Dimensions Elevator 20ft
		High x 6ft Wide Sorter 3ft Diameter x 2ft High,
		Includes Control Panel, 60+ feet Stainless Steel Cap
110	1	•
119	1	Blower Pipe
		Diversified Capping Cap Blower Model 111-200 Serial
		111-458 110v 60hz 1ph 3ft Long x 2ft Wide x 3.5ft
120	1	High
		Diversified Capping Cap Blower Model 111-600 Serial
		111-629 110v 60hz 1ph 4ft Long x 3ft Wide x 4.5ft
121	1	High
		Aidlin Stainless Steel Waterfall Cap Hopper, Model
		2024, Conveyor Dimensions Approx. 12' H x 2' W,
122	1	Hopper Dimensions Approx.30' H x 3' W x 45' D
- 	_	Arol Cap Sorter 3ft Diameter 2ft High, Mounts on
		Existing Arol Capper, Last Setup for 28mm Plastic
122	1	
123	1	Caps

Multi-Million Dollar Dairy, Food and Beverage Equipment Auction
5/16/2013

	iviuiti-ivii	illoli Dollai Da	5/16/2013
			Anchor Hocking (Crown-Cork)38mm Metal Lug Snap Capper, S/N 183B, Stainless Steel Chain, Touch Screen, Stainless Steel Frame, PLC Controlled,
	124	1	Stainless Steel Hopper Included 8ft Long x 4ft Wide x 8ft High
	125	1	Massily Steam Lug Capper, Model Junior, S/N 151 with Screw or Snap, Includes Cap Sorter, 316L SS Base
	125	1	with screw or shap, includes cap sorter, side 33 base
			Aesus Inline Spindle Quill Capper, Model Delta Cap 4 C, S/N 181030106 Complete S/S Frame Cap Elevator and Hopper, Conveyor Dimensions Approx. 60" H x 12" W, Hopper Dimensions Approx. 20" H x 26" W x
	126	1	20" D, Fully Adjustable, (Last Ran 2 oz. Energy Drink S Aidlin S/S Capp Hopper Model CF-20-24, S/N 95-36-
126A		1	1061, 460VAC/3PH/30HZ/15FLA, L 60" x W 43.5" x H 101"
			Fogg Cap S/S Portable Cap Elevator, Conveyor
			Dimensions Approx 114" H x 7" W, Hopper
	127	1	Dimensions Approx 28" H x 36" W x 24" D
	128	1	Filler Specialties 54-Valve Rotary S/S Filler, Model 54-18, S/N 401297AWFS5418R with 18-Station 38 mm Capper, S/S Base, Allen Bradley PLC Controls, AB PanelView Display Includes 8 oz., 10 oz., 12oz., 16 oz., 20 oz., 32 oz. Change Parts (Aprox. Ran at 300
	129	1	Filler Specialties Waterfall Cap Feeder, Stainless Steel Package, Last Ran 38mm Caps, Waterfall Style acts as a Feeder and Sorter in one machine, Dimensions 10ft High x 4ft Wide x 5ft Long, Speed 300-350 BPM, Electricity 230 - 460V 60HZ 3PH
	130	1	2002 Krones 18-Station Cut and Stack Labeler, Model Canmatic, S/N 073-P97 with Allen Bradley 5/04 PLC Controls, Touch Screen Display, Allen Bradley 1305 VFD, 460 V, 3 Phase, Currently Set-Up for 32 oz. Change Parts (Last Ran 8 oz., 10 oz., 16 oz., 20 oz. 2010 PHC S/S Cap Sterilizer, Model Laydown 100916 with Approximate Product Opening 15" H x 6 1/2" W, Set-Up with 4 1/2" W Conveyor (Last Ran 20 oz. to
	131	1	128 oz. PET Bottles)

Multi-Million Dollar Dairy, Food and Beverage Equipment Auction
5/16/2013

132 1	5/16/2013 GC Evans Crate Washer Serial 2920161 Model 25CWSS, Stainless Steel Package, Includes Recirculating Pump and Dryer, Serial Number 292061, Dimensions 30ft Long x 6ft Wide x 5ft High, Speed 50 CPM, Electricity 460v 60hz 3ph
133 1	2005 Bevco PET All S/S Lowerator Gripper Rinser, Model 620-A/W, S/N J16903 with Allen Bradley MicroLogix 1000 PLC, PowerFlex 4 VFD, 460 V, 3 Phase, 150 to 300 BPM (Overall Aprox. Dimensions 16 ft. 8 inch L x 11 ft. 4 inch H x 43 inch W)
	,
134 1	Bevco 5X Rinser with Infeed and Discharge Conveyor BFT S/S Low In Low Out Inline Rinser, Water Recirculation, Includes Control Panel, 16' L x 4' W x 5'
135 1	н
136 1	Sentry Stainless Steel Lowerator SN 1361, Lowerator or Elevator, Grippers in good condition, skidded and ready for shipment, Skid Dimensions are 20ft Long x 6ft Wide x 6ft High
137 1	**BULK BID LOT #137A TO LOT #137J - COMPLETE AUTOMATIC PRODUCT FILLING/PACKAGING LINE AT A RATE OF 900 - 1200 PPH
	Tri-Star Systems/Weigh Right Automatic Scale/Filler, Model PBM202C, S/N 20030067 includes (4) Syntron Magnetic Feeders Feeding (2) Tedea Huntleigh Scale Bucket Fillers with Digital Read-Outs into Weigh Rite Single Head Filler, Mounted on Stand with Koyo
1	Direct Logix 205 PLC Controls with Touch-Pad Display
1	Du-more Tablet Line Panel Box S/S Vibratory Feeder includes 20 inch x 24 inch S/S Feed Hopper with Syntron Magnetic Feeder, Model
1	FT01-A S/S Vibratory Feeder includes 20 inch x 24 inch S/S
1	Feed Hopper with Syntron Magnetic Feeder, Model FT01-A S/S Vibratory Feeder includes 20 inch x 24 inch S/S
	Feed Hopper with Syntron Magnetic Feeder, Model
1	FT01-A

137A 137B

137C

137D

137E

137F		1	2003 Moorfeed 30 inch S/S Vibratory Feeder System, Model 73006, S/N 441620 includes 30 inch x 25 inch S/S Feed Hopper Mounted on Base with Controls
			2003 Moorfeed 21 inch S/S Vibratory Feeder System, Model 72108, S/N 441621 includes 24 inch x 24 inch
137G		1	S/S Feed Hopper Mounted on Base with Controls
137H		1	Du-more Tablet Line Scale
			Kamflex Aprox. 10 ft. L x 8 inch W Inclined Conveyor,
1371		1	Model 705, S/N 20031149
137J		1	Du-more Tablet Line Plexiglass Sheilds and Frame
	138	1	Midwest Feeder Bowl, 21" diameter, 1990 S/N 5305 FMC-Syntron FB182, S/N 687838RC 288, 21"
	139	1	Diameter Bowl
			Perrier Bottle Rinser 70 Head Type MFL 70/20, S/N 2508, Right - Left Direction of Flow. Pitch:113,08. Sterile Water Rinsing. Blow Dry with Clean Air. In-Feed. Rated 30,000 BPH. Fristhasm Ultrapac 2000 stainless steel pump, 156in L x 108in W, 800 BPM,
	140	1	460v
			BFT 6x8 Small Footprint Bottle/Can Warmer, Stainless
	141	1	Steel Package, Plastic Belt, Includes Control Panel (2) Triple S Boilers Model BC241, Includes Control
	142	1	Panel
	4.42	4	Ambec 4x6 Accumulation Table, Small Footprint,
	143	1	Stainless Steel Frame, Plastic Belting Arrowhead Accummulation Conveyor Table, W 7' X L
	144	1	11'
	145	1	2006 Douglas S75 Tray Shrink Wrapper with Double Stacker, New Never Used, Includes Double Stacker, Printed or Clear Film, 70 CPM, Year 2006, Serial Number M306009, Dimensions 30ft Long x 6ft Wide x, Speed 75 CPM, Electricity 460v
	173	±	A, Speca 75 of W, Licelifoldy 400V

2002 Sidel Aseptic Combi Blow - Fill - Seal - Cap Line,
Last Ran 64oz PET @ 400 BPM, Siemens Servo PLC
Controlled, Aseptic Filling Operation, Volumetric,
Includes 2005 72 Valve Volumetric Aseptic Filler, SBO
20 Blow Molder, Hydrogen Peroxide Pre Form
Sterilizer, Preform Preheat Tunnel, Accu Chiller Glycol
Supply Skid, Water Treatment System, Sidel CIP/SIP
System, Sidel Chemical Feed System, 32 Head Thermo
Sealer, 2002 Fords Press Aseptic Foil Induction Feed
System, Sidel UV Pre Form Sterilization, Year 2002,
Serial Number 8-5003, Dimensions Call for
Dimensions, Speed Last Ran 64oz @ 400 BPM,
Electricity 460v 60hz 3ph
I I I I I I I I I I I I I I I I I I I

Laurent Bottle Unscrambler With Bulk Hopper And Discharge, Sorter: Number of feeding plates: 39, bars pitch: 209.55, length:1604mm, Right direction, Max speed: 625 units/minute bottles 207 ml. Hopper: Max 151 1

146

152

1

1

speed 1200/units/min, 2X Uni Light belt wide 382, p

Perrier Bottle Rinser 70 Head Type MFL 70/20, Perrier Bottle Rinser 70 Head Type MFL 70/20. Type MFL 70/20. Right - Left Direction of Flow. Pitch:113,08. Sterile Water Rinsing. Blow Dry with Clean Air. In-Feed. Rated 30,000 BPH. Fristhasm Ultrapac 2000 st

2003 Serac 45 Valve Filler with 12 Head Zalkin
Capper, System includes: Serac Rotary
Volumetric Filler, 45 Station With Zalkin Capping
Turret CE marked • Rated @45,000
Bottles Per Hour
Nozzles
Fill Cap presently used is a 38VIJPlast Twist-
Plus, 38MM ETS Perrier filler table
Model MFL 70/15 Stainless steel
table Star wheels set up for 7 OZ fill Included
is a spare Perrier filler table set up for 3.1 OZ fill
Zalkin Capping Turret, Presently set up for 38MM
Screw On Caps (mounted to filler Base) Also misc
tooling included for a 3.1 OZ fill, with misc star wheels
ETC, Year 2003, Serial Number 204, Dimensions 88in L
x 114in W x 128in H, Speed 30000 BPH, Electricity
480v 60hz 3ph
Serac Cap Sterilizer

153 1 480v 60hz 3ph
153A 1 Serac Cap Sterilizer
154 1 2002 Rionde Cap Sterilizer Type: WAP 4 S/N SN100

2002 Tecma Pak Case Erector, Packer And Sealer System CE Marked, Tecma Case Erector, Packer And Sealer System CE Marked Case former model FM2501GC, with Allen Bradley Panelview 300 operators station, safety panels Case sealer with Nordson Vistatech hot melt gluer, safety panels Case packer with saftey panels Case packer with saftey panels Case former to case sealer with 12" wide bottom belt Case packer with 12" wide bottom belt

Laurent Bottle Unscrambler With Bulk Hopper And Discharge, Sorter: Number of feeding plates: 39, bars pitch: 209.55, length:1604mm, Right direction, Max speed: 625 units/minute bottles 207 ml. Hopper: Max speed 1200/units/min, 2X Uni Light belt wide 382, p

155 1

156

1

Multi-Million Dollar Dairy, Food and Beverage Equipment Auction 5/16/2013

			5/10/2015
156A		1	Serac Control Panel FWT Line
	157	1	Serac 70 Head Rinser FWT Line
			Serac 30 Valve Filler Model DT30T30/1080FH+ With
			Perrier Filler Table,1998. Set up to fill 3.1 oz., 100ml
			Type: bottle rotative, platform diameter: 34. Weight
	158	1	(product weight in the container)
			ACS Triple Tab Foiler Series ASP Output 550 CPM, Cap
	159	1	size 34.4, 240V 3P 60H
	160	1	Serac 30 Head Sealer FWT Line
			Aries Packaging Over Wrapper (Sleever) Model 602, Aries Packaging Over Wrapper (Sleever) Model 602. Taking bundles of drinlkable yogurt bottles and
	161	1	overwrapping a cardboard sleeve. Allen Bradley
	101	1	panelview 1000 operators station.
			2010 Watec CI250-2 RO System, New Never Used,
			250,000 Gallons Per Day, Protec Membrane Vessels,
			15 Stage Pumping System with a 200HP Motor, 316L
			Stainless Steel Construction, Ultra Pure Water for
	165	1	Phar, Process Water for Food and Beverage.
			2010 Watec Cl250-2 RO System, New Never Used,
			250,000 Gallons Per Day, Protec Membrane Vessels,
			15 Stage Pumping System with a 200HP Motor, 316L Stainless Steel Construction, Ultra Pure Water for
			Phar, Process Water for Food and Beverage or
			Desalination of sea water at 250,000 GPD, Range is
			25,000 GPD to 250,000 GPD, Year 2010 Serial
			Number Cl250-0006, Speed 250,000 GPD (300 GPM),
	169	1	Electricity 460v 60hz 3ph
	103	±	Licetificity 4000 00112 3pm

			2004 Ingersol Rand High Booster Compressor for Blow Molder, Low Pressure, Low Pressure, Oil Free, 580 PSIG, 398 RPM, Size 9 & Description of States of State
			duty Class 40 cast iron cylinder construction Piston rings and packing rated for 16,000 hours Protective features such as rod drop position wear indicators
			available, Year 2004, Serial Number PHN 9112,
	100	4	Dimensions 16ft Long x 4ft Wide x 5ft High, Speed
	190	1	580 PSIG, Electricity 460v 60hz 3ph Liebert, Emerson Network Power AC 3, 80 Amp, 208
	191	1	Volt, 30 3W
	131		Ingersoll-Rand, Model Sierra-H50W Air Compressor, Capacity 181 CFM, 65 AMPS, 460 V, 3/60HZ, S/N
192A		1	TS1511U99314 Ingersoll-Rand, Model TM 200-W, Compressed Air Dryer, 2.0 HP, 17.0 LRA, 3.8 RLA, 460 V, 60 HZ, 3 PH,
192B		1	5.83 Amp, S/N 00ATW027
			ZEKS Heatsink True Cycle Air Dryer, Model
			18SCFXW40, S/N 232108 204, 60 HZ, 460 V, 14.4
	193	1	Amps
			Quincy 50HP Rotary Screw Air Compressor, Model 235, S/N 32183 Skid Mounted (2) Thermal Transfer Tube and Shell Heat Exchangers Shell 300psi Tubes 150psi, 230/460v 60hz 3ph 120/60 amps Dimensions
	194	1	9ft Long x 5ft Wide x 5ft High Ingersol Rand 25HP Air Compressor Model: SSR-EP25, S/N JX1346400045, 5ft Long x 2ft Wide x 5ft High, 97
	195	1	CFM, 230- 460V 60HZ 3PH,
196A		1	Dustcontrol, Model DC3800STAT, S/N 359777
196B		1	Dustcontrol, Model DC3800STAT, S/N 359778

Multi-Million Dollar Dairy, Food and Beverage Equipment Auction

	IVIUILI-IVIII	mon Donar De	5/16/2013
			Whitlock AEC Turbovac Model VTTV-1, S/N 95-36-
196C		1	1061, 460V/3PH/60HZ/1.6AMP
			Sperry-Vickers Hydraliz Pump and Tank, Baldor 20 HP
	197	1	Motor
			Hytrol Section Power Case Conveyor, Aprox. 91 inch L
			x 27 inch W Section Power Case Conveyor with 12
198A		1	inch W Belt and Drive, 3 Phase with Leg Supports
			Marsh Patrion Plus Box/Case Coder, Dual Heads,
			Keyboard Input, Includes Metering Case Conveyor,
			High Resolution Print Heads, Dual Tasking can run up
			to 2 lines, 150 x 150 dpi, Prints on both porous and
198B		1	semi-porous surfaces, 2ft Long x 2ft Wide x 6ft High
			IAC Full Depth Uncaser, Stainless Steel Frame, Setup
			for Glass 24 Pack Full Depth Cases, Serial Number
			7920182, Dimensions 12ft Long x 4ft Wide x 6ft High,
	199	1	Speed 25-30 CPM, Electricity 575V 60hz 3ph
			Douglas MW4 Film Only Bundler, Setup for 4, 6, 12
			Packs of FILM ONLY - No Tray, Single or Dual Lane,
			SERVO, Allen Bradley SLC 5/04 PLC, Year 1999, Serial
			Number M4273, Dimensions 30ft Long x 6ft Wide x ft
	200	6	High, Speed 40 CPM, Electricity 575v 60hz 3ph
			2000 DIMAC Wrapper and Heat Tunnel, Model
	201	1	Starfilm-LS, S/N A200991 480/60/50KW
			Sentry Pallet Conveyors, Model APX 50 LF, All S/S,
	202	4	Horse Shoe Formation with 2 Side Discharge Tables
			2004 Columbia FL100 Floor Level Palletizer, Allen
			Bradley PLC Controlled, Setup for Cases, Trays, and
			Film-only Bundles. 3 Available, Additional photos of
			each individual machine available upon request, Year
			2004, Serial Number 0305-6225-2288, Dimensions
			21ft Long x 7ft Wide x 10ft High, Speed 20 CPM,
	203	3	Electricity 460v 60hz 3ph

Erector, Model 93-SF1LT, Allen Bradley C Controlled, Setup for RSC and HSC Number 98-7-14, Dimensions 8ft Long x ft High, Speed 20-25 CPM, Electricity 230 - BPH br />
Box Case Erector, Setup for 5 Gallon Bag des Nordson Glue Unit, Adjustable to run ed boxes, Serial Number CE 976960, 8 ft L x 4 ft W x 5 ft H, Speed Up to 20 city 440 Volts, 3 PH, 60HZ
n Random Top Adjustable Case Sealer, Sentry 4 Tape Head, Flap Folding Station, y MicroLogix 1500 PLC, Allen Bradley 00 Micro Display, Eco Drives, (2) VFD's, se, Plexiglass Enclosure, Max Case Size 26in Wide x 19in High Min Case Size 12in //ide x 3in High, Year 2005, Serial Number 1843, Dimensions 12.5ft Long x 5ft Wide x 2eed 30 CPM, Electricity 460v 60hz 3ph
ay Shrink Wrapper, Allen Bradley SLC atrolled, Clear Film, Stainless Steel en Bradley Touch Screen, Year 2002, er 3370, Dimensions 20ft Long x 4ft Wide beed 15-20 CPM (depending on case size),
50v 60hz 3ph eyor with Push Bar r Model PTF-28LH, S/N 208-96,
OHZ/20AMP rtness Case Packer Grids, 24OZ, 20OZ,
5L ssure Combine Conveyor Model Euro
Case Switch, Mild Steel Frame, Serial
62357-A, Dimensions 8ft Long x 6ft Witde lectricity 220 Volts, 3PH, 60HZ

207B

209A

209B

Multi-Million Dollar Dairy, F	ood and	Beverage	Equipment	Auction
	5/16/20	13		

2001 Heuft Systemtech Model GMBH Serial Number
9809065, Brehtal-Strame Case Inspector S/N
2MG09392 with Heuft X-Ray Conveyor Radiation
emission Gamma or X-ray, Dimensions 8 ft 6 in Length
x 5 ft 3 in Width x 8 ft Height , Electricity 115v 60hz
1ph
2000 All

2009 Allpac Vertical Form Fill and Seal Machine, Sanitary Grade S/S Design, Currently Set-­-Up with Formers by Ernie, Inc Form Tube (Form Tube S/N 18709) 5-­-1/2"W Forming Tube, 10.00"-­-9.00", Geyer Fill Head (Fill Head S/N 3189), Allen

212 **Bradley Micrologi** 1

1

211

214

215

216

215A

4

1

1

1

2002 SMI Tray Former Packer Shrink Wrapper, Year 2002, 45 TPM, Runs Clear or Printed Film, Last Running CSD PET Bottles in 12 and 24 Packs and 6 pack Hi-Cones's, Allen Bradley PLC Controlled, Light Curtains Installed, Film Only Bundle Option Available at additional cost, Year 2002, Serial Number 8380, Dimensions 40ft Long x 6ft Wide x 7ft High, Speed 45

213 3 TPM, Electricity 400V 60HZ 3PH

> 2001 SMI Twin Lane Bundler/Shrink Tunnel SK602F, Film Only High Speed Bundler, Runs Clear or Printed Film, Allen Bradley PLC Controlled, Includes In Feed Lane Table, Year 2001, Serial Number 8063, Dimensions 50ft Long x 8ft Wide x 8ft High, Speed 60 CPM,

> Great Lakes Tray Shrink Wrapper and Bundler Model 16537, S/N 16537 SS B003 and Model HVS4, S/N

Marley 180 Ton Cooling Tower Model NC1021CM, Serial Number 045914�-002--93B, Dimensions 14

ft. L x 8 ft. W x 10 ft. 5 inch H, Speed 180 Ton

Electricity 460 Volts, 3PH, 60HZ

Klippenstein High Level Adjustable Tape Case Sealer Model SK600TH, Taped Two Fridge Packs Together to send to a palletizer, Year 2005, Serial Number 12505, Dimensions 10ft Long x 3ft Wide x 5ft High, Speed 25-30 CPM, Electricity 240v 60hz 3ph 10amp

5H87T0057

2009 Thermo Electron Pulsar EX CO2 Monitor, Pulsar EX CO2 Quality Assurance System, provides real-time information on contaminant levels in carbon dioxide. With the Pulsar EX, you can detect contamination before it reaches the final product, The analyzers in the Pulsar EX use one of two measurement methods. Pulsed Ultraviolet Fluorescence (PUVF) or Nondispersive Infrared (NDIR). Both technologies are based on the absorbance or emission of light (optical spectroscopy) and require no additional chemicals or external gas cylinders, Detection Capabilities: Total Sulfur, Total Volatile Hydrocarbons, Total Aromatic Hydrocarbons Acetaldehyde, Year 2009, Serial Number 20015454, Dimensions 2ft Long x 2ft Wide x 5ft High, Speed up to 4 detection modules, Electricity 220v 60hz 1ph, 20 AMPS

217 2

Barry Wehmiler Stainless Steel Tray Shrink Wrapper, Stainless Steel Package, Right Hand Infeed, Great for small cases or trays, Allen Bradley SLC 5/03 PLC, Serial Number 428R, Dimensions 12ft Long x 4ft Wide x 6ft High, Speed 10-15 CPM, Electricity 230 - 460V 60HZ 3PH

218 1

2006 Arpac Film Only Printed Film Bundler, Allen Bradley MicroLogix PLC, Servo Controlled, Runs Clear or Printed Film, Includes Film Rack and 10ft Long Discharge Conveyor, Year 2006, Serial Number 7592, Dimensions 25 ft L x 5 ft W x 7 ft H, Speed 40-50 CPM, Electricity 230/460v 60hz 3ph 110a

219 5

Arpac Shrink Wrapper Bundler with Heat Tunnel, Automatic Wraps Bottles/Cans with Clear or Print Registered Film, No Trays or Pads, Uses FILM ONLY, Includes Infeed Spacing Conveyor, Wrapper, Heat Tunnel, Discharge Conveyor, Allen Bradley PLC, Currently setup for 6 packs but able to run other packages, Serial Number 2178, Dimensions 50 Feet long x 6 Feet wide x 8 Feet Tall, Speed Up to 60 Cycles/Minute (120 on Dual Lane), Electricity 460v 60hz 3ph

220

2001 R.A. Jones Wrap Around Multi Case Packer, Model MAXIM, S/N S-5886 with Nordson Series 3700 V Gluer, Allen Bradley SLC 5/04 PLC Controls, PanelView 1000 Display, Electro Cam Corp. Plus 6000 Series Display, 380/400 V, 3 Phase, Barry Wehmiller Infeed/Outfeed Conveyors, S/N 44370 (Some with Laners) (Aprox. 200 Packages Per Minute for Cans and 150 Packages Per Minute for Bottles)

221 1

Arpac 105TW-28 Tray Shrink Wrapper Clear Film, Allen Bradley SLC 5/03 PLC Controlled, Dual Stage Heat Tunnel, Steel-it Paint, Serial Number 3273, Dimensions 20ft Long x 4ft Wide x 6ft High, Speed 25-30 CPM, Electricity 460v 60hz 3ph 51amps

1

225

2005 Pearson C2240 Carton Combiner, Last Setup Glueing (2) 12 Pack Fridge Packs Together, Allen Bradley Compact Logix C31 PLC Controlled, Electrical: 230/460V, 3-phase, 60 Hz Std., 13.8 kVA 19
Pneumatic: 3.0 SCFM @ 80 PSI (0.085 m3/minute @ 551.2 KPa)
ul> knbsp; Stainless steel and wash down components construction .
li> knem 4
Electrical components .
li> knbsp; Allen-Bradley Variable Frequency Drives .
li> knbsp; Nordson ProBlue glue unit.
li> knbsp; Allen-Bradley Panel View,
knbsp; Allen-Bradley Allen-Bradley Panel View,
knbsp; Allen-Bradley Allen-

226 1

Wepackit Model TF-300 Trayformer, Automatic Trayformer with Nordson Glue System, Heavy Duty Machine built on casters for easy mobility, Minimum formed tray length and width are 8 inches, Maximum formed tray length and width are 20 inches, Good Condition, Download Brochure for more details, Serial Number 2289, Dimensions 6 ft L x 3 ft W, Speed Up to 35 TPM, Electricity 460v 60hz 3ph

227

228	3	2002 Krones Kettner Contipac Case Packer, Continuous Motion, 6 Rotary Heads, Includes Stainless Steel Infeed Section with Lanes, 3 Sets of Change Parts, Allen Bradley PLC Controlled, Year 2002 br />Serial Number 21 / 0686 / 007, Dimensions 40ft Long x 8ft Wide x 7ft High, Speed 42 CPM, Electricity 460v 60hz 3ph
229	1	Nigrelli M80 Tray Erector Packer, 80 TPM, Last Running 120z 1 Aluminum Cans 6x4pk, 4x6pk, 24 loose, Includes Quick-Change Lugs to convert between packages, Allen Bradley SLC 5/04 OKC Controlled, Year 1997 br />Serial Number TWLS-97- 1718-09, Dimensions 30ft Long x 5ft Wide x 5ft High, Speed 80 TPM, Electricity 460v 60hz 3ph
		2004 Nigrelli Envoy TFP Tray Former Packer, Setup for (2) 12 Packs in a tray or (3) 8 Packs, Allen Bradley SLC 5/04 PLC, Remote Control Jog, Allen Bradley Touch Screen, Nordson Pro Blue, Year 2004, Serial Number TFPP-04-1966-20, Dimensions 35ft Long x 7ft Wide x
230	1	7ft High, Speed 150 CPM, Electricity 460v 60hz 3ph 2010 PHC Spiral Case Conveyor, Matte Top Chain, Like New Barely Used, Includes 30ft of 2010 PHC Case Conveyor with (2) 90 degree Curves, Year 2010Dimensions 15ft High x 8ft Diameter, Electricity
231	4	230 - 460V 60HZ 3PH
232	8	Sentry Conveyor Hartness Continuous Motion Stainless Steel Case Packer, Model 2600, All S/S with Case Packer Head, Serial Number 26053, Dimensions 24 inch L x 5 foot W x 90 inch H, Speed 35-40 CPM, Electricity 230-460v
233	1	60hz 3ph
		Hartness Model 2600 Continuous Motion Case Packer, Last Ran 20oz Glass in 12 Packs, Continuous Motion, Stainless Steel, Year 1998, Serial Number 26050, Dimensions 30ft Long x 3ft Wide x 7ft High,
234	1	Speed 30-35 CPM, Electricity 230/460v 60hz 3ph
235	1	Hartness S/S Drop Case Packer Model 100 Hartness S/S Drop Case Packer, S/N Eco 343-1512 (No
236	1	Controls, Not Correct)

SWF Seal-Matic Model G2 Case Box Case Sealer, With Flap Folding Station, BIB or Bliss Box Case Sealer, Nordson Pro Blue Glue Unit, 10ft Long x 4ft Wide x 6ft 237 2 High, 20-25 CPM, 220-460 Volts, 3PH, 60HZ Meyer - Accupak Gallon Case Packer, Rebuilt by Accupak in 2009, Allen Bradley Control Logix PLC, Last Setup for Gallons 2x2 Configuration, Year 2009, Dimensions 15ft Long x 5ft Wide x 5ft High, Speed 25-238 1 30 CPM, Electricity 230 - 460V 60HZ 3PH 2000 Hartness Globalpick Uncaser, 10 head rotary carousel continous motion uncaser, places bottles on 18" wide thermoplastic table top chain at 52" elevation, empty cases go out 22.5" wide power roller conveyor, change parts for both 1.5ml and 750ml glass, machine runs at 86 cases per minute on 1.5ml and 48 cases per minute on 750ml, currently running at 86 cases per minute. Allen Bradley ControlLogix 5550 PLC Control Panel. Guards/Doors. Automatic Central Lube, LH (Clockwise Rotation), HRS Painted Silver Metallic, DC Controls, Unit to be in operation until June 2011 with removal in July 2011. Available for immediate inspection and purchase. CAD Drawing available for download, Year 2000 serial Number 36-002, Dimensions 21 ft L x 10 ft W x 9 ft H, Speed Up to 239 4 100 CPM, Electricity 460v 60hz 3ph 2006 Douglas Axiom Full Wraparound Case Packer, Allen Bradley MicroLogix PLC, Allen Bradley Kinetix 6000 Servos, Photos and more information coming soon, Year 2006

Serial Number M-105041, 240 7 Electricity 460v 60hz 3ph 2003 Pearson Random Tape Case Sealer, Seals Random Case Automatically, Allen Bradley SLC 5/03 PLC Controlled, 23 Removed From Service Jan 2009, RSC, CSSC, Split Minor Tray, Bliss Cases, 4.68 kVA Pneumatic: 0.82 SCF/Cycie @ 80 PSI (0.023 m3/cycle @ 551.2 KPa), Year 2003
Serial Number 2003-04751068, Dimensions 15ft Long x 6ft Wide x 8ft High, Speed 40 CPM, Electricity 460v 60hz

241

4

3ph

242	1	2007 Krones Contiroll Roll Fed Labeler, State of the Art Roll Fed Labeler for Wraparound Labels, Dual Aggregate Machine for High Speed Labeling, Change parts for 16oz. PET Bottles, Fingerless Grippers, 20 Station Rotary Machine, Integral Machine Guarding Lift Up Door Design, Allen Bradley Servo Logix Controls with Touch Screens for Operators, Stainless Steel Construction, Year 2007, Serial Number K745M49, Dimensions 12 ft L x 12 ft W x 9 ft H, Speed Lip to 700+ Containers (Min. Flactricity 460x 60hz 3 ph
242	1	Up to 700+ Containers/Min, Electricity 460v 60hz 3ph 2003 Krones 18-Head Canmatic Wrap Around Rotary Labeler, Allen Bradley SLC 5/03 PLC, Last Ran .5L PET @ 350 BPM, Full Guarding, Full Wraparound Hot Melt Glue, Year 2003, Serial Number 073-R29, Dimensions 10ft Long x 8ft Wide x 7ft High, Speed .5L PET @ 300-
243	1	350 BPM, Electricity 460v 60hz 3ph Krones Canmatic 18 Cut and Stack Labeler, Set up with 30 oz. Change Parts with (2) On-Board Glue Pods, Label Check System with Controls, Year 1990, Serial Number 73-834, Dimensions 10ft Long x 6ft Wide x 4ft High, Speed 250 BPM, Electricity 460v 60hz 3ph
245	3	Krones 18 Station Rotary Labeler, Set-Up with 8 oz Change Parts, (2) Nordson Pro Blue 7 Gluers, Label Check System with Allen Bradley 5562 Logix PLC and PanelView 500 Display, Year 1990, Serial Number 73- 833, Dimensions 10ft Long x 7ft Wide x 7ft High, Speed 350 BPM, Electricity 460v 60hz 3ph
		Langguth 12 Station Cut and Stack Labeler, Nordson 3100V Glue Unit, Setup for .5L, 20oz, 24oz PET Bottles, Year 1997, Serial Number 97094, Dimensions 10 ft L x 5 ft W x 5 ft H, Speed Up to 300 CPM,
246	4	Electricity 220v, 60hz, 3ph PDC Stretch Sleeve Labeler, From 1L to 5L PET Bottles, Excellent Condition, Year 1996, Serial Number 0TE603, Dimensions 10ft Long x 4ft Wide x 6ft High, Speed 100-150 BPM, Electricity 460v 60hz
247	1	3ph 25a

248	7	2005 Busse T5003 High Level Depalletizer, Sweep Arm, Slip Sheet Stacker, Max Load Height 110in, Max Load Weight 4000lb., Air Requirements: 80PSI 15CFM, Year 2005, Serial Number 322420205, Speed 10 Sweeps/Min, Electricity 460v 60hz 3ph
249	2	2005 Bevco Lowerating Water / Air Gripper Rinser, Stainless Steel Package, Includes Control Panel, Will Run Water or Air, Year 2005, Serial Number J16895, Dimensions 16ft Long x 3ft Wide x 12ft High, Speed 600 BPM, Electricity 460v 60hz 3ph
250	1	US Bottlers 40 Valve Pressure Gravity Filler with Fowler 12 Head Capper, Stainless Steel Package, Change Parts 32oz, 64oz, 96oz Round Bottles and 64oz Rectangular Bottles, 38mm Caps, Allen Bradley PLC Controlled, Serial Number 1239 Capper: FZ889, Dimensions Filler: 12ft L x 10ft W x 8ft H. Capper: 10ft L x 8ft W x 8ft H, Speed Last Ran 64oz @ 175 BPM, Electricity 460v 60hz 3ph
251	1	2006 Krones Canmatic Labeler for Non Round Bottles, Stainless Steel Package, AB PLC Controlled, Touch Screen, Maltese Cam Setup for 64oz Rectangular PET Bottles @ 120BPM, Year 2006, Serial Number 073- R66, Dimensions 10ft Log x 8ft Wide x 7ft High, Speed 120 BPM, Electricity 230 - 460V 60HZ 3PH
252	1	Hartness Model 825 Case Packer with Laner, 30-35 CPM, Allen Bradley SLC 5/03 PLC with Pacific Scientific 5645 Servo Controllers, Stainless Steel Frame, Serial Number 8-395, Dimensions 18ft Long x 4ft Wide x 6ft High, Speed 30-35 CPM, Electricity 450V 60HZ 3PH
253	2	2002 Moen Bliss Box Case Erector, Model PF-106-HLN, Forms H-Style Bliss Box, Nordson 3700 Glue Unit, Allen Bradley Panel View 1000, Allen Bradley SLC 5/04 PLC, Year 2002, Serial Number 1631, Dimensions 15ft Long x 5ft Wide x 8ft High, Speed 20-25 CPM, Electricity 460v 60hz 3ph

Moen BL901 Case Lidder, Model BL-901, Allen Bradley SLC 5/03 PLC. Quick Panel Touch Screen. Extended Lid 58 Hopper. Rate of Production: Up to 28 c.p.m, Size Capacity: Length 10in Min - 24in Max, Width IOin Min - 18in Max. Depth 8in Min - 14in Max, Air usage per cycle in SCFM 1.209, Serial Number 901-1490, Dimensions 9ft Long x 7ft Wide x 6ft High, Speed 28 CPM, Electricity 230v 60hz 3ph

254 2 Speed 28 CPM, Ele

2004 Top Tier Low Level Palletizer, Slip Sheet Inserter, Onboard Orion Wrapper, Infeed and Outfeed Conveyor, Allen Bradley MicroLogix 1500 PLC Controllers and VFDs, Case size from 6" to 24" in either dimension - 6" to 48", Rated to 50 cases/min depending on model and layer patterns. Optional layer weights of 300 lbs to 1,000 lbs, Year 2004, Serial Number 021027, Dimensions 10ft Long x 6ft Wide x 8ft High (approx.), Speed 15-20 CPM (depending on case size), Electricity 480v, 60hz, 3ph

255 3