


Inspection Report (Telehandler)

General Info

Year	2014
Make	Genie
Model	GTH-5519
Serial Number	2237
Hour Meter Reading	1,416
Previous Application (e.g., earth moving, mining, demolition, etc)	Equipment Rentals

Dimensions

Measurement Guide	
A. Length (ft and inches)	12'2"
B. Width (ft and inches)	5'11"
C. Height (ft and inches)	6'4"
Operational Weight (lbs)	10,360lbs.

Features and Configuration


Control Station Type	Canopy
Max Lift Height	19'
Max Lift Capacity	5,500 Lbs.
Coupler Type	Standard
Forks / Work Tool Specs	4' long - 4" wide - 2" thick
Side Shift	No
Tilt Carriage	No
Frame Leveling	No
Outriggers	No
Additional Attachment(s)?	No
Auxiliary Hydraulics	Yes
Heat	No
A/C	No
Radio	No
Backup Camera	No

Inspection Report (Telehandler)

OMM (Operator & Maintenance Manual)	Yes
Telematics	No

OMM Specifications

OMM Specifications

Detail Specifications	Take photos of the detailed spec pages included in the operator's manual
OMM Spec Photos	

Inspection Report (Telehandler)

Specifications


GTH-5519		
Height, stowed	6 ft 4 in	1,92 m
Length, stowed, without forks	12 ft 2 in	3,70 m
Width, standard tires	5 ft 11 in	1,81 m
Wheelbase	7 ft 9 in	2,36 m
Ground clearance, center	1 ft 1 in	0,33 m
Ground clearance, axle	10 in	0,25 m
Weight	10,360 lbs	4,700 kg
Working fork height, maximum	19 ft	5,79 m
Horizontal reach maximum	11 ft	3,35 m
Reach at maximum height	2 ft	0,60 m
Lift capacity, maximum height with 24 in / 61 cm load center	4,400 lbs	1,995 kg
Lift capacity, maximum reach with 24 in / 61 cm load center	2,000 lbs	907 kg
Maximum lift capacity	5,500 lbs	2,495 kg
Drive speed, maximum	16 mph	26 km/h
Tire size	12 x 16.5 in., 10 ply	
Turning radius, outside, 2 wheel steer	18 ft 8 in	5,70 m
Turning radius, outside, 4 wheel steer	10 ft 7 in	3,23 m
Fuel tank capacity	15.9 gal	60 L
Maximum grade	50 %	50 %
Horn sound level, manufacturer's rating	110 dB	110 dB
Backup alarm sound level, manufacturer's rating	95 dB	95 dB
Floor loading information		
Tire load, maximum	7,830 lbs	3,552 kg
Occupied floor pressure	237 psi	11,36 kPa
Tire contact pressure	59 psi	448 KPa

First Edition - Third Printing


October 2015

Load Charts

GTH-5519, Standard Carriage





GTH-5519, 60 and 66 inch Bucket





Part No. 57.0003.0619

 Genie
GTH-5519

Inspection Report (Telehandler)



Inspection Report (Telehandler)



Exterior 360 Walkaround

Exterior 360 Walkaround

Inspection Report (Telehandler)

Instructions	<p>Take photos of the exterior of the piece of equipment. Capture a full 360 degree walk around and all major components.</p> <p>Must have shots to capture:</p> <ul style="list-style-type: none"> - Front - 45 degree corner shot of left front - 45 degree corner shot of right front - Left side - Right side - Rear - 45 degree corner shot of left rear - 45 degree corner shot of right rear <p>Tips for good photos:</p> <ul style="list-style-type: none"> - Move the equipment into a open area without any visual distractions or other equipment in the background
Exterior Walkaround Photos	
	

Inspection Report (Telehandler)



Inspection Report (Telehandler)



General Appearance Inspection Points

General Appearance

Front	3 - Normal Wear & Tear
Front Condition	No visible damage

Inspection Report (Telehandler)

Front Photos



Inspection Report (Telehandler)

		
Rear	3 - Normal Wear & Tear	
Rear Condition	No visible damage	
Rear Photos		
		

Inspection Report (Telehandler)



Inspection Report (Telehandler)



Inspection Report (Telehandler)

	
Left	3 - Normal Wear & Tear
Left Condition	No visible damage
Left Photos	
	

Inspection Report (Telehandler)



Inspection Report (Telehandler)

		
Right	3 - Normal Wear & Tear	
Right Condition	No visible damage	
Right Photos		
		

Inspection Report (Telehandler)

	
	
	
Upper	3 - Normal Wear & Tear
Upper Condition	No visible damage
Body Panels (Any Rust Damage?)	3 - Normal Wear & Tear
Body Panel Condition	No visible damage, good paint condition and panel fitment
Doors / Canopy Latches	3 - Normal Wear & Tear
Doors / Canopy Latches Condition	No visible damage
Steps / Ladders	3 - Normal Wear & Tear

Inspection Report (Telehandler)

Steps / Ladders Condition	Steps/ladders are fully intact and appear structurally sound
Handrails	3 - Normal Wear & Tear
Handrails Condition	Handrails are fully intact and appear structurally sound
Glass Condition	0
Mirrors	3 - Normal Wear & Tear
Mirror Condition Notes	Mirrors present and intact, no visible damage
Mirrors Photos	
Lighting System	3 - Normal Wear & Tear
Lighting System Condition	No visible damage, lighting system is operational
Lighting System Photos	


Inspection Report (Telehandler)



Control Station Inspection Points

Control Station

Serial Number Plate Photo



Operator Cabin Overall	3 - Normal Wear & Tear
Operator Cabin Overall Condition	Good cabin appearance, solid floors, panels, and ceiling

Inspection Report (Telehandler)

Operator Cabin Photos



Inspection Report (Telehandler)



Inspection Report (Telehandler)



Inspection Report (Telehandler)



Inspection Report (Telehandler)

	
Operator's Seat & Arm Rests	3 - Normal Wear & Tear
Operator's Seat & Arm Rests Condition	Seat(s) have minor surface staining or small tears
Operator's Seat & Arm Rests Photos	
Seat Belt	3 - Normal Wear & Tear
Seat Belt Condition	Seat belt secures properly. Belt is intact and in good condition
Cabin Lights	0
Safety Lock Out / Stop	0
Controls & Switches	3 - Normal Wear & Tear
Controls & Switches Condition	All switches are installed and functional, Other (see comments)
Comments	Some decals on switches worn and unable to distinguish

Inspection Report (Telehandler)

Controls & Switches Photos	
	
	
Hour Meter Activity	3 - Normal Wear & Tear
Hour Meter Condition	Hour meter is functional and in good condition

Inspection Report (Telehandler)

Hour Meter Activity Photos	
Other Gauge Activity	3 - Normal Wear & Tear
Other Gauge Condition	All cockpit gauges are functional and in good condition
Other Gauge Activity Photos	
Heater & A/C	0
Fans / Vents	2 - Above Average Wear
Fans / Vents Condition	Fan vents are installed but one or more is restricted in movement or functionality
Comments	Fan inoperable
Fans / Vents Photos	

Inspection Report (Telehandler)

	
Travel Alarm	3 - Normal Wear & Tear
Travel Alarm Condition	Travel alarm is installed and functioning as expected
Horn	3 - Normal Wear & Tear
Horn Condition	Horn is installed and functioning as expected
Backup Camera	0
Fire Extinguisher	0
First Aid Kit	0

Engine Inspection Points

Engine	
Engine Type (Make, Model, Cylinders, Hp)	DEUTZ - TD2.9L - 4CYL. - 74HP
Emissions Tier	Other (see comments)
Comments	Under 75HP no Aftertreatment Required
Engine Serial Number	11683832
Engine Fuel Type	Diesel

Inspection Report (Telehandler)


Engine Photos



Inspection Report (Telehandler)

	
	
	
Blow-by (Visual Observation Check)	No
Unusual Noises (Upon Start-up, Idle, Shutdown)	No
Unusual Noise Notes	No unusual noises heard
Engine Smoke (Upon Start-up, Idle, Shutdown)	No
Engine Smoke Notes	No engine smoke issues observed
Engine Exhaust Color	Clear

Inspection Report (Telehandler)

Battery	2 - Above Average Wear
Battery Condition	Other (see comments)
Comments	Battery may need to be replaced (hard start)
Battery Condition Photos	
Radiator	3 - Normal Wear & Tear
Radiator Condition	Radiator fins & components appear to be in good working order, no signs of damage or leaks
Radiator Photos	
	
Belts	3 - Normal Wear & Tear
Belt Condition	Belts appear in good condition & alignment with proper tension

Inspection Report (Telehandler)

Belt Photos	
Hoses	3 - Normal Wear & Tear
Hose Condition	Firm, pliant hoses with no signs of wear or leaks
Hose Photos	
	
Water Pump	3 - Normal Wear & Tear
Water Pump Condition	No unusual pump noises heard
Cooling System Leaks	No
Coolant Color / Appearance	3 - Normal Wear & Tear
Coolant Color/Appearance Notes	Normal Translucent appearance, no visual signs of contamination

Inspection Report (Telehandler)

Oil Leaks	No
Oil Color / Appearance	3 - Normal Wear & Tear
Oil Color / Appearance Notes	Clean oil appearance, no signs of cross contamination, Appropriate oil level
Fuel Leaks	No
Equipped with DPF (Diesel Particulate Filter)	No
Requires DEF (Diesel Exhaust Fluid)	No
Overall Engine Appearance	Clean & dry
Overall Engine Comments	Overall engine in good condition and well maintained. No active leaks found.

Drivetrain Inspection Points

Drivetrain

Hydrostatic Transmission?	Yes
2 Speed?	No
Hydrostatic Drive Configuration	Other (see comments)
Comments	Hydraulic drive unit directly bolted to engine
Drive Motors	1 - Service Required
Drive Motor Photos	
	

Inspection Report (Telehandler)

Hydrostatic Parking Brake	3 - Normal Wear & Tear
Hydrostatic Parking Brake Condition	Good brake function
Overall Drivetrain Comments	Overall drivetrain in solid shape

Chassis Inspection Points

Frame	3 - Normal Wear & Tear
Frame Photos	
	
Stance	3 - Normal Wear & Tear
Stance Photos	
Front Axle Appearance	3 - Normal Wear & Tear

Inspection Report (Telehandler)

Front Axle Appearance Photos



Inspection Report (Telehandler)



Inspection Report (Telehandler)

		
		
<p>Rear Axle Appearance</p>	<p>3 - Normal Wear & Tear</p>	
<p>Rear Axle Appearance Photos</p>		

Inspection Report (Telehandler)



Inspection Report (Telehandler)

		
Oscillating Pin Appearance	3 - Normal Wear & Tear	
Oscillating Pin Appearance Photos		
Wheels & Tires	3 - Normal Wear & Tear	
Wheels & Tires Photos		

Inspection Report (Telehandler)

	
	
	
Tire Brand	Hercules life master
Tire Size	12 - 16.5
Front Left Tire - Ratio Remaining	30%
Rear Left Tire - Ratio Remaining	30%
Front Right Tire - Ratio Remaining	30%
Rear Right Tire - Ratio Remaining	90%
Boom Condition	3 - Normal Wear & Tear

Inspection Report (Telehandler)

Boom Condition Photos



Inspection Report (Telehandler)

		
		
Chain / Tensioners	3 - Normal Wear & Tear	
Rollers & Guides	3 - Normal Wear & Tear	
Boom Wear Guides	3 - Normal Wear & Tear	
Boom Wear Guides Photos		

Inspection Report (Telehandler)


		
		
Overall Chassis	3 - Normal Wear & Tear	
Overall Chassis Comments	Chassis in good condition no major repairs needed.	

Hydraulics Overall Inspection Points

<h3>Hydraulics Overall</h3>	
Wet or Damp Hydraulic Lines / Fittings	Yes
Appearance of Hydraulic Lines / Fittings	3
Hydraulic Lines / Fittings Condition	Hydraulic lines & fittings are clean and in good condition, Active leaks in hoses or fittings observed, Other (see comments)
Comments	Some hydraulic hoses starting to leak. No active fluid drips seen only wet hoses

Inspection Report (Telehandler)

Appearance of Hydraulic Lines /
Fittings Photos



Inspection Report (Telehandler)



Inspection Report (Telehandler)



Inspection Report (Telehandler)



Inspection Report (Telehandler)

		
Unusual Noises (Hydraulic Pump)	No	
Hydraulic Pump Notes	No unusual noises heard during operation	
External Controls / Levers	3	
External Controls / Levers Condition	Good function & condition of hydraulic controls	
External Controls / Levers Photos		

Hydraulics Cylinders Inspection Points

Boom Lift Cylinders	Check the boom lift cylinders. Note any wear, pitting, discoloration, etc. Take photos.
Boom Lift Cylinders: Mounting Pin	3
Boom Lift Cylinders: Oil Leaks	No

Inspection Report (Telehandler)

Boom Lift Cylinders Photos	
	
	
Telescopic Boom Cylinders	Check the telescopic boom cylinders. Note any wear, pitting, discoloration, etc. Take photos.
Telescopic Boom Cylinders: Mounting Pin	3
Telescopic Boom Cylinders: Oil Leaks	No
Frame Leveling Cylinders	Check the frame leveling cylinders. Note any wear, pitting, discoloration, etc. Take photos.
Carriage Tilt Cylinder	Check the carriage tilt cylinders. Note any wear, pitting, discoloration, etc. Take photos.

Inspection Report (Telehandler)

Carriage Tilt Cylinder: Mounting Pin	0
Carriage Tilt Cylinder: Oil Leaks	No
Side Shift Cylinder	Check the side shift cylinder. Note any wear, pitting, discoloration, etc. Take photos.
Outrigger Cylinders	Check the outrigger cylinders. Note any wear, pitting, discoloration, etc. Take photos.
Steering Cylinders	Check the steering cylinders. Note any wear, pitting, discoloration, etc. Take photos.
Steering Cylinders: Mounting Pin	3
Steering Cylinders: Oil Leaks	No
Steering Cylinders Photos	
	

Inspection Report (Telehandler)

Forks Inspection Points

Forks / Work Tool Condition	3 - Normal Wear & Tear
Forks / Work Tool Photos	

Inspection Report (Telehandler)

		
		
		
Back Rest Condition	3 - Normal Wear & Tear	

Functional Test

Forward & Reverse	3 - Normal Wear & Tear
Turning	3 - Normal Wear & Tear
Boom Lift / Tilt / Extend / Retract	3 - Normal Wear & Tear
Overall Functional Test Comments	Overall machine functions operate well. No obvious issues found.
Operating Video	Click to Download

Inspection Report (Telehandler)

Overall Assessment

Overall Assessment	
Exterior Rating	3
Interior Rating	3
Safety Rating	3
Quality Rating	3
Functionality Rating	3
Overall Rating	3
What's Great About the Machine	Machine has been well maintained and no obvious major defects found. All main implement functions operate well.
What Needs Work	3 of the 4 tires will need to be replaced soon. Operator decals in cab worn and should be replaced. Battery should be tested or replaced (hard start).
Date/Time	11-10-2022