


## Inspection Report (Telehandler)

### General Info

Year	2013
Make	JLG
Model	G12-55
Serial Number	0160051257
Hour Meter Reading	5,988
Previous Application (e.g., earth moving, mining, demolition, etc)	Equipment Rentals

### Dimensions

Measurement Guide	
A. Length (ft and inches)	20'
B. Width (ft and inches)	8'6"
C. Height (ft and inches)	8'4"
Operational Weight (lbs)	35,100 Lbs.

### Features and Configuration


Control Station Type	Canopy
Max Lift Height	55'
Max Lift Capacity	12,000 Lbs.
Coupler Type	Standard Pin Installed
Forks / Work Tool Specs	6"wide 2"thick 64"long (tips cut/shortened )
Side Shift	No
Tilt Carriage	No
Frame Leveling	Yes
Outriggers	Yes
Additional Attachment(s)?	No
Auxiliary Hydraulics	Yes
Heat	No
A/C	No
Radio	No
Backup Camera	No

## Inspection Report (Telehandler)

OMM (Operator & Maintenance Manual)	Yes
Telematics	No

### Exterior 360 Walkaround

#### Exterior 360 Walkaround

<b>Instructions</b>	<p>Take photos of the exterior of the piece of equipment. Capture a full 360 degree walk around and all major components.</p> <p>Must have shots to capture:</p> <ul style="list-style-type: none"> <li>- Front</li> <li>- 45 degree corner shot of left front</li> <li>- 45 degree corner shot of right front</li> <li>- Left side</li> <li>- Right side</li> <li>- Rear</li> <li>- 45 degree corner shot of left rear</li> <li>- 45 degree corner shot of right rear</li> </ul> <p>Tips for good photos:</p> <ul style="list-style-type: none"> <li>- Move the equipment into a open area without any visual distractions or other equipment in the background</li> </ul>
<b>Exterior Walkaround Photos</b>	
	

Inspection Report (Telehandler)



### Inspection Report (Telehandler)



## Inspection Report (Telehandler)



### General Appearance Inspection Points

#### General Appearance


Close-up Exterior Photos



Inspection Report (Telehandler)



Inspection Report (Telehandler)



Inspection Report (Telehandler)



Inspection Report (Telehandler)



Inspection Report (Telehandler)



Inspection Report (Telehandler)



Inspection Report (Telehandler)



### Inspection Report (Telehandler)

	
	
	
<b>Body Panels</b>	3 - Normal Wear & Tear
<b>Body Panel Condition</b>	Other (see comments)
<b>Comments</b>	Normal wear and tear scuff marks all around
<b>Doors / Canopy Latches</b>	3 - Normal Wear & Tear
<b>Doors / Canopy Latches Condition</b>	No visible damage
<b>Steps / Ladders</b>	3 - Normal Wear & Tear
<b>Steps / Ladders Condition</b>	Steps/ladders are fully intact and appear structurally sound

## Inspection Report (Telehandler)

Handrails	3 - Normal Wear & Tear
Handrails Condition	Handrails are fully intact and appear structurally sound
Glass	3 - Normal Wear & Tear
Glass Condition	Glass intact, no visible damage
Mirrors	3 - Normal Wear & Tear
Mirror Condition	Mirrors present and intact, no visible damage
Exterior Lights	3 - Normal Wear & Tear
Exterior Lights Condition	No visible damage, lighting system is operational, Other (see comments)
Exterior Lights Photos	
	


## Control Station Inspection Points

### Control Station

Control Station	Take close-up photos of operator control station or cab including the floors, panels, headliner, seat, controls & displays, gauges & meters, and interior lights. Note any damage or wear.
-----------------	--

## Inspection Report (Telehandler)

Serial Number Plate Photo



Operator Cabin Photos



Inspection Report (Telehandler)



Inspection Report (Telehandler)



### Inspection Report (Telehandler)

	
	
	
<b>Operator Cabin Overall</b>	3 - Normal Wear & Tear
<b>Operator Cabin Overall Condition</b>	Good cabin appearance, solid floors, panels, and ceiling
<b>Operator Seat</b>	3 - Normal Wear & Tear
<b>Operator Seat Condition</b>	Seat(s) in good condition, no stains or tears in upholstery
<b>Cabin Lights</b>	0
<b>Safety Lock Out / Stop</b>	3 - Normal Wear & Tear
<b>Safety Lock Out / Stop Condition</b>	Safety lock out device is present, in good condition, and functional

## Inspection Report (Telehandler)

Controls & Switches	3 - Normal Wear & Tear
Controls & Switches Condition	All switches are installed and functional
Controls & Switches Photos	
	
	
Hour Meter Activity	3 - Normal Wear & Tear
Hour Meter Condition	Hour meter is functional and in good condition

## Inspection Report (Telehandler)

Hour Meter Activity Photos	
Other Gauge Activity	3 - Normal Wear & Tear
Other Gauge Condition	All cockpit gauges are functional and in good condition
Heater & A/C	0
Travel Alarm	3 - Normal Wear & Tear
Travel Alarm Condition	Travel alarm is installed and functioning as expected
Horn	3 - Normal Wear & Tear
Horn Condition	Horn is installed and functioning as expected
Backup Camera	0

## Engine Inspection Points

### Engine

Engine Type (Make, Model, Cylinders, Hp)	Cummins - 4Cyl. - QSB4.5L - 130HP
Emissions Tier	Tier 3
Engine Serial Number	735G1496
Engine Fuel Type	Diesel
Engine Photos	

Inspection Report (Telehandler)



Inspection Report (Telehandler)



Inspection Report (Telehandler)




Inspection Report (Telehandler)



Inspection Report (Telehandler)



## Inspection Report (Telehandler)

	
<b>Blow-by (Visual Observation Check)</b>	No
<b>Unusual Noises (Upon Start-up, Idle, Shutdown)</b>	No
<b>Unusual Noise Notes</b>	No unusual noises heard
<b>Engine Smoke (Upon Start-up, Idle, Shutdown)</b>	No
<b>Engine Smoke Notes</b>	No engine smoke issues observed
<b>Engine Exhaust Color</b>	Clear
<b>Battery</b>	3 - Normal Wear & Tear
<b>Battery Condition</b>	Like new, recently replaced
<b>Radiator</b>	3 - Normal Wear & Tear
<b>Radiator Condition</b>	Radiator fins & components appear to be in good working order, no signs of damage or leaks
<b>Belts</b>	3 - Normal Wear & Tear
<b>Belt Condition</b>	Belts appear in good condition & alignment with proper tension
<b>Hoses</b>	3 - Normal Wear & Tear
<b>Hose Condition</b>	Firm, pliant hoses with no signs of wear or leaks
<b>Water Pump</b>	3 - Normal Wear & Tear
<b>Water Pump Condition</b>	No unusual pump noises heard
<b>Cooling System Leaks</b>	No
<b>Coolant Color / Appearance</b>	3 - Normal Wear & Tear
<b>Coolant Color/Appearance Notes</b>	Normal Translucent appearance, no visual signs of contamination
<b>Oil Leaks</b>	No
<b>Oil Color / Appearance</b>	3 - Normal Wear & Tear
<b>Oil Color / Appearance Notes</b>	Clean oil appearance, no signs of cross contamination, Appropriate oil level
<b>Fuel Leaks</b>	No

## Inspection Report (Telehandler)

Requires DEF (Diesel Exhaust Fluid)	No
Overall Engine Appearance	Clean & dry
Overall Engine Comments	Overall engine runs well and sounds healthy under load. Engine is well maintained and no major obvious issues seen during the inspection.

## Drivetrain Inspection Points

### Drivetrain

Drivetrain	Take close-up photos of the drivetrain components including transmission housing, drive shaft, drive motors, fittings, and hoses. Note any damage or wear.
Drivetrain Photos	
	
	

Inspection Report (Telehandler)



## Inspection Report (Telehandler)

	
Hydrostatic Transmission?	No
Transmission Info (Make/Model/Speeds)	Powershift 4 Speed Forward 3 Speed reverse
Transmission	3 - Normal Wear & Tear
Transmission Condition	No unusual noises or vibrations
Clutch	0
Shift Lever	3 - Normal Wear & Tear
Shift Lever Condition	Good forward and reverse function
Foot Brake	3 - Normal Wear & Tear
Foot Brake Condition	Good brake function
Inching Brake	0
Parking Brake	3 - Normal Wear & Tear
Parking Brake Condition	Good brake function
Overall Drivetrain Comments	Overall drivetrain in good condition

## Chassis Inspection Points

Frame	3 - Normal Wear & Tear
Frame Photos	

Inspection Report (Telehandler)



### Inspection Report (Telehandler)

		
<b>Stance</b>	3 - Normal Wear & Tear	
<b>Front Axle Appearance</b>	3 - Normal Wear & Tear	
<b>Front Axle Appearance Photos</b>		
		

### Inspection Report (Telehandler)

		
<p><b>Rear Axle Appearance</b></p>	<p>3 - Normal Wear &amp; Tear</p>	
<p><b>Rear Axle Appearance Photos</b></p>		
		

### Inspection Report (Telehandler)

		
		
		
<b>Oscillating Pin Appearance</b>	3 - Normal Wear & Tear	
<b>Wheels &amp; Tires</b>	3 - Normal Wear & Tear	
<b>Comments</b>	Tires are foam filled and in great condition	

### Inspection Report (Telehandler)

Wheels & Tires Photos



### Inspection Report (Telehandler)

	
	
Tire Brand	Sunstate Equipment
Tire Size	17.5-25
Front Left Tire - Ratio Remaining	50%
Rear Left Tire - Ratio Remaining	50%
Front Right Tire - Ratio Remaining	50%
Rear Right Tire - Ratio Remaining	50%
Boom Condition	3 - Normal Wear & Tear
Boom Condition Photos	

Inspection Report (Telehandler)



Inspection Report (Telehandler)

		
		
		
<p>Chain / Tensioners</p>	<p>3 - Normal Wear &amp; Tear</p>	

## Inspection Report (Telehandler)

<b>Chain / Tensioners Photos</b>	
<b>Rollers &amp; Guides</b>	3 - Normal Wear & Tear
<b>Boom Wear Guides</b>	3 - Normal Wear & Tear
<b>Boom Wear Guides Photos</b>	
	

Inspection Report (Telehandler)

		
		
<p>Outriggers</p>	<p>3 - Normal Wear &amp; Tear</p>	
<p>Outriggers Photos</p>		

### Inspection Report (Telehandler)


		
		
		
<b>Overall Chassis</b>	3 - Normal Wear & Tear	
<b>Overall Chassis Comments</b>	Overall chassis in solid condition	
<b>Hydraulics Overall Inspection Points</b>		
<b>Hydraulics Overall</b>		
<b>Hydraulic System</b>	Take close-up photos of the hydraulic components including the pump, lines, fittings, controls, and levers. Note any damage, wear, or leaks.	

## Inspection Report (Telehandler)

Hydraulic System Photos



## Inspection Report (Telehandler)

	
	
<b>Wet or Damp Hydraulic Lines / Fittings</b>	No
<b>Appearance of Hydraulic Lines / Fittings</b>	3 - Normal Wear & Tear
<b>Hydraulic Lines / Fittings Condition</b>	Hydraulic lines & fittings are clean and in good condition
<b>Unusual Noises (Hydraulic Pump)</b>	No
<b>Hydraulic Pump Notes</b>	No unusual noises heard during operation

### Hydraulics Cylinders Inspection Points

<b>Boom Lift Cylinders</b>	Check the boom lift cylinders. Note any wear, pitting, discoloration, etc. Take photos.
<b>Boom Lift Cylinders: Mounting Pin</b>	3 - Normal Wear & Tear
<b>Boom Lift Cylinders: Oil Leaks</b>	No

### Inspection Report (Telehandler)

Boom Lift Cylinders Photos



Inspection Report (Telehandler)



### Inspection Report (Telehandler)

		
		
<b>Telescopic Boom Cylinders</b>	Check the telescopic boom cylinders. Note any wear, pitting, discoloration, etc. Take photos.	
<b>Telescopic Boom Cylinders: Mounting Pin</b>	3 - Normal Wear & Tear	
<b>Telescopic Boom Cylinders: Oil Leaks</b>	No	
<b>Telescopic Boom Cylinders Photos</b>		

### Inspection Report (Telehandler)

	
	
	
<b>Frame Leveling Cylinders</b>	Check the frame leveling cylinders. Note any wear, pitting, discoloration, etc. Take photos.
<b>Frame Leveling Cylinders: Mounting Pin</b>	3 - Normal Wear & Tear
<b>Frame Leveling Cylinders: Oil Leaks</b>	No

### Inspection Report (Telehandler)

Frame Leveling Cylinders Photos



### Inspection Report (Telehandler)

		
		
<b>Carriage Tilt Cylinder</b>	Check the carriage tilt cylinders. Note any wear, pitting, discoloration, etc. Take photos.	
<b>Carriage Tilt Cylinder: Mounting Pin</b>	3 - Normal Wear & Tear	
<b>Carriage Tilt Cylinder: Oil Leaks</b>	No	
<b>Carriage Tilt Cylinder Photos</b>		

### Inspection Report (Telehandler)

		
<b>Side Shift Cylinder</b>	Check the side shift cylinder. Note any wear, pitting, discoloration, etc. Take photos.	
<b>Outrigger Cylinders</b>	Check the outrigger cylinders. Note any wear, pitting, discoloration, etc. Take photos.	
<b>Outrigger Cylinders: Mounting Pin</b>	3 - Normal Wear & Tear	
<b>Outrigger Cylinders: Oil Leaks</b>	No	
<b>Outrigger Cylinders Photos</b>		
		

### Inspection Report (Telehandler)

		
		
<b>Steering Cylinders</b>	Check the steering cylinders. Note any wear, pitting, discoloration, etc. Take photos.	
<b>Steering Cylinders: Mounting Pin</b>	3 - Normal Wear & Tear	
<b>Steering Cylinders: Oil Leaks</b>	No	
<b>Steering Cylinders Photos</b>		

Inspection Report (Telehandler)



### Inspection Report (Telehandler)



### Forks Inspection Points

Forks / Work Tool Condition	2 - Above Average Wear
Comments	Front tapered portion of tips cut off and shortened
Forks / Work Tool Photos	
	
Back Rest Condition	3 - Normal Wear & Tear

## Inspection Report (Telehandler)

<b>Back Rest Photos</b>	
-------------------------	--

### Functional Test

<b>Forward &amp; Reverse</b>	3 - Normal, Operating as Expected
<b>Steering</b>	3 - Normal, Operating as Expected
<b>Boom Lift / Tilt / Extend / Retract</b>	3 - Normal, Operating as Expected
<b>Overall Functional Test Comments</b>	All machine's core functions operating well.
<b>Operating Video</b>	<a href="#">Click to Download</a>

### Overall Assessment

Overall Assessment	
<b>Exterior Rating</b>	3 - Normal Wear & Tear
<b>Interior Rating</b>	3 - Normal Wear & Tear
<b>Safety Rating</b>	4 - Like New, Recently Replaced
<b>Quality Rating</b>	4 - Like New, Recently Replaced
<b>Functionality Rating</b>	4 - Operating Within Factory Spec
<b>Overall Rating</b>	4 - Like New, Recently Replaced
<b>What's Great About the Machine</b>	Machine has been well maintained and after accumulating almost 6,000 Hours, it shows. The boom wear pads Have plenty of material left and the chains look good. All cylinders are in good shape. Most hoses are in good condition. The powertrain works great.
<b>What Needs Work</b>	Engine belts should be double checked due to squealing heard at higher rpm's.
<b>Date/Time</b>	01-23-2023