


Inspection Report (Excavator)

General Info

| | |
|--------------------------------------------------------------------|------------------------------|
| Year | 2013 |
| Make | John Deere |
| Model | 210G |
| Serial Number | 1FF210GXEFE523417 |
| Hour Meter Reading | 4,461 Hrs. |
| Previous Application (e.g., earth moving, mining, demolition, etc) | Masonry General Construction |

Dimensions

| | |
|-------------------|------------------------------------------------------------------------------------|
| Measurement Guide |  |
|-------------------|------------------------------------------------------------------------------------|

Features and Configuration

| | |
|-------------------------------------|-----|
| Control Station Type | Cab |
| Bucket | Yes |
| Bucket Size (in inches) | 42 |
| Blade | No |
| Additional Attachment(s) | No |
| Hydraulic Coupler | Yes |
| Auxiliary Hydraulics | Yes |
| Hydraulic Thumb | Yes |
| Heat | Yes |
| A/C | Yes |
| Radio | No |
| Backup Camera | No |
| OMM (Operator & Maintenance Manual) | No |
| Telematics | No |

Exterior Walkaround Photos

Exterior 360 Walkaround

Inspection Report (Excavator)

| | |
|-----------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Instructions | <p>Take photos of the exterior of the piece of equipment. Capture a full 360 degree walk around and all major components.</p> <p>Must have shots to capture:</p> <ul style="list-style-type: none"> - Front - 45 degree corner shot of left front - 45 degree corner shot of right front - Left side - Right side - Rear - 45 degree corner shot of left rear - 45 degree corner shot of right rear <p>Tips for good photos:</p> <ul style="list-style-type: none"> - Move the equipment into a open area without any visual distractions or other equipment in the background |
| Exterior Walkaround Photos |  |
| |  |

Inspection Report (Excavator)



Inspection Report (Excavator)



General Appearance Inspection Points

General Appearance


Close-up Exterior Photos



Inspection Report (Excavator)



Inspection Report (Excavator)



Inspection Report (Excavator)




Inspection Report (Excavator)




Inspection Report (Excavator)



Inspection Report (Excavator)

| | |
|-----------------------------|---------------------------------------------------------------------------------------------------------------|
| |  |
| |  |
| |  |
| Body Panels | 3 - Normal Wear & Tear |
| Body Panel Condition | Visible chipped paint or dents, Some panel misalignment observed, Large dents or cracks, Other (see comments) |
| Comments | Rear left side and right side body damage at compartment door and bottom part of counter weight dented |

Inspection Report (Excavator)

| | |
|-----------------------------------------|-----------------------------------------------------------------------------------------------------------------------|
| Body Panels Photos |  |
| |  |
| |  |
| Doors / Canopy Latches | 3 - Normal Wear & Tear |
| Doors / Canopy Latches Condition | No visible damage, Intermittent sticking observed on one or more latches/doors, Other (see comments) |
| Comments | Most door latches in good shape. Rear left side compartment door latch stiff to operate due to misaligned door panels |
| Steps / Ladders | 3 - Normal Wear & Tear |
| Steps / Ladders Condition | Steps/ladders are fully intact and appear structurally sound |
| Handrails | 2 - Above Average Wear |

Inspection Report (Excavator)

| | |
|---------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Handrails Condition | Bent or broken railings, Other (see comments) |
| Comments | Front cab handrail bent and has been repaired |
| Handrail Photos |   |
| Glass | 3 - Normal Wear & Tear |
| Glass Condition | Glass intact, no visible damage |
| Mirrors | 3 - Normal Wear & Tear |
| Mirror Condition | Mirrors present and intact, no visible damage |
| Exterior Lights | 3 - Normal Wear & Tear |
| Exterior Lights Condition | No visible damage, lighting system is operational |

Control Station Inspection Points


Control Station

| | |
|-----------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Control Station | Take close-up photos of operator control station or cab including the floors, panels, headliner, seat, controls & displays, gauges & meters, and interior lights. Note any damage or wear. |
|-----------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

Inspection Report (Excavator)

| | | |
|----------------------------------|--------------------------------------------------------------------------------------|--|
| <p>Serial Number Plate Photo</p> |  | |
| <p>Operator Cabin Photos</p> |  | |
| |  | |

Inspection Report (Excavator)



Inspection Report (Excavator)



Inspection Report (Excavator)



Inspection Report (Excavator)



Inspection Report (Excavator)



Inspection Report (Excavator)

| | |
|-----------------------------------------|-----------------------------------------------------------------------------------------------------|
| |  |
| |  |
| |  |
| Operator Cabin Overall | 3 - Normal Wear & Tear |
| Operator Cabin Overall Condition | Good cabin appearance, solid floors, panels, and ceiling |
| Operator Seat | 3 - Normal Wear & Tear |
| Operator Seat Condition | Seat(s) have minor surface staining or small tears |
| Cabin Lights | 3 - Normal Wear & Tear |
| Cabin Lights Condition | Cabin lights are installed with all light covers in place, bulbs are installed and working properly |
| Safety Lock Out / Stop | 3 - Normal Wear & Tear |

Inspection Report (Excavator)

| | |
|----------------------------------|-------------------------------------------------------------------------------------|
| Safety Lock Out / Stop Condition | Safety lock out device is present, in good condition, and functional |
| Controls & Switches | 3 - Normal Wear & Tear |
| Controls & Switches Condition | All switches are installed and functional |
| Hour Meter Activity | 3 - Normal Wear & Tear |
| Hour Meter Condition | Hour meter is functional and in good condition |
| Hour Meter Activity Photos |  |
| Other Gauge Activity | 3 - Normal Wear & Tear |
| Other Gauge Condition | All cockpit gauges are functional and in good condition |
| Heater & A/C | 3 - Normal Wear & Tear |
| Heater & A/C Condition | Heater and A/C work as expected |
| Travel Alarm | 3 - Normal Wear & Tear |
| Travel Alarm Condition | Travel alarm is installed and functioning as expected |
| Horn | 3 - Normal Wear & Tear |
| Horn Condition | Horn is installed and functioning as expected |
| Backup Camera | 0 |

Engine Inspection Points

| Engine | |
|------------------------------------------|----------------------------------|
| Engine Type (Make, Model, Cylinders, Hp) | JohnDeere - 6Cyl. - 6.8L - 159HP |
| Emissions Tier | Tier 4i |
| Engine Serial Number | N/A |
| Engine Fuel Type | Diesel |

Inspection Report (Excavator)


Engine Photos



Inspection Report (Excavator)



Inspection Report (Excavator)



Inspection Report (Excavator)

| | | |
|-------------------------------------------------------|--------------------------------------------------------------------------------------------|--|
| |  | |
| |  | |
| Blow-by (Visual Observation Check) | No | |
| Unusual Noises (Upon Start-up, Idle, Shutdown) | No | |
| Unusual Noise Notes | No unusual noises heard | |
| Engine Smoke (Upon Start-up, Idle, Shutdown) | No | |
| Engine Smoke Notes | No engine smoke issues observed | |
| Engine Exhaust Color | Clear | |
| Battery | 3 - Normal Wear & Tear | |
| Battery Condition | Like new, recently replaced | |
| Radiator | 3 - Normal Wear & Tear | |
| Radiator Condition | Radiator fins & components appear to be in good working order, no signs of damage or leaks | |
| Belts | 3 - Normal Wear & Tear | |
| Belt Condition | Belts appear in good condition & alignment with proper tension | |
| Hoses | 3 - Normal Wear & Tear | |
| Hose Condition | Firm, pliant hoses with no signs of wear or leaks | |

Inspection Report (Excavator)

| | |
|-------------------------------------|---------------------------------------------------------------------------------------------------------|
| Water Pump | 3 - Normal Wear & Tear |
| Water Pump Condition | No unusual pump noises heard |
| Cooling System Leaks | No |
| Coolant Color / Appearance | 3 - Normal Wear & Tear |
| Coolant Color/Appearance Notes | Normal Translucent appearance, no visual signs of contamination |
| Oil Leaks | No |
| Oil Color / Appearance | 3 - Normal Wear & Tear |
| Oil Color / Appearance Notes | Clean oil appearance, no signs of cross contamination, Appropriate oil level |
| Fuel Leaks | No |
| Requires DEF (Diesel Exhaust Fluid) | No |
| Overall Engine Appearance | Clean & dry |
| Overall Engine Comments | Overall engine in good condition with no active leaks seen or obvious issues observed during operation. |

Drivetrain Inspection Points

Drivetrain

| | |
|-------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Drivetrain | Take close-up photos of the drivetrain components including transmission housing, drive shaft, drive motors, fittings, and hoses. Note any damage or wear. |
| Drivetrain Photos |   |

Inspection Report (Excavator)

| | |
|-------------------------------------|-----------------------------------------------------------------------------------------------------------|
| Hydrostatic Transmission? | Yes |
| 2 Speed? | Yes |
| Hydrostatic Drive Configuration | Split Transmission |
| Drive Motors | 2 - Above Average Wear |
| Hydrostatic Parking Brake | 3 - Normal Wear & Tear |
| Hydrostatic Parking Brake Condition | Good brake function |
| Overall Drivetrain Comments | Machine traveled in all directions normally with no powertrain issues observed. Parking brake works well. |

Chassis Inspection Points

| | |
|----------------|--------------------------------------------------------------------------------------|
| Boom Condition | 3 - Normal Wear & Tear |
| Boom Photos |  |
| |  |

Inspection Report (Excavator)

| | |
|-------------------------------|--------------------------------------------------------------------------------------|
| |  |
| |  |
| <p>Stick Condition</p> | <p>3 - Normal Wear & Tear</p> |
| <p>Stick Photos</p> |  |

Inspection Report (Excavator)



Inspection Report (Excavator)

| | | |
|-------------------------------------------|--------------------------------------------------------------------------------------|--|
| |  | |
| |  | |
| |  | |
| Boom Base Pin & Bushings | 3 - Normal Wear & Tear | |
| Boom to Stick Pin & Bushings | 3 - Normal Wear & Tear | |
| Stick to Bucket Pin & Bushings | 3 - Normal Wear & Tear | |
| Turntable Bearing | 3 - Normal Wear & Tear | |
| Bottom Covers | 3 - Normal Wear & Tear | |
| Overall Chassis | 3 - Normal Wear & Tear | |

Undercarriage Inspection Points

Inspection Report (Excavator)

| | |
|---------------------------------|--------------------------------------------------------------------------------------|
| Undercarriage Overall Condition | 3 - Normal Wear & Tear |
| Undercarriage Overall Photos |  |
| |  |
| |  |

Inspection Report (Excavator)



Inspection Report (Excavator)



Inspection Report (Excavator)



Inspection Report (Excavator)

| | |
|---------------------------|--------------------------------------------------------------------------------------|
| |  |
| Pin & Bushings | 3 - Normal Wear & Tear |
| Tracks | 3 - Normal Wear & Tear |
| Tracks Photos |  |
| |  |

Inspection Report (Excavator)




Inspection Report (Excavator)

| | |
|---------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| |  |
| Left Side: Link Bushings / Drive Sprocket / Shoe Condition | 3 - Normal Wear & Tear |
| Left Side: Upper & Lower Roller / Front Idler Condition | 3 - Normal Wear & Tear |
| Track Condition: Left Front | 50% |
| Track Condition: Left Rear | 50% |
| Undercarriage Left Side Photo Instructions | <p>Take photos of the undercarriage of this piece of equipment.</p> <p>Must have shots to capture:</p> <ul style="list-style-type: none"> - Roller Frame (left) - Track Tensioner (left) - Track Pads (left) - Grouser Height (left) - Track Links (left) - Track Bushings (left) - Carrier Rollers (left) - Track Rollers (left) - Idler (left) - Sprocket (left) |
| Right Side: Link Bushings / Drive Sprocket / Shoe Condition | 3 - Normal Wear & Tear |
| Right Side: Upper & Lower Roller / Front Idler Condition | 3 - Normal Wear & Tear |
| Track Condition: Right Front | 50% |
| Track Condition: Right Rear | 50% |
| Undercarriage Right Side Photo Instructions | <p>Take photos of the undercarriage of this piece of equipment.</p> <p>Must have shots to capture:</p> <ul style="list-style-type: none"> - Roller Frame (right) - Track Tensioner (right) - Track Pads (right) - Grouser Height (right) - Track Links (right) - Track Bushings (right) - Carrier Rollers (right) - Track Rollers (right) - Idler (right) - Sprocket (right) |

Hydraulics Overall Inspection Points

Hydraulics Overall

Inspection Report (Excavator)

| | |
|--------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------|
| Hydraulic System | Take close-up photos of the hydraulic components including the pump, lines, fittings, controls, and levers. Note any damage, wear, or leaks. |
| Hydraulic System Photos |  |
| |  |
| |  |

Inspection Report (Excavator)



Inspection Report (Excavator)



Inspection Report (Excavator)

| | |
|-------------------------------------------------|-------------------------------------------------------------------------------------|
| |  |
| |  |
| Wet or Damp Hydraulic Lines / Fittings | No |
| Appearance of Hydraulic Lines / Fittings | 3 - Normal Wear & Tear |
| Hydraulic Lines / Fittings Condition | Hydraulic lines & fittings are clean and in good condition |
| Unusual Noises (Hydraulic Pump) | No |
| Hydraulic Pump Notes | No unusual noises heard during operation |
| Comments | hydraulics in great working condition with no active leaks observed |


Hydraulics Cylinders Inspection Points

| | |
|------------------------------------|-----------------------------------------------------------------------------------|
| Boom Cylinder | Check the boom cylinder. Note any wear, pitting, discoloration, etc. Take photos. |
| Boom Cylinder: Mounting Pin | 3 |
| Boom Cylinder: Oil Leaks | No |

Inspection Report (Excavator)

| | |
|-------------------------------------|--------------------------------------------------------------------------------------|
| Boom Cylinder Photos |  |
| |  |
| Stick Cylinder | Check the stick cylinder. Note any wear, pitting, discoloration, etc. Take photos. |
| Stick Cylinder: Mounting Pin | 3 |
| Stick Cylinder: Oil Leaks | No |
| Stick Cylinder Photos |  |

Inspection Report (Excavator)



Inspection Report (Excavator)

| | |
|--------------------------------------|--------------------------------------------------------------------------------------|
| |  |
| Bucket Cylinder | Check the bucket cylinder. Note any wear, pitting, discoloration, etc. Take photos. |
| Bucket Cylinder: Mounting Pin | 3 |
| Bucket Cylinder: Oil Leaks | No |
| Bucket Cylinder Photos |  |
| |  |

Inspection Report (Excavator)

| | |
|---------------------------------|--------------------------------------------------------------------------------------|
| |  |
| |  |
| |  |
| Blade | Check the blade. Note any wear, pitting, discoloration, etc. Take photos. |
| Blade | 0 |
| Bucket Inspection Points | |
| Bucket Condition | 3 - Normal Wear & Tear |

Inspection Report (Excavator)

Bucket Photos



Inspection Report (Excavator)



Additional Attachment Inspection Points

Additional Attachment(s)


Additional Attachments

| | |
|-------------------------|------------------------|
| Attachment Type | HYD. Thumb |
| Attachment Make | TAC |
| Attachment Size / Specs | 40" |
| Attachment Condition | 3 - Normal Wear & Tear |
| Comments | works great |

Attachment Photos



Inspection Report (Excavator)



Functional Test

| | |
|----------------------------------|------------------------------------------|
| Forward & Reverse | 3 - Normal, Operating as Expected |
| Swing Table Rotation | 3 - Normal, Operating as Expected |
| Boom Lift / Angle / Tilt | 3 - Normal, Operating as Expected |
| Blade Functionality | 3 - Normal, Operating as Expected |
| Overall Functional Test Comments | Machine's main core functions work well. |
| Operating Video | Click to Download |

Overall Assessment

| Overall Assessment | |
|----------------------|-----------------------------------|
| Exterior Rating | 3 - Normal Wear & Tear |
| Interior Rating | 3 - Normal Wear & Tear |
| Safety Rating | 3 - Normal Wear & Tear |
| Quality Rating | 3 - Normal Wear & Tear |
| Functionality Rating | 3 - Normal, Operating as Expected |
| Overall Rating | 3 - Normal Wear & Tear |



Inspection Report (Excavator)

| | |
|---------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| What's Great About the Machine | This excavator is in solid shape with no abnormal problems observed. Engine and hydraulics have been well maintained and no active leaks seen. This Machine is equipped with a thumb and functions great. |
| What Needs Work | Cosmetic damage to rear side of door panels. |
| Date/Time | 02-20-2023 |