324 Compact (Mini) Excavator

Year(s) of Production: 2010

Shop Parts, Fluids & More

Service Schedules

Order Manuals

Operator Training

Used Inventory

324 Specifications

324 Key Specifications	•
Horsepower	13.9 hp
Operating Weight	3,571 lb
Bucket Digging Force	3,620 lbf
Maximum Reach at Ground Level	14 ft
Width	38.6 in
Tail Swing Type	Conventional

Engine	•
Emissions Tier (EPA)	Tier 4
Engine Fuel	Diesel
Maximum Governed RPM	2,500 rpm
Horsepower	13.9 hp
Turbocharged Engine	no
Optional Turbocharged Engine	N/A

Performance	•
Operating Weight	3,571 lb
Weight Class	1.5 t

Travel Speed - High	2.5 mph
Travel Speed - Low	1.5 mph
Arm Digging Force	1,778 lbf
Bucket Digging Force	3,620 lbf
Rated Lift Capacity	1032 lb
Lift Radius	118 in
Boom Swing - Left	80°
Boom Swing - Right	60°
Maximum Dig Depth	8.5 ft
Max Dump Height	8.7 ft
Maximum Reach at Ground Level	14 ft

Capacities	^
Fuel Tank	6.3 gal
Hydraulic System	•

, ,	
Auxiliary Std Flow	7.9 gal/min
Auxiliary Pressure	3,350 psi

Dimension	•
Length	153.7 in
Overall Length in Travel Position	153.7 in
Width	38.6 in
Height	85.5 in
Height with Operator Cab	85.5 in

Features	
Air Conditioning	Not Applicable
Cab Enclosure	Optional
Cab Heater	Optional
Heater Air Conditioning	Not Applicable
Radio	Not Applicable
Tail Swing Type	Conventional
Engine Shutdown	Not Applicable

Auxiliary Hydraulics	Standard
Secondary Auxiliary Hydraulics	Not Applicable
Quick Tach System	Not Applicable
Rubber Track	Standard
Angle Blade	Not Applicable

Search for Parts

Q

Search by Serial Number, Part Number or Keyword

Search _7



WARNING: This product can expose you to chemicals including engine exhaust (including diesel engine exhaust when equipped), lead and lead compounds, mineral oils, soots, phthalates, and carbon monoxide which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Certain specification(s) are based on engineering calculations and are not actual measurements. Specification(s) are provided for comparison purposes only and are subject to change without notice. Specification(s) for your individual equipment will vary based on normal variations in design, manufacturing, operating conditions, and other factors.