Connected kit Linea 3000_Classe 100X with Netatmo 5" video internal unit

BT-364614 | EAN. 8005543631607



Product Line	Kit, BTicino

DESCRIPTION

[No description is available for this product]

TECHNICAL CHARACTERISTICS

With video	Yes	**Number of indoor stations**	1
Number of outdoor stations	1	**Number of call buttons**	2
Installation technique	Bus system	**Mounting method indoor station**	Surface mounted
Colour indoor station	White	**Mounting method outdoor station**	Surface mounted
Material outdoor station	Aluminium	**Colour outdoor station**	Grey
Picture system	PAL	**Property picture system**	Colour
Overhear protected	No	**Can be connected to smartphone**	Yes
Internal communication	Yes	**Hands free**	Yes
With day/night function	Yes	**Opening angle camera**	105 °
Zoom, pan/tilt function	No	**With memory function**	No
Screen diagonal	127 mm	**Screen diagonal (inch)**	5 inch
Manual adjustable camera	Yes	**Label space/information surface**	Yes
Compatible with Apple HomeKit	No	**Compatible with Google Assistant**	No
Compatible with Amazon Alexa	No	**IFTTT support available**	No
Width	164 mm	**Height**	165 mm
Depth	20.5 mm	**Built-in depth**	0 mm
degree of impact strength (IK)	IK10	**Degree of protection (IP)**	IP54
Operating / setting temperature (Min-Max)	-25-70 °C	**Storage temperature (Min-Max)**	-40-100 °C

Voltage type	DC	**Nominal voltage (Min-Max)**	18-27 V
Supply current (Min-Max)	0.030-0.35 A	**Frequency (Min-Max)**	0-0 Hz
Sound level	81 dB	**Standby consumption**	30 mA
Antimicrobial treatment	No	**Cable nature for connection**	Flexible or rigid
Cable section (Min-Max)	0.1-2.5 mm^2	**Fitted with USB plug**	Yes
Fitted with rainproof plate protection	Yes	**With complemantary luminous signal**	No
Mounting method	Supporting bracket	**Control mode**	Wireless
Contains Batteries	No	**Additional unit**	Yes
Loudness setting	Yes	**Addressable**	Yes
Door entry system with mobile application	Yes	**Number of ringtones**	16
Remote opening of gate / Electric door opener	Yes	**Screen resolution**	Other
Screen brightness setting	Yes	**Screen contrast setting**	Yes
Memory video function	No	**Camera type**	Adjustable
Max distance between internal and external unit	600 m	**Communication rank type**	Other
Connected object	Yes	**Operating method**	Wifi network 2.4G, SCS
Application store for download	App Store, Google Play Store	**Programming way**	Smartphone apps
With voice command	No	**Programmable**	No
Interoperable connection Protocol	No	**Connectable by Internet box**	Yes
Application name	Home + Security	**Product use function**	Door entry systems

DOCUMENTATION

Agreements & specifications

Agreement LGEJASLUJE | FILE (216 KB)

PEP-EPD LGRP-01859-V01.01-EN | PDF (802 KB)

Technical documentation

Installation Guide LE11133AE | PDF (15.3 MB)