

ITCB Twin HV PE, 120/240V

Height: 35.0" Width: 20.2" Depth: 24.0"
(88.9cm) (51.3cm) (61.0cm)



- 4.3" Color Touchscreen aides in customizing recipes, brewing options and control
- SmartWAVE sprayhead technology provides enhanced uniformity of extraction and lime scale reduction
- Customers can easily add up to 10 screensaver images to advertise and promote their brand and products
- USB port for easy programming
- Brews into 1.5gal and 1.0gal BUNN ThermoFresh® servers for coffee and TD4T, TDO and TDO-N tea dispensers
- Dilution feature also allows for brewing iced coffee
- Includes both coffee (Stainless) and tea (Plastic) funnels
- Tea brewing capability built-in with integrated dilution nozzle, software and Quick Brew tea brewing funnel
- BrewWISE® intelligence with pre-infusion and pulse brew for maximum flavor extraction
- Digital temperature control and cold brew lockout
- Energy-saver mode reduces tank temperature during idle periods
- Large 5.6gal (21.2L) tank provides back- to-back brewing capacity at 120/208-240V applications
- Optional BUNNlink® remote monitoring support (kit required)

Agency:

 Server(s) sold separately



Specifications

Product #: 54100.0100

Water Access: Plumbed

Finish: Stainless

Funnel: Stainless Steel

Additional Features

Electrical & Capacity

Volts*	Amps	Watts	Cord Attached	Plug Type	8oz cups/hr 236ml cups/hr	Input H ₂ O Temp.	Phase	# Wires plus Ground	Hertz
120/240	25	6000	Yes/	-	672	60°F (15.5°C)	1	3	60

*When a BUNN is machine rated 120/208-240V, 120/208V or 120/240V, the higher voltage is the supply voltage needed to power the machine. The 120V is there to supply power to some components rated 120V in the machine, but it is not the supply voltage and would not power the machine if the machine is marked with the before mentioned ratings.

Plumbing Requirements

PSI	kPa	Fitting Supplied	Water Flow Required (GPM)
20-90	138-621	3/8" BSPP	1.25

 **WARNING:**


CAD Drawings

2D	Revit	KLC
●		



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated:
09/22/2026



Unit				Shipping				
	Height	Width	Depth	Height	Width	Depth	Weight	Volume
English	35.0 in.	20.2 in.	24.0 in.	38.3 in.	24.4 in.	28.6 in.	74.690 lbs	15.411 ft³
Metric	88.9 cm	51.3 cm	61.0 cm	97.2 cm	61.9 cm	72.6 cm	33.879 kgs	0.436 m³



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated:
09/22/2026

Related Products & Accessories:ITCB Twin HV PE, 120/240V(54100.0100)

				
FILTERS, GOURMET 500 500/1 50/CL	WATER FILTER, EQHP-10L	WATER FILTER, EQHP-10	KIT, FAUCET INSTALL- ICB/ITB/ITCB& HV	FUNNEL ASSY, TEA NATURAL QUICK BREW
Product #: 20138.1000	Product #: 39000.0001 ³	Product #: 39000.0004 ³	Product #: 42655.0007	Product #: 53463.0023

				
FUNNEL ASSY, TEA NATURAL QUICK BREW	FUNNEL ASSY, TEA NATURAL QUICK BREW	STAND ASSY KIT, TF SERVER	FUNNEL ASSY, SST INFUSION COFFEE	FUNNEL ASSY, SST INFUSION COFFEE
Product #: 53463.0036	Product #: 53463.0039 ²	Product #: 54473.1000	Product #: 54675.0001	Product #: 54675.0008 ²

				
SYSTEM, WQ-55(2)5L	SYSTEM, WQ-55(2)5	SYSTEM, WEQ-10(1.5)5L	SYSTEM, WEQ-10(1.5)5	CARTRIDGE, WQ-55(2)5L
Product #: 56000.0001 ¹	Product #: 56000.0004 ¹	Product #: 56000.0024 ¹	Product #: 56000.0027 ¹	Product #: 56000.0101 ¹

¹NSF Certified ²NSF Certified with spec sheet model listed ³NSF Certified under Solventum Purification ⁴NSF Certified under Vivreau Ltd ⁵NSF Certified under Zojirushi ⁶NSF Certified under Qins Inc ⁷NSF COMPONENT Certified



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated:
09/22/2026

Related Products & Accessories:ITCB Twin HV PE, 120/240V(54100.0100)

				
CARTRIDGE, WQ-55(2)5	CARTRIDGE, WEQ-10 (1.5)5L	CARTRIDGE, WEQ-10 (1.5)5	KIT, BUNNLINK WIFI TEA AND INFUSION	KIT, LTE BUNNLINK BOARD TEA AND INFUSION
Product #: 56000.0104 ¹	Product #: 56000.0121 ¹	Product #: 56000.0122 ¹	Product #: 57132.0003	Product #: 57133.0003

Serving & Holding Options: ITCB Twin HV PE, 120/240V(54100.0100)

 TD4T, BREW THRU LID NUDGER HDL Product #: 03250.0005¹	 TD4T, BREW THRU LID NO DECAL NUDGER HDL Product #: 03250.0018¹	 AIRPOT, 2.5L SST LA 6/ CASE Product #: 32125.0100⁶ Mfr#:SVAP-2500F-N	 AIRPOT, 3.0L SST LA SINGLE PK Product #: 32130.0000⁶ Mfr#:SVAP-3000F-N	 AIRPOT, 3.0L SST LA 6/ CASE Product #: 32130.0100⁶ Mfr#:SVAP-3000F-N
---	--	--	--	--

 TDS-3, 3 GAL Product #: 33000.0000¹	 TDS-3.5, 3.5 GAL Product #: 33000.0023¹	 TDO-4, RESERVOIR Product #: 34100.0000¹	 TDO-5, RESERVOIR Product #: 34100.0001¹	 TDO-4, RESERVOIR BREW THRU Product #: 34100.0002¹
---	---	---	---	---

 TDO-5, RESERVOIR, BREW THRU Product #: 34100.0003¹	 THERMAL CARAFE, BLK 1.9L 12PK Product #: 36029.0000⁵ Mfr#:SH-DE19A	 THERMAL CARAFE, BLK 1.83 L 1PK Product #: 36029.0001⁵ Mfr#:SH-DE19A	 THERMAL CARAFE, ORN 1.9L 12PK Product #: 36252.0000⁵ Mfr#:SH-DE19A	 THERMAL CARAFE, ORN 1.9L 1PK Product #: 36252.0001⁵ Mfr#:SH-DE19A
--	--	---	--	---



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated:
09/22/2026

Serving & Holding Options: ITCB Twin HV PE, 120/240V(54100.0100)



AIRPOT, 3.8L SST LA
SINGLE PK

Product #: 36725.0000⁶

Mfr#:SVAP-3800F-N



AIRPOT, 3.8L SST LA 6/
CASE

Product #: 36725.0100⁶

Mfr#:SVAP-3800F-N



TDO-N-3.5, RSVR

Product #: 39600.0001¹



TDO-N-4.0, RSVR BUNN

Product #: 39600.0002¹



TDO-N-3.5, RSVR W/
LIFT HANDLE

Product #: 39600.0031¹



TDO-N-3.5, RSVR W/
PINCH TUBE

Product #: 39600.0047¹



TDO-N-3.5, W/BREW
THRU LID

Product #: 39600.0081¹



TDO-N-3.5,RSVR W/
PINCHTUBE/BREW
THRU LID

Product #: 39600.0083¹



CARAFE,SST 1.9L SHRT
BLK 1

Product #: 40163.0000⁶



TF SERVER, DSG2
1G/3.8L

Product #: 42700.0000¹



TF SERVER, 1G DSG
GEN3

Product #: 42700.0200¹



TF SERVER, DSG2 1.5G
SST

Product #: 42750.0000¹



TF SERVER, DSG2 1.5G
BLK

Product #: 42750.0001¹



TF SERVER, DSG2 1.5G
CD

Product #: 42750.0003¹



TF SERVER, 1.5G DSG
GEN3

Product #: 42750.0200¹



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated:
09/22/2026

Serving & Holding Options: ITCB Twin HV PE, 120/240V(54100.0100)

 TD3T-N, RSVR BREW THRU LID BUNN Product #: 43900.0001¹	 TD3T-N, RSVR SOLID LID BUNN Product #: 43900.0002¹	 TF SERVER, 1G/3.8L MECH Product #: 44000.0000¹	 TF SERVER, 1G MECH GEN3 Product #: 44000.0200¹	 TF SERVER, 1.5G/5.7L MECH Product #: 44050.0000¹
 TF SERVER, 1.5G/5.7L MECH BLK Product #: 44050.0001¹	 TF SERVER, 1.5G MECH GEN3 Product #: 44050.0200¹			



