ICB Twin PE, 120/240V SST

Height: 26.8" (68.1cm) Width: 20.2" (51.3cm) Depth: 24.7" (62.7cm)



Server(s) sold separately

- Produce fresh cold brew in minutes with the new Cold Brew mode, enabling operators to brew an on-demand batch of concentrate or ready-to-drink cold brew quickly and consistently with operational ease
- Add Bubble Tea to the menu with the new Bubble Tea Kit (54165.1018)
- 4.3" Color Touchscreen aides in customizing recipes, brewing options and control
- SmartWAVE sprayhead technology provides enhanced uniformity of extraction and lime scale reduction
- Brews into 2.5 to 3.8L (84 to 128 oz) airpots and 3.8 to 5.7L (1 to 1.5 gallon) baseless Thermofresh servers
- Large 5.6 gallon (21.2L) tank provides back-to-back brewing capacity
- BUNN Infusion Series technology allows for multiple recipes from one footprint
- Energy-saver mode reduces tank temperature during idle periods
- Exclusive Peak Extraction™ Sprayhead is multi-directional with a 17-hole design to ensure ultimate uniformity of extraction
- Electronic funnel lock prevents removal of the brew funnel until drip- through is complete
- Brew counter keeps track of how many batches are brewed
- Pre-infusion and pulse brew for maximum flavor extraction. Cold brew lockout & digital temperature control further ensure top-notch brewing
- Optional BUNNlink® remote monitoring support (kit required)

Agency:

Specifications

Product #: 53400.0100

Finish: Stainless

Funnel: Black Plastic

Water Access: Plumbed

Interface: Wireless

Additional Features

Electrical & Capacity

Volts*	Amps	Watts	Cord Attached	Plug Type	8oz cups/hr 236ml cups/hr	Input H²O Temp.	Phase	# Wires plus Ground	Hertz
120/240	25	6000	Yes/	-	280	60°F (15.5°C)	1	3	60

*When a BUNN is machine rated 120/208-240V, 120/208V or 120/240V, the higher voltage is the supply voltage needed to power the machine. The 120V is there to supply power to some components rated 120V in the machine, but it is not the supply voltage and would not power the machine if the machine is marked with the before mentioned ratings.

Plumbing Requirements

PSI	kPa	Fitting Supplied	Water Flow Required (GPM)
20-90	138-621	3/8" Male Flare Fitting	1.00

CAD Drawings


2D	Revit	KLC
●		

WARNING: This product can expose you to chemicals including Bisphenol A (BPA), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment.

For most current specifications and other info visit bunn.com.

Last Updated: 10/30/2026



	Unit			Shipping				
	Height	**Width**	**Depth**	**Height**	**Width**	**Depth**	**Weight**	**Volume**
English	26.8 in.	20.2 in.	24.7 in.	30.0 in.	23.9 in.	28.4 in.	83.000 lbs	11.761 ft³
Metric	68.1 cm	51.3 cm	62.7 cm	76.2 cm	60.6 cm	72.1 cm	37.649 kgs	0.333 m³

BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated: 10/30/2026

Related Products & Accessories: ICB Twin PE, 120/240V SST(53400.0100)



FILTERS, GOURMET 500 500/1 50/CL

Product #: 20138.1000



WATER FILTER, EQHP-10L

Product #: 39000.0001[3]



WATER FILTER, EQHP-10

Product #: 39000.0004[3]

KIT, FAUCET INSTALL-ICB/ITB/ITCB& HV

Product #: 42655.0007

FUNNEL ASSY, SST INFUSION COFFEE

Product #: 54675.0001



FUNNEL ASSY, SST INFUSION COFFEE

Product #: 54675.0008[2]



SYSTEM, WQ-55(2)5L

Product #: 56000.0001[1]



SYSTEM, WQ-55(2)5

Product #: 56000.0004[1]



SYSTEM, WEQ-10(1.5)5L

Product #: 56000.0024[1]



SYSTEM, WEQ-10(1.5)5

Product #: 56000.0027[1]



CARTRIDGE, WQ-55(2)5L

Product #: 56000.0101[1]



CARTRIDGE, WQ-55(2)5

Product #: 56000.0104[1]



CARTRIDGE, WEQ-10 (1.5)5L

Product #: 56000.0121[1]



CARTRIDGE, WEQ-10 (1.5)5

Product #: 56000.0122[1]

KIT, BUNNLINK WIFI TEA AND INFUSION

Product #: 57132.0003

[1]NSF Certified [2]NSF Certified with spec sheet model listed [3]NSF Certified under Solventum Purification [4]NSF Certified under Vivreau Ltd [5]NSF Certified under Zojirushi [6]NSF Certified under Qins Inc [7]NSF COMPONENT Certified

BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated: 10/30/2026

Related Products & Accessories: ICB Twin PE, 120/240V SST(53400.0100)



KIT, LTE BUNNLINK BOARD TEA AND INFUSION

Product #: 57133.0003

BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated: 10/30/2026

Serving & Holding Options: ICB Twin PE, 120/240V SST(53400.0100)



AIRPOT, 2.5L SST LA SINGLE PK

Product #: 32125.0000[6]

Mfr#:SVAP-2500F-N



AIRPOT, 2.5L SST LA 6/ CASE

Product #: 32125.0100[6]

Mfr#:SVAP-2500F-N



AIRPOT, 3.0L SST LA SINGLE PK

Product #: 32130.0000[6]

Mfr#:SVAP-3000F-N



AIRPOT, 3.0L SST LA 6/ CASE

Product #: 32130.0100[6]

Mfr#:SVAP-3000F-N



AIRPOT, 3.8L SST LA SINGLE PK

Product #: 36725.0000[6]

Mfr#:SVAP-3800F-N



AIRPOT, 3.8L SST LA 6/ CASE

Product #: 36725.0100[6]

Mfr#:SVAP-3800F-N



TF SERVER, DSG2 1G SST NOBASE

Product #: 42700.0050[1]



TF SERVER, DSG2 1G BLK NOBASE

Product #: 42700.0051[1]



TF SERVER, 1G DSG GEN3 NOBASE

Product #: 42700.0250[1]



TF SERVER,DSG2 1.5G SST NOBAS

Product #: 42750.0050[1]



TF SERVER, 1G/3.8L MECH NOBASE

Product #: 44000.0050[1]



TF SERVER, 1G/3.8L MECH BLK NOBASE

Product #: 44000.0051[1]



TF SERVER, 1G MECH GEN3 NOBASE

Product #: 44000.0250[1]



TF SERVER, 1.5G/5.7L MECH NOBASE

Product #: 44050.0050[1]



TF SERVER, 1.5G/5.7L MECH BLK NOBASE

Product #: 44050.0051[1]

BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated: 10/30/2026

Serving & Holding Options: ICB Twin PE, 120/240V SST(53400.0100)

STAND ASSY, TF SERVER Product #: 54473.0000	 STAND ASSY KIT, TF SERVER Product #: 54473.1000

BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.


WELBILT
an Ali Group Company