



## SAFETY DATA SHEET

Valvoline™ High Mileage with MaxLife™  
Technology SAE 5W-30 Motor Oil

Version: 1.0

Revision Date: 08/11/2025

Print Date:  
09/17/2025

### SECTION 1. IDENTIFICATION

Product name : Valvoline™ High Mileage with MaxLife™ Technology SAE 5W-30 Motor Oil

Product code : 822562

Other means of identification : No data available

#### Manufacturer or supplier's details

Company name of supplier : Valvoline Canada Corp

Address : 905 Winston Churchill Blvd  
Mississauga ON L5J 4P2  
Canada

Telephone : 1-800-TEAMVAL (1-800-832-6825)

E-mail address : SDS@valvolineglobal.com

Emergency telephone number : +1-800-VALVOLUME (+1-800-825-8654)

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS classification in accordance with the Hazardous Products Regulations

Not a hazardous substance or mixture.

#### GHS label elements

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required.

#### Other hazards

None known.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
Distillates (petroleum), hydrotreated heavy paraffinic	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified	64742-54-7	$\geq 30 - < 60$ *



# SAFETY DATA SHEET

Valvoline™ High Mileage with MaxLife™  
Technology SAE 5W-30 Motor Oil

Version: 1.0

Revision Date: 08/11/2025

Print Date:  
09/17/2025

Distillates (petroleum), hydrotreated heavy paraffinic	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified	64742-54-7	$\geq 10 - < 30$ *
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based	Lubricating oils (petroleum), C15-30, hydrotreated neutral oil- based; Baseoil — unspecified	72623-86-0	$\geq 1 - < 5$ *
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil- based; Baseoil — unspecified	72623-87-1	$\geq 1 - < 5$ *

\* Actual concentration or concentration range is withheld as a trade secret

## SECTION 4. FIRST AID MEASURES

General advice	: Do not leave the victim unattended.
If inhaled	: If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of eye contact	: Remove contact lenses. Protect unharmed eye. If eye irritation persists, consult a specialist.
If swallowed	: Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.
Most important symptoms and effects, both acute and delayed	: No symptoms known or expected.
Notes to physician	: No hazards which require special first aid measures. Treat symptomatically.

## SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable extinguishing media	: High volume water jet



## SAFETY DATA SHEET

Valvoline™ High Mileage with MaxLife™  
Technology SAE 5W-30 Motor Oil

Version: 1.0

Revision Date: 08/11/2025

Print Date:  
09/17/2025

- Hazardous combustion products : No hazardous combustion products are known
- Further information : Standard procedure for chemical fires.  
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

- Environmental precautions : If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Wipe up with absorbent material (e.g. cloth, fleece).  
Keep in suitable, closed containers for disposal.

### SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Normal measures for preventive fire protection.
- Advice on safe handling : For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.
- Conditions for safe storage : Electrical installations / working materials must comply with the technological safety standards.
- Materials to avoid : No materials to be especially mentioned.
- Further information on storage stability : No decomposition if stored and applied as directed.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Distillates (petroleum), hydrotreated heavy paraffinic	64742-54-7	TWAEV (Mist - Inhalable dust)	5 mg/m <sup>3</sup>	CA QC OEL
		TWA (Mist)	1 mg/m <sup>3</sup>	CA BC OEL

Version: 1.0

Revision Date: 08/11/2025

Print Date:  
09/17/2025

		TWA (Inhalable particulate matter)	5 mg/m3	ACGIH
Distillates (petroleum), hydrotreated heavy paraffinic	64742-54-7	TWAEV (Mist - Inhalable dust)	5 mg/m3	CA QC OEL
		TWA (Mist)	1 mg/m3	CA BC OEL
		TWA (Inhalable particulate matter)	5 mg/m3	ACGIH
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based	72623-86-0	TWAEV (Mist - Inhalable dust)	5 mg/m3	CA QC OEL
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based	72623-87-1	TWA (Mist)	5 mg/m3	CA AB OEL
		STEL (Mist)	10 mg/m3	CA AB OEL
		TWAEV (Mist - Inhalable dust)	5 mg/m3	CA QC OEL
		TWA (Mist)	1 mg/m3	CA BC OEL
		TWA (Inhalable particulate matter)	5 mg/m3	ACGIH

#### Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally required.

Eye protection : Safety glasses

Skin and body protection : Protective suit

Hygiene measures : General industrial hygiene practice.

#### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Odour : No data available

Odour Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Boiling point/boiling range : No data available

Flash point : 201 - 249 °C



**SAFETY DATA SHEET**  
Valvoline™ High Mileage with MaxLife™  
Technology SAE 5W-30 Motor Oil

Version: 1.0

Revision Date: 08/11/2025

Print Date:  
09/17/2025

Method: Cleveland open cup

Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Self-ignition	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	No data available
Density	:	0.858 g/cm <sup>3</sup> (15.6 °C)
Solubility(ies)		
Water solubility	:	No data available
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	62.7 mm <sup>2</sup> /s ( 40 °C)
Oxidizing properties	:	No data available

---

## SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reactions	:	Stable under recommended storage conditions. No hazards to be specially mentioned.
Conditions to avoid	:	None known.
Incompatible materials	:	None known.
Hazardous decomposition	:	No hazardous decomposition products are known.



**SAFETY DATA SHEET**  
Valvoline™ High Mileage with MaxLife™  
Technology SAE 5W-30 Motor Oil

Version: 1.0

Revision Date: 08/11/2025

Print Date:  
09/17/2025

products

---

**SECTION 11. TOXICOLOGICAL INFORMATION**

**Acute toxicity**

Not classified due to lack of data.

**Components:**

**Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based:**

Acute inhalation toxicity : Assessment: The substance or mixture has no acute inhalation toxicity

**Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based:**

Acute inhalation toxicity : Assessment: The substance or mixture has no acute inhalation toxicity

**Skin corrosion/irritation**

Based on available data, the classification criteria are not met.

**Product:**

Result : Slight, transient irritation

**Components:**

**Distillates (petroleum), hydrotreated heavy paraffinic:**

Result : Slight, transient irritation

**Distillates (petroleum), hydrotreated heavy paraffinic:**

Result : Slight, transient irritation

**Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based:**

Result : No skin irritation

**Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based:**

Result : No skin irritation

**Serious eye damage/eye irritation**

Based on available data, the classification criteria are not met.

**Product:**

Result : Slight, transient irritation



**SAFETY DATA SHEET**  
Valvoline™ High Mileage with MaxLife™  
Technology SAE 5W-30 Motor Oil

Version: 1.0

Revision Date: 08/11/2025

Print Date:  
09/17/2025

**Components:**

**Distillates (petroleum), hydrotreated heavy paraffinic:**

Result : No eye irritation

**Distillates (petroleum), hydrotreated heavy paraffinic:**

Result : No eye irritation

**Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based:**

Result : No eye irritation

**Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based:**

Result : No eye irritation

**Respiratory or skin sensitisation**

**Skin sensitisation**

Not classified due to lack of data.

**Respiratory sensitisation**

Not classified due to lack of data.

**Germ cell mutagenicity**

Not classified due to lack of data.

**Carcinogenicity**

Not classified due to lack of data.

**Components:**

**Distillates (petroleum), hydrotreated heavy paraffinic:**

Carcinogenicity - : Classified based on DMSO extract content < 3% (Regulation  
Assessment (EC) 1272/2008, Annex VI, Part 3, Note L)

**Distillates (petroleum), hydrotreated heavy paraffinic:**

Carcinogenicity - : Classified based on DMSO extract content < 3% (Regulation  
Assessment (EC) 1272/2008, Annex VI, Part 3, Note L)

**Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based:**

Carcinogenicity - : Classified based on DMSO extract content < 3% (Regulation  
Assessment (EC) 1272/2008, Annex VI, Part 3, Note L)

**Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based:**

Carcinogenicity - : Classified based on DMSO extract content < 3% (Regulation  
Assessment (EC) 1272/2008, Annex VI, Part 3, Note L)



**SAFETY DATA SHEET**  
Valvoline™ High Mileage with MaxLife™  
Technology SAE 5W-30 Motor Oil

Version: 1.0

Revision Date: 08/11/2025

Print Date:  
09/17/2025

**Reproductive toxicity**

Not classified due to lack of data.

**STOT - single exposure**

Not classified due to lack of data.

**STOT - repeated exposure**

Not classified due to lack of data.

**Aspiration toxicity**

Not classified due to lack of data.

**Components:**

**Distillates (petroleum), hydrotreated heavy paraffinic:**

No aspiration toxicity classification

**Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based:**

No aspiration toxicity classification

**Further information**

**Product:**

Remarks : No data available

---

**SECTION 12. ECOLOGICAL INFORMATION**

**Ecotoxicity**

**Product:**

**Ecotoxicology Assessment**

Acute aquatic toxicity : Not classified based on available information.

Chronic aquatic toxicity : Not classified based on available information.

**Components:**

**Distillates (petroleum), hydrotreated heavy paraffinic:**

**Ecotoxicology Assessment**

Acute aquatic toxicity : Not classified based on available information.

Chronic aquatic toxicity : Not classified based on available information.





**SAFETY DATA SHEET**  
Valvoline™ High Mileage with MaxLife™  
Technology SAE 5W-30 Motor Oil

Version: 1.0

Revision Date: 08/11/2025

Print Date:  
09/17/2025

**Distillates (petroleum), hydrotreated heavy paraffinic:**

**Ecotoxicology Assessment**

Acute aquatic toxicity : Not classified based on available information.

Chronic aquatic toxicity : Not classified based on available information.

**Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based:**

**Ecotoxicology Assessment**

Acute aquatic toxicity : Not classified based on available information.

Chronic aquatic toxicity : Not classified based on available information.

**Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based:**

**Ecotoxicology Assessment**

Acute aquatic toxicity : Not classified based on available information.

Chronic aquatic toxicity : Not classified based on available information.

**Persistence and degradability**

No data available

**Bioaccumulative potential**

**Components:**

**Distillates (petroleum), hydrotreated heavy paraffinic:**

Partition coefficient: n-  
octanol/water : log Pow: > 7

**Mobility in soil**

No data available

**Other adverse effects**

**Product:**

Additional ecological  
information : No data available

---

**SECTION 13. DISPOSAL CONSIDERATIONS**

**Disposal methods**

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.



**SAFETY DATA SHEET**  
Valvoline™ High Mileage with MaxLife™  
Technology SAE 5W-30 Motor Oil

Version: 1.0

Revision Date: 08/11/2025

Print Date:  
09/17/2025

---

**SECTION 14. TRANSPORT INFORMATION**

**International Regulations**

**UNRTDG**

Not regulated as a dangerous good

**IATA-DGR**

Not regulated as a dangerous good

**IMDG-Code**

Not regulated as a dangerous good

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**National Regulations**

**TDG**

Not regulated as a dangerous good

**Special precautions for user**

Not applicable

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

---

**SECTION 15. REGULATORY INFORMATION**

**Canadian PBT Chemicals** : This product contains the following components on the DSL that are classified as Persistent, Bioaccumulative and/or Toxic (PBT) under CEPA:

zinc O,O,O',O'-tetrakis(1,3-dimethylbutyl)  
bis(phosphorodithioate)

**NPRI Components**

: zinc O,O,O',O'-tetrakis(1,3-dimethylbutyl)  
bis(phosphorodithioate)  
zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate)  
Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and  
iso-Pr) esters, zinc salts  
diphenylamine  
ethylbenzene  
toluene  
methyloxirane  
ethylene oxide  
benzene  
naphthalene  
1,4-dioxane

**The components of this product are reported in the following inventories:**

TCSI : On the inventory, or in compliance with the inventory

TSCA : On the inventory, or in compliance with the inventory



**SAFETY DATA SHEET**  
Valvoline™ High Mileage with MaxLife™  
Technology SAE 5W-30 Motor Oil

Version: 1.0

Revision Date: 08/11/2025

Print Date:  
09/17/2025

AIIC	: On the inventory, or in compliance with the inventory
DSL	: All components of this product are on the Canadian DSL
ENCS	: Not in compliance with the inventory
KECI	: On the inventory, or in compliance with the inventory
PICCS	: On the inventory, or in compliance with the inventory
IECSC	: On the inventory, or in compliance with the inventory
NZIoC	: On the inventory, or in compliance with the inventory

**Canadian lists**

The following substance(s) is/are subject to a Significant New Activity Notification:  
methyloxirane 75-56-9

**Inventories**


AIIC (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TECI (Thailand), TSCA (USA)

---

**SECTION 16. OTHER INFORMATION**

**Further information**

**NFPA 704:**



**HMIS® IV:**

<b>HEALTH</b>	/	<b>0</b>
<b>FLAMMABILITY</b>		<b>1</b>
<b>PHYSICAL HAZARD</b>		<b>0</b>

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

**Full text of other abbreviations**

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
CA AB OEL	:	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
CA BC OEL	:	Canada. British Columbia OEL
CA QC OEL	:	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
ACGIH / TWA	:	8-hour, time-weighted average
CA AB OEL / TWA	:	8-hour Occupational exposure limit
CA AB OEL / STEL	:	15-minute occupational exposure limit
CA BC OEL / TWA	:	8-hour time weighted average
CA QC OEL / TWA	:	Time-weighted average exposure value

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population



**SAFETY DATA SHEET**  
Valvoline™ High Mileage with MaxLife™  
Technology SAE 5W-30 Motor Oil

Version: 1.0

Revision Date: 08/11/2025

Print Date:  
09/17/2025

(Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Revision Date : 08/11/2025  
Date format : mm/dd/yyyy

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

CA / EN

Internal information : R0355872