Valvoline, Global

VAL SPECIAL MOLY GREASE 10/400 G

Version: 1.0 Revision Date: 08/12/2025 Print Date: 09/17/2025

### **SECTION 1. IDENTIFICATION**

Product name : VAL SPECIAL MOLY GREASE 10/400 G

Product code : 504974

Other means of identification : No data available

Manufacturer or supplier's details

Company name of supplier : Valvoline Canada Corp

Address : 905 Winston Churchill Blvd

Mississauga ON L5J 4P2

Canada

Telephone : 1-800-TEAMVAL (1-800-832-6825)

E-mail address : SDS@valvolineglobal.com

Emergency telephone

number

: +1-800-VALVOLINE (+1-800-825-8654)

# **SECTION 2. HAZARDS IDENTIFICATION**

# GHS classification in accordance with the Hazardous Products Regulations

Not a hazardous substance or mixture.

# **GHS label elements**

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required.

# Other hazards

None known.

# **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

Mixture

# Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
Distillates (petroleum), hydrotreated heavy naphthenic	Distillates (petroleum), hydrotreated heavy naphthenic; Baseoil — unspecified	64742-52-5	>= 30 - < 60 *

# Valvoline, Global

# **SAFETY DATA SHEET**

VAL SPECIAL MOLY GREASE 10/400 G

Version: 1.0 Revision Date: 08/12/2025 Print Date: 09/17/2025

Distillates (petroleum), hydrotreated heavy paraffinic	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified	64742-54-7	>= 30 - < 60 *
--	--	------------	----------------

<sup>\*</sup> Actual concentration or concentration range is withheld as a trade secret

### **SECTION 4. FIRST AID MEASURES**

General advice : Do not leave the victim unattended.

If inhaled : If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of eye contact : Remove contact lenses.

Protect unharmed eye.

If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

No symptoms known or expected.

Most important symptoms and effects, both acute and

delayed

Notes to physician : No hazards which require special first aid measures.

Treat symptomatically.

### **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or

carbon dioxide.

Unsuitable extinguishing

media

: High volume water jet

Hazardous combustion

products

: No hazardous combustion products are known

Further information : Standard procedure for chemical fires.

Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Special protective equipment:

for firefighters

Wear self-contained breathing apparatus for firefighting if

necessary.

## **SECTION 6. ACCIDENTAL RELEASE MEASURES**



VAL SPECIAL MOLY GREASE 10/400 G

Version: 1.0 Revision Date: 08/12/2025 Print Date: 09/17/2025

Environmental precautions : If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for

containment and cleaning up

Wipe up with absorbent material (e.g. cloth, fleece). Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against :

fire and explosion

Normal measures for preventive fire protection.

Advice on safe handling : For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the

application area.

Conditions for safe storage : Electrical installations / working materials must comply with

the technological safety standards.

Materials to avoid : No materials to be especially mentioned.

Further information on

storage stability

No decomposition if stored and applied as directed.

# **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

# Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Distillates (petroleum), hydrotreated heavy naphthenic	64742-52-5	TWAEV (Mist - Inhalable dust)	5 mg/m3	CA QC OEL
Distillates (petroleum), hydrotreated heavy paraffinic	64742-54-7	TWAEV (Mist - Inhalable dust)	5 mg/m3	CA QC OEL
		TWA (Mist)	1 mg/m3	CA BC OEL
		TWA (Inhalable particulate matter)	5 mg/m3	ACGIH

### Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally

required.

Eye protection : Safety glasses Skin and body protection : Protective suit

Hygiene measures : General industrial hygiene practice.

# **SAFETY DATA SHEET**

VAL SPECIAL MOLY GREASE 10/400 G

Version: 1.0 Revision Date: 08/12/2025 Print Date: 09/17/2025

# **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : solid

Odour : No data available

Odour Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Boiling point/boiling range : No data available

Flash point : 260 °C

260 °C

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Self-ignition : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower :

flammability limit

No data available

Vapour pressure : No data available

Relative vapour density : No data available

Relative density : No data available

Density : 0.94 g/cm3 (20 °C)

0.94 g/cm3 (20 °C)

Solubility(ies)

Water solubility : No data available

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

Decomposition temperature

: No data available

No data available

# SAFETY DATA SHEET

VAL SPECIAL MOLY GREASE 10/400 G

Version: 1.0 Revision Date: 08/12/2025 Print Date: 09/17/2025

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : > 20.5 mm2/s ( 40 °C)

> 20.5 mm2/s ( 40 °C)

Oxidizing properties : No data available

### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : No decomposition if stored and applied as directed.
Chemical stability : No decomposition if stored and applied as directed.
Possibility of hazardous : Stable under recommended storage conditions.

reactions

No hazards to be specially mentioned.

Conditions to avoid : None known. Incompatible materials : None known.

Hazardous decomposition

products

: No hazardous decomposition products are known.

# **SECTION 11. TOXICOLOGICAL INFORMATION**

# **Acute toxicity**

Not classified due to lack of data.

# Components:

# Distillates (petroleum), hydrotreated heavy naphthenic:

Acute inhalation toxicity : Assessment: The substance or mixture has no acute

inhalation toxicity

Acute dermal toxicity : Assessment: The substance or mixture has no acute dermal

toxicity

## Skin corrosion/irritation

Based on available data, the classification criteria are not met.

### **Components:**

# Distillates (petroleum), hydrotreated heavy naphthenic:

Result : No skin irritation

## Distillates (petroleum), hydrotreated heavy paraffinic:

Result : Slight, transient irritation

# SAFETY DATA SHEET

VAL SPECIAL MOLY GREASE 10/400 G

Version: 1.0 Revision Date: 08/12/2025 Print Date: 09/17/2025

# Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

### Components:

# Distillates (petroleum), hydrotreated heavy naphthenic:

Result : Slight, transient irritation

# Distillates (petroleum), hydrotreated heavy paraffinic:

Result : No eye irritation

# Respiratory or skin sensitisation

### Skin sensitisation

Not classified due to lack of data.

# Respiratory sensitisation

Not classified due to lack of data.

# Germ cell mutagenicity

Not classified due to lack of data.

## Carcinogenicity

Not classified due to lack of data.

## **Components:**

## Distillates (petroleum), hydrotreated heavy naphthenic:

Carcinogenicity - : Classified based on DMSO extract content < 3% (Regulation

Assessment (EC) 1272/2008, Annex VI, Part 3, Note L)

# Distillates (petroleum), hydrotreated heavy paraffinic:

Carcinogenicity - : Classified based on DMSO extract content < 3% (Regulation

Assessment (EC) 1272/2008, Annex VI, Part 3, Note L)

# Reproductive toxicity

Not classified due to lack of data.

# STOT - single exposure

Not classified due to lack of data.

### STOT - repeated exposure

Not classified due to lack of data.

## **Aspiration toxicity**

Based on available data, the classification criteria are not met.

# **Product:**

No aspiration toxicity classification

# **SAFETY DATA SHEET**

VAL SPECIAL MOLY GREASE 10/400 G

Version: 1.0 Revision Date: 08/12/2025 Print Date: 09/17/2025

### **Components:**

# Distillates (petroleum), hydrotreated heavy paraffinic:

No aspiration toxicity classification

### **Further information**

**Product:** 

Remarks : No data available

### **SECTION 12. ECOLOGICAL INFORMATION**

# **Ecotoxicity**

# **Product:**

# **Ecotoxicology Assessment**

Acute aquatic toxicity : Not classified based on available information.

Chronic aquatic toxicity : Not classified based on available information.

# **Components:**

# Distillates (petroleum), hydrotreated heavy naphthenic:

# **Ecotoxicology Assessment**

Acute aquatic toxicity : Not classified based on available information.

Chronic aquatic toxicity : Not classified based on available information.

## Distillates (petroleum), hydrotreated heavy paraffinic:

# **Ecotoxicology Assessment**

Acute aquatic toxicity : Not classified based on available information.

Chronic aquatic toxicity : Not classified based on available information.

# Persistence and degradability

No data available

# **Bioaccumulative potential**

# **Components:**

## Distillates (petroleum), hydrotreated heavy paraffinic:

Partition coefficient: n-

octanol/water

: log Pow: > 7

# Valvoline, Global

# **SAFETY DATA SHEET**

VAL SPECIAL MOLY GREASE 10/400 G

Version: 1.0 Revision Date: 08/12/2025 Print Date: 09/17/2025

Mobility in soil

No data available

Other adverse effects

**Product:** 

Additional ecological

information

: No data available

### **SECTION 13. DISPOSAL CONSIDERATIONS**

Disposal methods

Contaminated packaging : Empty containers should be taken to an approved waste

handling site for recycling or disposal.

### **SECTION 14. TRANSPORT INFORMATION**

# International Regulations

**UNRTDG** 

Not regulated as a dangerous good

**IATA-DGR** 

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

**National Regulations** 

**TDG** 

Not regulated as a dangerous good

Special precautions for user

Not applicable

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

### **SECTION 15. REGULATORY INFORMATION**

The components of this product are reported in the following inventories:

TCSI : Not in compliance with the inventory

TSCA : All substances listed as active on the TSCA inventory

# Valvoline, Global

# **SAFETY DATA SHEET**

VAL SPECIAL MOLY GREASE 10/400 G

Version: 1.0 Revision Date: 08/12/2025 Print Date: 09/17/2025

AIIC : Not in compliance with the inventory

DSL : All components of this product are on the Canadian DSL

ENCS : Not in compliance with the inventory

KECI : Not in compliance with the inventory

PICCS : Not in compliance with the inventory

IECSC : Not in compliance with the inventory

NZIoC : Not in compliance with the inventory

### **Canadian lists**

No substances are subject to a Significant New Activity Notification.


### **Inventories**

AIIC (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TECI (Thailand), TSCA (USA)

### **SECTION 16. OTHER INFORMATION**

### **Further information**

### NFPA 704:



Special hazard

# HMIS® IV:

HEALTH	1	0
FLAMMABILITY		1
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

# Full text of other abbreviations



VAL SPECIAL MOLY GREASE 10/400 G

Version: 1.0 Revision Date: 08/12/2025 Print Date: 09/17/2025

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

CA BC OEL : Canada. British Columbia OEL

CA QC OEL : Québec. Regulation respecting occupational health and

safety, Schedule 1, Part 1: Permissible exposure values for

airborne contaminants

ACGIH / TWA : 8-hour, time-weighted average CA BC OEL / TWA : 8-hour time weighted average

CA QC OEL / TWAEV : Time-weighted average exposure value

AllC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 -Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC -New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG -Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Revision Date : 08/12/2025 Date format : mm/dd/yyyy

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.



VAL SPECIAL MOLY GREASE 10/400 G

Version: 1.0 Revision Date: 08/12/2025 Print Date: 09/17/2025

CA / EN

Internal information: R0076416