

SAFETY DATA SHEET

REINOLD MAX

In compliance with Regulation (EC) No 1907/2006, updated in accordance with the requirements of European Commission Regulation (EU) 2020/878	Date of preparation: 14-10-2022 Revised edition: 17-02-2023 Version: 2
Mixture: ReinoldMax 750ml and 500 ml AF Inilam	1 page 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: **ReinoldMax 750 AF**

UFI code: ME00-0019-U006-T1N1

1.2. Relevant identified uses of the substance or mixture and uses advised against:

Relevant identified uses: the product is considered for extinguishing fires of fire classes A5 (ordinary combustibles like wood, paper, textiles), F5 (grease and fats). Spray to extinguish small fires. Suitable to extinguish electrical appliances up to 1000V. Detailed use descriptor system provided 16.2. section.

Uses advised against: Not recommend use out of scope.

1.3. Details of the supplier of the safety data sheet

Company name: Eco Sécurica Inc.
Street: 117 Montée de Versailles Ouest
Place: Mont Saint-Grégoire, Québec, J0J1K0
Telephone: 866-888-7239
Telefax: 855-830-6694
E-mail: info@reinoldmax.ca
Website: www.reinoldmax.ca

E-mail of the responsible person for the safety data sheet: info@reinoldmax.ca

1.4. Emergency telephone number

In case of emergency contact your local healthcare provider (poison centre). Below is a list of nationally appointed bodies and their contact details for direct inquiries in relation to the submission of information for the purpose of emergency health response.

Full list contacts of National Appointed Bodies (and/or Poison Centre's)

<https://www.ciusss-capitalnationale.gouv.qc.ca/services/urgence/capq>

Canada	Santé Canada	1-844-764-7669
Québec	Centre Antipoisons	1 800-463-5060

SAFETY DATA SHEET

REINOLD MAX

In compliance with Regulation (EC) No 1907/2006, updated in accordance with the requirements of European Commission Regulation (EU) 2020/878	Date of preparation: 14-10-2022 Revised edition: 17-02-2023 Version: 2
Mixture: ReinoldMax 750ml and 500 ml AF Inilam	2 page 11

SECTION 2: Hazards identification

2.1. Classification of substance or mixture

Products is classified as hazardous according to Regulation (EC) No 1272/2008 and its amendments and / or contain dangerous ingredients above the generic or specific concentration limits, thus Safety Data Sheet, in accordance with Annex II and Article 31 of Regulation EC 1907/2006 (including latest consolidated version and amendments) have been provided.

2.2. Label elements

Pictogram



Signal word:
CAUTION

Hazard statements:

H229 The container is under pressure: may burst when heated

Precautionary statements:

P102 Keep out of the reach of children

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P251 Do not pierce or burn, even after use

P410 + P412 Protect from direct sunlight and do not expose to temperatures above 50 °C / 122 °F

2.3. Other hazards

PBT and vPvB assessment:

PBT: Not applicable.

vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

Chemical name	Reach-No.	CAS-No.	Quantity %	Classification according to Regulation (EC)
Sodium Octyl Sulfate	205-535-5	142-31-4	0,3 - < 0,8	Skin Irrit. 2, Eye Irrit. 2, H315, H319, H318
See section 16 for the full text of the H statements declared above.				

SAFETY DATA SHEET

REINOLD MAX

In compliance with Regulation (EC) No 1907/2006, updated in accordance with the requirements of European Commission Regulation (EU) 2020/878	Date of preparation: 14-10-2022 Revised edition: 17-02-2023 Version: 2
Mixture: ReinoldMax 750ml and 500 ml AF Inilam	3 page 11

SECTION 4: First Aid Measures

4.1. Description of first aid measures

General Information: it is recommended to take off contaminated clothes before using next time, washed / cleaned using the appropriate washing / cleaning agents. First aid personnel should pay attention to their own safety. It is recommended to use personal protective equipment when providing first aid to victims. Providing first aid you must avoid direct contact with the product. Mixing exposure symptoms may not occur immediately. Please have a safety data sheet or label, when you go to the doctor.

If inhaled: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Remove things how can block breathing (scarf, kerchief, etc.).

On contact with eyes: Do not scrub eyes; wash affected eyes for at least 15 minutes under running water with eyelids held open. Remove contact lenses, if present and easy to do. Continue rising. Get medical attention from a specialist.

On skin contact: Rinse with plenty of water using the appropriate detergent (soap, body wash, etc.). If the symptoms occur consult with the doctor.

If swallowed: If swallowed, Do not induce vomiting without medical advice.

4.2. **Most important symptoms and effects, both acute and delayed**

Eye contact: may cause eye irritation.

Ingestion: unlikely but possible mild throat irritation.

Skin contact: unlikely but possible mild irritation.

Inhale: unlikely but possible mild breath trails irritation.

4.3. **Indication of any immediate medical attention and special treatment needed:**

Treatment is symptomatic. If there were inspired or ingested a large quantity of the product, contact a poison control center.

SECTION 5: Fire Fighting Measures

5.1. Extinguishing media

Suitable extinguishing media: solution is an extinguishing agent. The product is not flammable. Adjust the firefighting measures to the surroundings.

Unsuitable extinguishing media: unknown.

5.2. **Special hazards arising from the substance or mixture**

Special exposure hazards arising from the substance or preparation itself, its combustion products or resulting gases: unknown.

5.3. **Advice for firefighters**

Take of the cap, point and spray by using "Stop-Spray-Stop" method. This product does not require any special training before use. Usage and handling instructions are mentioned on package.

SECTION 6: Accidental release measures

6.1. Personal precautions

6.1.1. For non-emergency personnel: Use personal protective equipment as described in Section 8 and comply with the safety requirements of Section 7.

SAFETY DATA SHEET

REINOLD MAX

In compliance with Regulation (EC) No 1907/2006, updated in accordance with the requirements of European Commission Regulation (EU) 2020/878	Date of preparation: 14-10-2022 Revised edition: 17-02-2023 Version: 2
Mixture: ReinoldMax 750ml and 500 ml AF Inilam	4 page 11

6.1.2. For emergency responders: In case of spills stop the work. Evacuate people from the polluted area to safe area. Avoid contact with skin, eyes, and inhalation. Wear protective or special working clothing.

6.2. Environmental precautions Inform appropriate authorities if large amounts enter drains. Stop leak if safe to do so. Avoid release to the environment

6.3. Methods for cleaning up Wipe the foam with the cloth away with absorbent material (such as cloth, fleece). After cleaning, rinse with water.

6.4. Reference to other sections Observe for personal protection equipment in Section 8. Observe about the product removal in Section 13.

SECTION 7: Handling and Storage

7.1. Safe handling Wash hands with soap after using fire extinguishing spray. Avoid contact with eyes. Protect pressurized container from the sunlight. Do not keep at the temperature over +50°C. Do not punch or burn the container after the use. Aluminum can is recyclable.

Information on aerosols prevention: Avoid high vapor concentrations in the air. Use appropriate personal protective equipment as indicated in Section 8.

Environmental precautions: Do not allow enter to drains, surface water, ground water, drainage systems. Avoid release to the environment.

7.1.2. Advice on general occupational hygiene: Not to eat, drink and smoke in work area. Wash hands after use. Avoid contact with the skin and eyes. Do not inhalation. Do not swallow.

7.2. Safe storage Storage temperature range is from 0°C to +50°C.

7.3. Specific end use(s): 36 months. Expiry date is marked on the bottom of the can.

SECTION 8: Exposure Control and Personal Protection

8.1. Parameters to be monitored None.

8.2. Exposure controls

8.2.1. Appropriate engineering controls:

Impact: employment for an unlimited duration (up to 480 minutes per shift, 5 shifts per week).

Ensure that eyewash stations and safety showers are close to the workstation location, avoid spill.

8.2.2. Individual protection measures, such as personal protective equipment: Avoid directly contact with the product. Wear suitable personal protective equipment. When using does not eat, drink or smoke. Before breaks and after work wash hands using appropriate tools (soap, etc.). Remove contaminated clothing and protective equipment after work or before breaks.

8.2.3. Individual protection measures, such as personal protective equipment: Avoid directly contact with the product. Wear suitable personal protective equipment. When using does not eat, drink or smoke. Before breaks and after work wash hands using appropriate tools (soap, etc.). Remove contaminated clothing and protective equipment after work or before breaks.

Eyes/face protection



It's recommended to wear safety glasses and avoid get mixture into eyes (LST EN 166).

In compliance with Regulation (EC) No 1907/2006, updated in accordance with the requirements of European Commission Regulation (EU) 2020/878	Date of preparation: 14-10-2022 Revised edition: 17-02-2023 Version: 2
Mixture: ReinoldMax 750ml and 500 ml AF Inilam	5 page 11

Hand protection

It's recommended to wear chemical protective gloves. Gloves material must be resistant to the mixture effects (e.g. Nitrile rubber LST EN 374). Check protective gloves prior to each use for their proper condition. Choose gloves to protect hands against chemicals, depending on the concentration and quantity of the hazardous substance and specific to place of work.

Skin protection

It's recommended to wear shoes, and long-sleeved clothing. Avoid the mixture get in to the shoes. Choose body protection according to the amount and concentration of the dangerous substance at the work place. Recommend to wear antistatic protective clothing.

SECTION 9: Physical and Chemical Properties**9.1. Information on basic physical and chemical properties**

Form	Liquid
Color	Light straw color
Odor	Characteristic
pH (at 20°C)	6,5-8,5
Freezing point	-1°C
Boiling point	100°C
Oxidizing ability	Non-corrosive
Vapor tension (at 20°C)	1 Mpa
Flash point	Inapplicable
Flammability	Non-flammable
Self-ignition ability	Inapplicable
Upper-explosion limit	Inapplicable
Lower-explosion limit	Inapplicable
Density (at 20°C)	1 g/cm ³
Solubility in water	100% soluble
Solubility in fats	Inapplicable
Continuous working time	20-30 sec.
Length of sprayed flow	3-4 meters
Temperature range	0°C to +50°C
Gas propellant	Nitrogen (N ₂)

9.2. Other information

Not data.

SECTION 10: Stability and Reactivity

10.1. Reactivity There are no known conditions that are likely to result in a hazardous situation.

10.2. Chemical stability Stable under the prescribed storage conditions.

10.3. Possibility of hazardous reactions None.

10.4. Conditions to avoid Do not keep at the temperature over +50°C.

SAFETY DATA SHEET

REINOLD MAX

In compliance with Regulation (EC) No 1907/2006, updated in accordance with the requirements of European Commission Regulation (EU) 2020/878	Date of preparation: 14-10-2022 Revised edition: 17-02-2023 Version: 2
Mixture: ReinoldMax 750ml and 500 ml AF Inilam	6 page 11

10.5. Incompatible materials Oxidizing agents, acids, alkalis.

10.6. Hazardous decomposition No data available.

SECTION 11: Toxicological Information

11.1. Information on toxicological effects

Acute toxicity: The product does not classified as acute toxicity/ harmful by oral, dermal or inhale according CLP regulation.

Irritation: The product is not classified as irritation according CLP regulation criteria.

Corrosion: The product is not classified as eyes corrosion according CLP regulation criteria.

Sensitisation: The product is not classified as skin sensitisation according CLP regulation criteria.

Respiratory sensitisation: The product is not classified as respiratory sensitizer according CLP regulation criteria.

Mutagenicity: The product is not classified as mutagenicity according CLP regulation criteria.

Reproductive toxicity: The product is not classified as reproductive toxicity according CLP regulation criteria.

Carcinogenicity: The product is not classified as carcinogenicity according CLP regulation criteria

Development toxicity: The product is not classified as development toxicity according CLP regulation criteria.

STOT SE: The product is not classified as STOT (SE) according CLP regulation criteria.

STOT RE: The product is not classified as STOT (RE) according CLP regulation criteria.

Aspiration toxicity: The product is not classified as aspiration toxicity according CLP regulation criteria.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

The product does not have endocrine-disrupting properties.

11.2.2. Other information

No data.

SECTION 12: Ecological Information

12.1. Toxicity

Zero percent of the mixture consists of components with unknown water hazard.

12.2. Persistence and degradability

100% biodegradable

12.3. Bioaccumulative potential

This solution does not contain any PFAS.

12.4. Mobility in the ground

There is no information.

12.5. Results of PBT and vPvB assessment

SAFETY DATA SHEET

REINOLD MAX

In compliance with Regulation (EC) No 1907/2006, updated in accordance with the requirements of European Commission Regulation (EU) 2020/878	Date of preparation: 14-10-2022 Revised edition: 17-02-2023 Version: 2
Mixture: ReinoldMax 750ml and 500 ml AF Inilam	7 page 11

PBT: Not applicable;

vPvB: Not applicable.

12.6. Endocrine-disrupting properties:

not classified as an endocrine-disrupting agent.

12.7. Other adverse effects:

adverse effects are not expected with proper handling.

SECTION 13: Disposal Considerations

Waste treatment methods

Recommendations: Not allows dispose into drainage systems or into the environment. As well do not dispose on household waste. Waste should not be disposed of by release to sewers. Disposal shall be in accordance with EU / national regulations. Combustible material may be burned in a chemical incinerator equipped with afterburner and scrubber. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to a dispose of this material.

Waste code: 16 05 05

Gases in pressure vessels other than those mentioned in 16 05 04.

Waste key number for packaging: 15 01 04, metal packaging.


SECTION 14: Transport Information

Land transport (ADR/RID):

14.1. UN-Number: 1950

14.2. UN proper shipping name: AEROSOLS non-flammable 2.2

14.3. Transport hazard class(es): 2.2
Hazard label:



14.4. Packing group: -

14.5. Environmental hazards

Danger for environment: No

14.6 Special precaution

Classification code: 5A
Special Provisions: 190, 327
Limited quantity: 1 L
Packing instructions: P207
Transport category: 2.2


Packaging: May be packed together in an outer packaging for combination packaging:
with other goods of Class 2;
with goods of other classes;
the mixed packing with goods which are not
ADR is permitted.

Other information: non-oxidizing, non-flammable, non-toxic, non-corrosive, non- asphyxiant.

SAFETY DATA SHEET**REINOLD MAX**


In compliance with Regulation (EC) No 1907/2006, updated in accordance with the requirements of European Commission Regulation (EU) 2020/878	Date of preparation: 14-10-2022 Revised edition: 17-02-2023 Version: 2
Mixture: ReinoldMax 750ml and 500 ml AF Inilam	8 page 11

Maritime transport IMDG:

- 14.1. UN-Number:** 1950
- 14.2. UN proper shipping name:** AEROSOLS non-flammable 2.2
- 14.3. Transport hazard class(es):** 2.2
Hazard label:
- 
- 14.4. Packing group:** -
- 14.5. Environmental hazards**
Danger for environment: No
Marine pollutant: No
- 14.6 Special precaution**
Special Provisions: 63, 190, 327
Limited quantities: SP277
Packing instructions: P207
Stowage and handling: SW1, SW22
MS No: F-D, S-U

No other applicable information (marine transport).

Inland waterway transport ADN:

- 14.1. UN-Number:** 1950
- 14.2. UN proper shipping name:** AEROSOLS non-flammable 2.2
- 14.3. Transport hazard class(es):** 2.2
Hazard label:
- 
- 14.4. Packing group:** -
- 14.5. Environmental hazards**
Danger for environment: No
- 14.6 Special precaution**
Classification code (RID) : 5A
Special Provisions: 19, 327
Limited quantities (RID) : 1L
Mixed packing provisions (RID): MP9
Transport category (RID) : 2

Air transport IATA:

- 14.1. UN-Number:** 1950

SAFETY DATA SHEET

REINOLD MAX

In compliance with Regulation (EC) No 1907/2006, updated in accordance with the requirements of European Commission Regulation (EU) 2020/878	Date of preparation: 14-10-2022 Revised edition: 17-02-2023 Version: 2
Mixture: ReinoldMax 750ml and 500 ml AF Inilam	9 page 11

14.2. UN proper shipping name: AEROSOLS non-flammable 2.2

14.3. Transport hazard class(es): 2.2

Hazard label:



14.5. Environmental hazards

Danger for environment: No

14.6 Special precaution

PCA Limited quantities: Y203
PCA packing instructions: 203
PCA max net quantity: 75kg
CAO packing instructions: 203
CAO max net quantity: 150kg
Special provisions: A1

SECTION 15: Regulatory Information

15.1 Safety, health and environmental regulations / legislation specific to the substance or mixture

- Section 355 (extremely hazardous substances): Substance is not listed.
 - Section 313 (Specific toxic chemical listings): Substance is not listed.
 - TSCA (Toxic Substances Control Act): Substance is not listed.
 - Hazardous Air Pollutants: Substance is not listed.
 - Chemicals known to cause cancer: Substance is not listed.
 - Chemicals known to cause reproductive toxicity for females: Substance is not listed.
 - Chemicals known to cause reproductive toxicity for males: Substance is not listed.
 - Chemicals known to cause developmental toxicity: Substance is not listed.
 - Chemicals known to cause deplete the ozone layer: Substance is not listed.
 - Chemicals known to cause persistent organic pollutants: Substance is not listed.
- Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No.793/93, Commission Regulation (EC) No. 1488/94, Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (Official Journal of the European Union No. L 396, 30-12-2006, error correction – No. L 136/3, 2007-5-29);
- COMMISSION REGULATION (EU) 2020/878 of 18 June 2020 amending Regulation (EC) No. 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (OJ L 203, 26.6.2020, p. 28–58);
- On 16 December 2008 the Regulation (EC) No. 1272/2008 of the European Parliament and of the Council on classification, labelling and packaging of chemical substances and mixtures was undersigned. The said Regulation amended and repealed the directives 67/548/EEC and 1999/45/EC and Regulation (EC) No. 1907/2006 (the REACH Regulation). The Regulation has been published in the Official Journal of the European Union No. L 353, volume 51 on 31 December, 2008;
- COMMISSION REGULATION (EU) 2016/918 of 19 May 2016 amending, for the purposes of its adaptation to technical and scientific progress, Regulation (EC) No 1272/2008 of the European Parliament and of the Council on classification, labelling and packaging of substances and mixtures. The Regulation has been published in the Official Journal of the European Union No. L 156, on 14 June, 2016

15.2 Chemical Safety Assessment

In accordance with Regulation (EC) 1907/2006 (REACH) Article 14 a Chemical Safety Assessment not carried out.

SAFETY DATA SHEET

REINOLD MAX

In compliance with Regulation (EC) No 1907/2006, updated in accordance with the requirements of European Commission Regulation (EU) 2020/878	Date of preparation: 14-10-2022 Revised edition: 17-02-2023 Version: 2
Mixture: ReinoldMax 750ml and 500 ml AF_Inilam	10 page 11

SECTION 16. Other Information

16.1. Indication of changes

Information contained in the Regulation 1907/2006/EC with the Regulation 2020/878 as amended.

Revision: 17-02-2023.

Version: 2

16.2. Relevant identified uses of the substance or mixture

Use descriptor system:

Sectors of use (SU)

SU21	Consumer uses: Private households (= general public = consumers)
SU22	Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

16.3. Abbreviations and acronyms

ACGIH – American Conference of Industrial Hygienists

ADR/RID European agreement concerning the international carriage of dangerous goods by Road/ Rail.

PPE Personal protective equipment

CAS Chemical Abstracts Service

CLP Regulation of classification, labeling and packaging (EB) No. 1272/2008

DNEL The derived no-effect level

EC50 Term half maximal effective concentration

ECHA The European Chemicals Agency

EINECS European Inventory of Existing Commercial chemical Substances

EWG European Waste Catalogue

ERC Environmental Release Categories

IARC – The International Agency for Research on Cancer

IATA International Air Transport Association

IMDG International Maritime Dangerous Goods

LTEL Long Term Exposure Limit

LC50 The median lethal dose

MS Member states

NTP – Nacional toxicity program

N/E – Excluded

OELV Occupational Exposure Limit Values

OSHA – Occupational Safety and Health Administration

PBT Persistent Bioaccumulative and Toxic substances

PNEC The Predicted No Effect Concentration

PROC Process category

PC Chemical Product category

RE repeated exposure

REACH Regulation on Registration, Evaluation, Authorisation and Restriction of Chemicals

SCOEL The Scientific Committee on Occupational Exposure Limit

SDS Safety data sheet

SE single exposure

STP Sewage treatment plant

SU Sectors of use

STOT Specific target organ toxicity

TLV-TWA Threshold limit value - Time weighted average

STEL Short-term exposure limit

VLE Valeur Limite d'Exposition

vPvB Very persistent and very bioaccumulative

16.4. Literature references

<http://eippcb.jrc.es/reference/>

<http://echa.europa.eu>

<http://www.sinlist.org/>

<http://www.subsport.eu/>

<http://www.catsub.dk>

SAFETY DATA SHEET

REINOLD MAX

In compliance with Regulation (EC) No 1907/2006, updated in accordance with the requirements of European Commission Regulation (EU) 2020/878	Date of preparation: 14-10-2022 Revised edition: 17-02-2023 Version: 2
Mixture: ReinoldMax 750ml and 500 ml AF_Inilam	11 page 11

<http://osha.europa.eu/en/topics/ds>

<http://www.hse.gov.uk/coshh/essentials/index.htm>

http://www.dguv.de/ifa/en/pra/ghs_spaltenmodell/index.jsp

<http://www.substitution-cmr.fr/>

<http://www.mdsystem.com>

European Chemicals Bureau (ECB), European Chemicals Agency (ECHA), Swedish Chemicals Agency (Kemi), The International Labour Organization (ILO), TOXNET databases.

16.5. All hazard statements (H) in the section 3:

Skin irritation	H315	Causes skin irritation
Serious eye irritation	H319	Causes serious eye irritation
Serious eye damage/eye irritation, 1 category	H318	Causes serious eye damage

16.6. Disclaimer

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall Fisher be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Fisher has been advised of the possibility of such damages.