SAFETY DATA SHEET

ZEREX™ ORIGINAL Antifreeze Coolant

Version: 1.0 Revision Date: 08/18/2025 Print Date: 09/17/2025

SECTION 1. IDENTIFICATION

Product name : ZEREX™ ORIGINAL

Antifreeze Coolant

Product code : 893967

Other means of identification : No data available

Manufacturer or supplier's details

Company name of supplier : Valvoline Canada Corp

Address : 905 Winston Churchill Blvd

Mississauga ON L5J 4P2

Canada

Telephone : 1-800-TEAMVAL (1-800-832-6825)

E-mail address : SDS@valvolineglobal.com

Emergency telephone

number

: +1-800-VALVOLINE (+1-800-825-8654)

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the Hazardous Products Regulations

Acute toxicity (Oral) : Category 4

Reproductive toxicity : Category 1B

Specific target organ toxicity: repeated exposure (Oral)

Category 2 (Kidney)

GHS label elements

Hazard pictograms





Signal word : Danger

Hazard statements : H302 Harmful if swallowed.

H360 May damage fertility or the unborn child.

H373 May cause damage to organs (Kidney) through prolonged

or repeated exposure if swallowed.

Valvoline_{TM}

Global

SAFETY DATA SHEET

ZEREX™ ORIGINAL Antifreeze Coolant

Version: 1.0 Revision Date: 08/18/2025 Print Date: 09/17/2025

Precautionary statements : Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read

and understood.

P260 Do not breathe mist or vapours. P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves/ protective clothing/ eye protection/

face protection/ hearing protection.

Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON

CENTER/ doctor if you feel unwell. Rinse mouth.

P308 + P313 IF exposed or concerned: Get medical advice/

attention.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
ethane-1,2-diol	ethanediol	107-21-1	>= 80 - < 100 *
2,2'-oxydiethanol	2,2' - oxybisethanol	111-46-6	>= 1 - < 5 *
Borates, tetra sodium salts, pentahydrate	disodium tetraborate pentahydrate	12179-04-3	>= 0.1 - < 1 *

Actual concentration or concentration range is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice : Move out of dangerous area.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

If inhaled : If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

Valvoline... Global

SAFETY DATA SHEET

ZEREX™ ORIGINAL Antifreeze Coolant

Version: 1.0 Revision Date: 08/18/2025 Print Date: 09/17/2025

In case of eye contact : Flush eyes with water as a precaution.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Induce vomiting immediately and call a physician.

Keep respiratory tract clear.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician. Take victim immediately to hospital.

Most important symptoms and effects, both acute and

delayed

Harmful if swallowed.

May damage fertility or the unborn child.

May cause damage to organs through prolonged or repeated

exposure if swallowed.

No symptoms known or expected.

Notes to physician : No hazards which require special first aid measures.

Treat symptomatically.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or

carbon dioxide.

Unsuitable extinguishing

media

High volume water jet

Specific hazards during

firefighting

: Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion

products

: No hazardous combustion products are known

Further information : Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Special protective equipment :

for firefighters

Wear self-contained breathing apparatus for firefighting if

necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures Use personal protective equipment.

Environmental precautions : Prevent product from entering drains.

ZEREX™ ORIGINAL Antifreeze Coolant

Valvoline... Global

Version: 1.0 Revision Date: 08/18/2025 Print Date: 09/17/2025

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

fire and explosion

Advice on protection against : Normal measures for preventive fire protection.

Advice on safe handling Do not breathe vapours/dust.

Avoid exposure - obtain special instructions before use.

Avoid contact with skin and eyes. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the

application area.

Dispose of rinse water in accordance with local and national

regulations.

Keep container tightly closed in a dry and well-ventilated Conditions for safe storage

place.

Observe label precautions.

Electrical installations / working materials must comply with

the technological safety standards.

Further information on

storage stability

: No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
ethane-1,2-diol	107-21-1	(c)	100 mg/m3	CA AB OEL
		TWA (Total,	10 mg/m3	CA BC OEL
		aerosol only)		
		STEL (Total,	20 mg/m3	CA BC OEL
		aerosol only)		
		C (Vapour)	50 ppm	CA BC OEL
		C (Total,	100 mg/m3	CA BC OEL
		aerosol only)		
		C (Vapour	50 ppm	CA QC OEL
		and mist)	127 mg/m3	

SAFETY DATA SHEET

ZEREX™ ORIGINAL Antifreeze Coolant

Version: 1.0 Revision Date: 08/18/2025 Print Date: 09/17/2025

I	Í	l =1444	l a=	1
		TWA	25 ppm	ACGIH
		(Vapour)		
		STEL	50 ppm	ACGIH
		(Vapour)		
		STEL	10 mg/m3	ACGIH
		(Inhalable		
		fraction,		
		Aerosol only)		
Borates, tetra sodium salts,	12179-04-3	TWA	1 mg/m3	CA AB OEL
pentahydrate				
		STEL	3 ppm	CA AB OEL
		TWAEV	2 mg/m3	CA QC OEL
		(inhalable		
		dust)		
		STEV	6 mg/m3	CA QC OEL
		(inhalable		
		dust)		
		TWA	2 mg/m3	CA BC OEL
		(Inhalable)	(Borate)	
		STEL	6 mg/m3	CA BC OEL
		(Inhalable)	(Borate)	
		TWA	2 mg/m3	ACGIH
		(Inhalable	(Borate)	
		particulate	, ,	
		matter)		
		STEL	6 mg/m3	ACGIH
		(Inhalable	(Borate)	
		particulate	, ,	
		matter)		

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally

required.

Hand protection

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water

Tightly fitting safety goggles

Skin and body protection : Impervious clothing

Choose body protection according to the amount and

concentration of the dangerous substance at the work place.

Hygiene measures : When using do not eat or drink.

When using do not smoke.

Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid



ZEREX™ ORIGINAL Antifreeze Coolant

Version: 1.0 Revision Date: 08/18/2025 Print Date: 09/17/2025

Odour : No data available

Odour Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Boiling point/boiling range : No data available

Flash point : > 111 °C

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Self-ignition : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapour pressure : No data available

Relative vapour density : No data available

Relative density : No data available

Density : 1.1205 g/cm3 (15.6 °C)

Solubility(ies)

Water solubility : No data available

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Oxidizing properties : No data available

SAFETY DATA SHEET

ZEREX™ ORIGINAL Antifreeze Coolant

Version: 1.0 Revision Date: 08/18/2025 Print Date: 09/17/2025

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.
Chemical stability : No decomposition if stored and applied as directed.
Possibility of hazardous : No decomposition if stored and applied as directed.

reactions

Conditions to avoid : None known. Incompatible materials : None known.

Hazardous decomposition : No hazardous decomposition products are known.

products

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Harmful if swallowed.

Product:

Acute oral toxicity : Acute toxicity estimate: 510.95 mg/kg

Method: Calculation method

Components:

ethane-1,2-diol:

Acute oral toxicity : Assessment: The component/mixture is moderately toxic after

single ingestion.

Acute inhalation toxicity : Assessment: The substance or mixture has no acute

inhalation toxicity

2,2'-oxydiethanol:

Acute oral toxicity : LD50 (Human): Expected 1,120 mg/kg

Target Organs: Kidney

Acute inhalation toxicity : Assessment: The substance or mixture has no acute

inhalation toxicity

Borates, tetra sodium salts, pentahydrate:

Acute oral toxicity : LD50 (Rat): 3,200 - 3,400 mg/kg

Acute inhalation toxicity : Assessment: The substance or mixture has no acute

inhalation toxicity

Skin corrosion/irritation

Not classified due to lack of data.

SAFETY DATA SHEET

ZEREX™ ORIGINAL Antifreeze Coolant

Version: 1.0 Revision Date: 08/18/2025 Print Date: 09/17/2025

Components:

ethane-1,2-diol:

Result : No skin irritation

2,2'-oxydiethanol:

Result : Slight, transient irritation

Borates, tetra sodium salts, pentahydrate:

Result : No skin irritation

Serious eye damage/eye irritation

Not classified due to lack of data.

Components:

ethane-1,2-diol:

Result : Slight, transient irritation

2,2'-oxydiethanol:

Result : Slight, transient irritation

Borates, tetra sodium salts, pentahydrate:

Result : Slight, transient irritation

Respiratory or skin sensitisation

Skin sensitisation

Not classified due to lack of data.

Respiratory sensitisation

Not classified due to lack of data.

Components:

2,2'-oxydiethanol:

Result : Did not cause sensitisation on laboratory animals.

Germ cell mutagenicity

Not classified due to lack of data.

Carcinogenicity

Not classified due to lack of data.

Reproductive toxicity

May damage fertility or the unborn child.

Valvoline... Global

SAFETY DATA SHEET

ZEREX™ ORIGINAL Antifreeze Coolant

Version: 1.0 Revision Date: 08/18/2025 Print Date: 09/17/2025

Components:

Borates, tetra sodium salts, pentahydrate:

Reproductive toxicity - : Clear evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments

STOT - single exposure

Not classified due to lack of data.

STOT - repeated exposure

May cause damage to organs (Kidney) through prolonged or repeated exposure if swallowed.

Components:

ethane-1,2-diol:

Exposure routes : Ingestion Target Organs : Kidney

Assessment : May cause damage to organs through prolonged or repeated

exposure.

Aspiration toxicity

Not classified due to lack of data.

Further information

Product:

Remarks : No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Ecotoxicology Assessment

Acute aquatic toxicity : Not classified based on available information.

Chronic aquatic toxicity : Not classified based on available information.

Components:

ethane-1,2-diol:

Ecotoxicology Assessment

Acute aquatic toxicity : Not classified based on available information.

Chronic aquatic toxicity: Not classified based on available information.

Valvoline... Global

SAFETY DATA SHEET

ZEREX™ ORIGINAL Antifreeze Coolant

Version: 1.0 Revision Date: 08/18/2025 Print Date: 09/17/2025

2,2'-oxydiethanol:

Ecotoxicology Assessment

Acute aquatic toxicity : Not classified based on available information.

Chronic aquatic toxicity : Not classified based on available information.

Borates, tetra sodium salts, pentahydrate:

Ecotoxicology Assessment

Acute aquatic toxicity : Not classified based on available information.

Chronic aquatic toxicity: Not classified based on available information.

Persistence and degradability

No data available

Bioaccumulative potential

Components:

ethane-1,2-diol:

Partition coefficient: n- : log Pow: -1.36

octanol/water

2,2'-oxydiethanol:

Partition coefficient: n- : log Pow: -1.47

octanol/water

Mobility in soil
No data available

Other adverse effects

Product:

Additional ecological : No data available

information

Global warming potential

Assessment Report of the Intergovernmental Panel on Climate Change (IPCC) of the United Nations Framework Convention on Climate Change (UNFCCC)

Components:

octamethyltrisiloxane:

20-year global warming potential: 1.17 100-year global warming potential: 0.325 500-year global warming potential: 0.093

Atmospheric lifetime: 0.019 yr Radiative efficiency: 0.06 Wm2ppb

Further information: Miscellaneous compounds

Valvoline...

Global

SAFETY DATA SHEET

ZEREX™ ORIGINAL Antifreeze Coolant

Version: 1.0 Revision Date: 08/18/2025 Print Date: 09/17/2025

decamethylcyclopentasiloxane:

20-year global warming potential: 1.04 100-year global warming potential: 0.289 500-year global warming potential: 0.082

Atmospheric lifetime: 0.016 yr Radiative efficiency: 0.098 Wm2ppb

Further information: Miscellaneous compounds

octamethylcyclotetrasiloxane:

20-year global warming potential: 2.66 100-year global warming potential: 0.739 500-year global warming potential: 0.211

Atmospheric lifetime: 0.027 yr Radiative efficiency: 0.12 Wm2ppb

Further information: Miscellaneous compounds

dodecamethylcyclohexasiloxane:

20-year global warming potential: 0.51 100-year global warming potential: 0.142 500-year global warming potential: 0.04

Atmospheric lifetime: 0.011 yr Radiative efficiency: 0.086 Wm2ppb

Further information: Miscellaneous compounds

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.

Do not contaminate ponds, waterways or ditches with

chemical or used container.

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

SAFETY DATA SHEET

ZEREX™ ORIGINAL Antifreeze Coolant

Version: 1.0 Revision Date: 08/18/2025 Print Date: 09/17/2025

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

TDG

Not regulated as a dangerous good

Special precautions for user

Not applicable

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

SECTION 15. REGULATORY INFORMATION

Canadian PBT Chemicals : This product contains the following components on the DSL

that are classified as Persistent, Bioaccumulative and/or Toxic

(PBT) under CEPA:

octamethyltrisiloxanedecamethylcyclopentasiloxaneoctamethy

lcyclotetrasiloxanedodecamethylcyclohexasiloxane

NPRI Components : ethane-1,2-diol

sodium nitrate methanol

The components of this product are reported in the following inventories:

TCSI : On the inventory, or in compliance with the inventory

TSCA : All substances listed as active on the TSCA inventory

AIIC : On the inventory, or in compliance with the inventory

DSL : All components of this product are on the Canadian DSL

ENCS : Not in compliance with the inventory

KECI: Not in compliance with the inventory

PICCS : On the inventory, or in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

NZIoC : Not in compliance with the inventory

Canadian lists

No substances are subject to a Significant New Activity Notification.



ZEREX™ ORIGINAL Antifreeze Coolant

Version: 1.0 Revision Date: 08/18/2025 Print Date: 09/17/2025


Inventories

AIIC (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TECI (Thailand), TSCA (USA)

SECTION 16. OTHER INFORMATION

Further information

NFPA 704:



Special hazard

HMIS® IV:

HEALTH	*	2
FLAMMABILITY		1
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

CA AB OEL : Canada. Alberta, Occupational Health and Safety Code (table

2: OEL)

CA BC OEL : Canada. British Columbia OEL

CA QC OEL : Québec. Regulation respecting occupational health and

safety, Schedule 1, Part 1: Permissible exposure values for

airborne contaminants

ACGIH / TWA : 8-hour, time-weighted average ACGIH / STEL : Short-term exposure limit

CA AB OEL / TWA

CA AB OEL / STEL

CA AB OEL / (c)

CA BC OEL / TWA

CA BC OEL / TWA

CA BC OEL / STEL

S-hour time weighted average

CA BC OEL / STEL

S-hour time weighted average

Short-term exposure limit

CA BC OEL / C : ceiling limit

CA QC OEL / TWAEV : Time-weighted average exposure value

CA QC OEL / STEV : Short-term exposure value



ZEREX™ ORIGINAL Antifreeze Coolant

Version: 1.0 Revision Date: 08/18/2025 Print Date: 09/17/2025

CA QC OEL / C : Ceiling

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 -Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC -New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG -Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Revision Date : 08/18/2025 Date format : mm/dd/yyyy

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

CA / EN

Internal information: 000000139197