Safety Data Sheet



Issue Date: 02-Jan-2013 Revision Date: 25-Oct-2017 Version 1

1. IDENTIFICATION

Product Identifier

Product Name PC-11 Heavy Duty Epoxy Paste, part B

Other means of identification

SDS # 130205-21C- CA

UPC Code 054983 01011, 054983 02011, 054983 08011, 054983 16011, 054983 64011, 054983

12811

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Multi-purpose epoxy paste

Uses Advised Against No information available

Details of the supplier of the safety data sheet

Initial Supplier IdentifierManufacturer AddressTHIS SAFETY DATA SHEETProtective Coatings Co.

IS NOT COMPLIANT UNLESS 221 S Third St.

CANADIAN ADDRESS IS USED Allentown, PA 18102 USA 610-432-3543 / 800-220-2103

Emergency Telephone Number

Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Appearance Light blue paste Physical state Paste Odour Slight amine

Classification

Acute toxicity - Oral	Category 4
Acute toxicity - Dermal	Category 4
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2
Skin sensitisation	Category 1

EN / HGHS Page 1/9

Revision Date: 25-Oct-2017

Label Elements

Signal word Warning

Hazard statements

Harmful if swallowed Harmful in contact with skin Causes skin irritation Causes serious eye irritation May cause an allergic skin reaction



Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product Wear protective gloves/protective clothing/eye protection/face protection Avoid breathing dust/fume/gas/mist/vapours/spray Contaminated work clothing should not be allowed out of the workplace

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention IF ON SKIN: Wash with plenty of water and soap Call a POISON CENTRE or doctor if you feel unwell Take off all contaminated clothing and wash it before reuse If skin irritation or rash occurs: Get medical advice/attention IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell Rinse mouth

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixture

Chemical Name	CAS No	Weight-%	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
Styrenated phenol	61788-44-1	29.6	-	-
Talc	14807-96-6	28	-	-
Formaldehyde, polymer with 1,3,dimethylbenzene	26139-75-3	9.5	-	-
Kaolin	1332-58-7	7.2	-	-
1-(2-Aminoethyl) piperazine	140-31-8	6.4	-	-
Soda lime borosilicate glass	65997-17-3	2.4	-	-
Polyethylene	9002-88-4	1.5	-	-
Ceramic Fiber	142844-00-6	1	-	-

EN / HGHS Page 2/9

4. FIRST AID MEASURES

First Aid Measures

Eye contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Skin contactWash with soap and water. Remove and wash contaminated clothing before reuse. Call a

physician if you feel unwell. If skin irritation or rash occurs: Get medical advice/attention.

Revision Date: 25-Oct-2017

Inhalation Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give

oxygen. Get medical attention if necessary.

Ingestion Do NOT induce vomiting. Rinse mouth thoroughly with water. Never give anything by mouth

to an unconscious person. Call a POISON CENTRE/doctor/physician if you feel unwell.

Most important symptoms and effects

Symptoms Harmful in contact with skin. Harmful if swallowed. Causes eye and skin irritation. May

cause respiratory irritation. May cause an allergic skin reaction.

Indication of any immediate medical attention and special treatment needed

Note to doctors Skin and eye conditions may be aggravated by long term exposure.

5. FIREFIGHTING MEASURES

Suitable Extinguishing Media Dry chemical, CO2 or water spray.

Unsuitable extinguishing media Not determined.

Specific hazards arising from the

chemical

No information available.

Hazardous Combustion Products Carbon monoxide. Carbon dioxide (CO2). Aldehydes. Nitrogen oxides (NOx).

Explosion Data

Sensitivity to Mechanical Impact None.
Sensitivity to Static Discharge None.

Special protective equipment for

fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Do not release runoff from fire control methods to sewers or waterways. NFPA Class IIIB.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective gloves/protective clothing and eye/face protection. Remove any

contaminated clothing and wash thoroughly before reuse.

Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

EN / HGHS Page 3/9

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Dispose of contents/container to an approved waste disposal plant.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Wear appropriate

personal protective equipment. Wash face, hands and any exposed skin thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Do not

Revision Date: 25-Oct-2017

eat, drink or smoke when handling this product. Avoid breathing

dust/fume/gas/mist/vapours/spray.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place.

Incompatible materials Strong oxidising agents

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits

Chemical Name	Canada - Alberta - Occupational Exposure Limits - Ceilings	Canada - British Columbia - Occupational Exposure Limits - Ceilings	Canada - Ontario - Occupational Exposure Limits - Ceilings	Quebec
Talc 14807-96-6	TWA: 2 mg/m ³	TWA: 2 mg/m ³	TWA: 2 mg/m ³	TWA: 3 mg/m ³
Kaolin 1332-58-7	TWA: 2 mg/m ³	TWA: 2 mg/m ³	TWA: 2 mg/m ³	TWA: 5 mg/m ³
Soda lime borosilicate glass 65997-17-3	TWA: 5 mg/m ³ TWA: 1 fibre/cm3	TWA: 1 fibre/cm3 TWA: 5 mg/m ³	TWA: 1 fibre/cm3 TWA: 5 mg/m ³	TWA: 10 mg/m ³
Ceramic Fiber 142844-00-6	TWA: 0.2 fibre/cm3	TWA: 0.2 fibre/cm3	TWA: 0.5 fibre/cm3	TWA: 1 fibre/cm3

Other Information If product is sanded, appropriate respirator should be worn to avoid breathing dust.

Pre-existing respiratory disorders may be aggravated by exposure. If sanded, this material may generate Ceramic fiber dust. Inhaled fibers have been classified by IARC as a human

carcinogen (see section 11).

Appropriate engineering controls

Engineering controls Maintain eye wash fountain and quick-drench facilities in work area. Provide general or

local exhaust ventilation if product is sanded or ground.

Individual protection measures, such as personal protective equipment

Eye/face protection Chemical safety goggles/faceshield. If necessary, refer to appropriate regulations and

standards.

EN / HGHS Page 4/9

Skin and body protection Wear protective gloves and protective clothing. If necessary, refer to appropriate

regulations and standards.

Respiratory protection Ensure adequate ventilation, especially in confined areas. If engineering controls do not

maintain airborne concentrations below recommended exposure limits, a NIOSH/MSHA approved respirator must be worn. If necessary, refer to appropriate regulations and

Revision Date: 25-Oct-2017

standards.

General hygiene considerations Avoid contact with skin, eyes and clothing. After handling this product, wash hands before

eating, drinking, or smoking. If contact occurs, remove contaminated clothing. If needed, take first aid action shown on section 4 of this SDS. Launder contaminated clothing before

reuse.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Paste

Appearance Light blue paste
Colour Light blue
Odour Slight amine

Odour Threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH > /= 2.0 - < / = 12.0

Melting Point/Freezing Point Not determined

Boiling Point/Boiling Range Not determined

Flash Point > 110 °C / 230 °F

Evaporation Rate 0

Flammability (Solid, Gas) Not determined

Flammability Limits in Air

Upper Flammability Limits Not determined Lower Flammability Limit Not determined

Vapour Pressure 0

Vapour Density Not determined

Relative Density 1.01

Water Solubility

Solubility in other solvents
Partition Coefficient
Auto-ignition Temperature
Decomposition Temperature
Kinematic Viscosity
Dynamic Viscosity

Insoluble in water
Not determined
Not determined
Not determined
Not determined
Soluble in water

Explosive properties No information available.

Oxidising properties No information available.

Other Information

Softening Point
Molecular weight
VOC Content (%)
Density
No information available

EN / HGHS Page 5/9

Revision Date: 25-Oct-2017

10. STABILITY AND REACTIVITY

Reactivity Not reactive under normal conditions.

Chemical Stability Stable under normal conditions.

Possibility of Hazardous Reactions None under normal processing.

Hazardous Polymerisation Hazardous polymerisation does not occur.

Conditions to Avoid Keep out of reach of children.

Incompatible Materials Strong oxidising agents.

Hazardous Decomposition Products None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye contact Causes serious eye irritation.

Skin contact Harmful in contact with skin. Causes skin irritation.

Inhalation May cause irritation to the mucous membranes and upper respiratory tract.

Ingestion Harmful if swallowed. Ingestion may cause irritation to mucous membranes.

Information on physical, chemical and toxicological effects

Symptoms Please see section 4 of this SDS for symptoms.

Numerical measures of toxicity

Acute Toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 1,639.34

mg/kg

ATEmix (dermal) 1,404.49

mg/kg

Unknown acute toxicity No information available

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Styrenated phenol 61788-44-1	2100 - 6700 mg/kg (Rat)	> 7940 mg/kg (Rabbit)	> 2.5 mg/L (Rat)6 h
Formaldehyde, polymer with 1,3,dimethylbenzene 26139-75-3	>2000 mg/kg (rat)	-	-
Kaolin 1332-58-7	> 5000 mg/kg (Rat)	> 5000 mg/kg (Rat)	-

EN / HGHS Page 6/9

Revision Date: 25-Oct-2017

	1-(2-Aminoethyl) piperazine 140-31-8	= 2140 μL/kg (Rat)	= 880 μL/kg (Rabbit)	-
	Polyethylene	> 2000 mg/kg (Rat)= 8 g/kg	-	-
1	9002-88-4	(Rat)		

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Respiratory or skin sensitisation May cause an allergic skin reaction.

Carcinogenicity Ceramic Fiber is a possible carcinogen when it appears as a respirable dust.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

		, ,		
Chemical Name	ACGIH	IARC	NTP	OSHA
Talc 14807-96-6	-	Group 3	-	Х
Soda lime borosilicate glass 65997-17-3	-	Group 3	-	-
Polyethylene 9002-88-4	-	Group 3	-	-
Ceramic Fiber 142844-00-6	A2	Group 2B	Reasonably Anticipated	Х

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

Group 3 IARC components are "not classifiable as human carcinogens"

NTP (National Toxicology Program)

Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labour)

X - Present

12. ECOLOGICAL INFORMATION

Ecotoxicity

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Chemical Name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Talc	-	100: 96 h Brachydanio	-	-
14807-96-6		rerio g/L LC50 semi-static		
1-(2-Aminoethyl)	495: 72 h	1950 - 2460: 96 h	EC50 > 10000 mg/L 17 h	32: 48 h Daphnia magna
piperazine	Pseudokirchneriella	Pimephales promelas		mg/L EC50
140-31-8	subcapitata mg/L EC50	mg/L LC50 flow-through		-
		1000: 96 h Poecilia		
		reticulata mg/L LC50		
		semi-static 100: 96 h		
		Oncorhynchus mykiss		
		mg/L LC50 semi-static		

Persistence/Degradability No information available.

Bioaccumulation No information available.

EN / HGHS Page 7/9

Mobility

Component Information

Chemical Name	Partition Coefficient
Styrenated phenol 61788-44-1	>4
1-(2-Aminoethyl) piperazine 140-31-8	-1.48

Other Adverse Effects

No information available.

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

Revision Date: 25-Oct-2017

environmental legislation.

Contaminated packaging Do not reuse empty containers.

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances

DOT Not regulated

TDG Not regulated

IATA Not regulated

IMDG Not regulated

15. REGULATORY INFORMATION

REGULATORY INFORMATION

International Regulations

Ozone-depleting substances (ODS) Not applicable

Persistent Organic Pollutants Not applicable

Export Notification requirements Not applicable

International Inventories

Chemical Name	TSCA	DSL/NDSL	EINECS/ELI NCS	ENCS	IECSC	KECL	PICCS	AICS
Styrenated phenol	X	X	Х	Present	Х	Present	Х	X
Talc	X	Х	X	Present	Х	Present	Х	X
Formaldehyde, polymer with 1,3,dimethylbenzene	X	Х		Present	X	Present	X	X

EN / HGHS Page 8/9

Kaolin	Χ	Х	X	Present	Х	Present	Χ	Х
1-(2-Aminoethyl) piperazine	Х	Х	X	Present	Х	Present	Х	Х
Soda lime borosilicate glass	Х	Х	Х	Present	Х	Present	Х	Х
Polyethylene	Х	Х		Present	Х	Present	Х	X
Ceramic Fiber					Х			

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL Keroon Existing and Evaluated Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances **PICCS** - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA Health Hazards 2 Flammability 1 Instability 0 Special Hazards Not

determined

HMIS Health Hazards 2 Flammability 1 Physical hazards 0 Personal Protection

Not determined

Revision Date: 25-Oct-2017

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average)
STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value * Skin designation

Issue Date: 02-Jan-2013

Revision Date: 25-Oct-2017

Revision Note: New format.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet