

1. IDENTIFICATION**Product Identifier**

Product Name AF-0031
AF-0031 DURAPRO VINYL TILES & PLANKS ADHESIVE / DURAPRO ADHÉSIF TUILES & PLANCHES VINYLE

Other means of identification

Product Code(s) YAF0031-D
Alternate Product Code(s) AF0031-950 , AF0031-378 , AF0031-015
Product Type Adhesive.

Recommended use of the chemical and restrictions on use

Recommended Use For industrial use only.
Uses advised against No information available

Details of the supplier of the safety data sheet**Supplier Address**

Dural
550 Marshall Ave.
Dorval, QC
Canada
H9P 1C9

Company Phone Number

800-361-2340

Emergency telephone number

Emergency Telephone Number CANUTEC 613-996-6666

2. HAZARDS IDENTIFICATION**Classification****OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

WHMIS Statement

Classification complies with Canadian Hazardous Products Regulations (WHMIS 2015).

Skin sensitization	Category 1A
Germ cell mutagenicity	Category 1B
Carcinogenicity	Category 1A

Label elements**Emergency Overview**

Signal Word Danger

Hazard Statements

May cause an allergic skin reaction. May cause genetic defects. May cause cancer.



Appearance White

Physical State Liquid

Odor Slight

Precautionary Statements - Prevention

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves/protective clothing/eye protection/face protection. Avoid breathing dust/fume/gas/mist/vapors/spray. Contaminated work clothing must not be allowed out of the workplace.

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention. Specific treatment (see Section 4 on this SDS).

In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

IF ON SKIN: Wash with plenty of water and soap. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse.

Precautionary Statements - Storage

Keep from freezing.

Precautionary Statements - Disposal

Dispose of in accordance with federal, state and local regulations.

Hazards not otherwise classified (HNOC)

None under normal processing.

Other Information

Unknown acute toxicity

12.349 % of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Components	CAS No.	Weight-%	Trade Secret
Limestone	1317-65-3	30 - 60	*
Distillates, petroleum, hydrotreated heavy naphthenic	64742-52-5	5 - 13	*
1,2-Propylene glycol	57-55-6	1 - 5	*
Triethanolamine	102-71-6	1 - 5	*
Quartz	14808-60-7	1 - 5	*
Diethanolamine	111-42-2	0.1 - 1.0	*
Zinc oxide (ZnO)	1314-13-2	0.1 - 1.0	*
Naphthalene	91-20-3	0.1 - 1.0	*
5-Chloro-2-methyl-3(2H)-isothiazolone, mixture with 2-methyl-3(2H)-isothiazolone	55965-84-9	< 0.1%	*

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

Eye Contact

Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.

Skin Contact

Wash off immediately with soap and plenty of water. Take off contaminated clothing and wash before reuse. In the case of skin irritation or allergic reactions see a physician.

Inhalation

Remove to fresh air.

Ingestion

None under normal use conditions. Clean mouth with water and drink afterwards plenty of

water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Consult a physician if necessary.

Notes to Physician

Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment

Unsuitable Extinguishing Media

Specific test data for the substance or mixture is not available.

Specific Hazards Arising from the Chemical

Do not allow run-off from fire-fighting to enter drains or water courses. Dried product is capable of burning. Sealed containers may rupture when heated.

Explosion Data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions

Use personal protection equipment. Ensure adequate ventilation. If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Respiratory protection must be provided in accordance with current local regulations.

Environmental precautions

Environmental precautions

See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for Cleaning Up

Pick up and transfer to properly labeled containers. Prevent environmental discharge consistent with regulatory requirements. Disposal should be in accordance with applicable regional, national and local laws and regulations.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with eyes, skin and clothing.

Conditions for safe storage, including any incompatibilities

Storage

Keep containers tightly closed in a cool, well-ventilated place. Keep from freezing.

Incompatible Products

WATER REACTIVE MATERIALS. Strong oxidizing agents. Strong acids.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Components	ACGIH TLV	OSHA PEL	NIOSH IDLH	AIHA - WEEL
Limestone 1317-65-3	-	TWA: 15 mg/m ³ TWA: 5 mg/m ³ (vacated) TWA: 15 mg/m ³ (vacated) TWA: 5 mg/m ³	TWA: 10 mg/m ³ TWA: 5 mg/m ³	-

Distillates, petroleum, hydrotreated heavy naphthenic 64742-52-5	TWA: 5 mg/m ³	TWA: 5 mg/m ³ (vacated) TWA: 5 mg/m ³	IDLH: 2500 mg/m ³ TWA: 5 mg/m ³ STEL: 10 mg/m ³	-
1,2-Propylene glycol 57-55-6	TWA: 10 mg/m ³	-	-	10 mg/m ³ TWA
Triethanolamine 102-71-6	TWA: 5 mg/m ³	-	-	-
Quartz 14808-60-7	TWA: 0.025 mg/m ³	TWA: 50 µg/m ³ (vacated) TWA: 0.1 mg/m ³	IDLH: 50 mg/m ³ TWA: 0.05 mg/m ³	-
Diethanolamine 111-42-2	TWA: 1 mg/m ³ Skin	(vacated) TWA: 3 ppm (vacated) TWA: 15 mg/m ³	TWA: 3 ppm TWA: 15 mg/m ³	-
Zinc oxide (ZnO) 1314-13-2	TWA: 2 mg/m ³	TWA: 5 mg/m ³ TWA: 15 mg/m ³ (vacated) TWA: 5 mg/m ³ (vacated) TWA: 10 mg/m ³ (vacated) STEL: 10 mg/m ³	IDLH: 500 mg/m ³ Ceiling: 15 mg/m ³ TWA: 5 mg/m ³ STEL: 10 mg/m ³	-
Naphthalene 91-20-3	BEI: BEI: 2.5 µg/L urine BEI: urine TWA: 10 ppm Skin	TWA: 10 ppm TWA: 50 mg/m ³ (vacated) TWA: 10 ppm (vacated) TWA: 50 mg/m ³ (vacated) STEL: 15 ppm (vacated) STEL: 75 mg/m ³	IDLH: 250 ppm TWA: 10 ppm TWA: 50 mg/m ³ STEL: 15 ppm STEL: 75 mg/m ³	-

Appropriate engineering controls

Engineering Measures

Showers
Eyewash stations
Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/Face Protection

Avoid contact with eyes. Eye protection.

Skin and Body Protection

Wear protective gloves/protective clothing.

Respiratory Protection

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product. Take off contaminated clothing and wash before reuse.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State

Liquid

Appearance

White

Color

White

Odor

Slight

Odor Threshold

No data available

Property

Values

Remarks • Method

pH

8

Range: 7.5 - 8.5

Melting point / freezing point

No information available

Boiling Point / Boiling Range

Specific test data for the substance or mixture is not available

Flash Point

Specific test data for the substance or mixture is not available

Evaporation Rate

No information available

Flammability (solid, gas)

No information available

Flammability Limit in Air

Upper Explosive Limits

Specific test data for the substance or mixture is not available

Lower Explosive Limits

Specific test data for the substance or mixture is not available

Vapor pressure

Negligible

Vapor Density

Specific test data for the substance or mixture is not available

Specific Gravity	1.15
Water Solubility	Miscible with water
Solubility in other solvents	Specific test data for the substance or mixture is not available
Partition coefficient	No information available
Autoignition Temperature	No information available
Decomposition Temperature	No information available
Kinematic viscosity	No information available
Dynamic viscosity	Specific test data for the substance or mixture is not available
Explosive Properties	No information available
Oxidizing Properties	No information available

Other Information

Softening Point	Specific test data for the substance or mixture is not available
Solids	70.5 - 73.5 %

10. STABILITY AND REACTIVITY

Reactivity

None under normal processing

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to Avoid

Excessive heat.

Incompatible Materials

WATER REACTIVE MATERIALS. Strong oxidizing agents. Strong acids.

Hazardous Decomposition Products

Thermal decomposition can lead to release of irritating gases and vapors. Carbon oxides. Nitrogen oxides (NOx).

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation	May cause irritation of respiratory tract.
Eye Contact	Contact with eyes may cause irritation.
Skin Contact	Repeated exposure may cause skin dryness or cracking.
Ingestion	Not an expected route of exposure. May be harmful if swallowed.

Components	Oral LD50	Dermal LD50	Inhalation LC50
Distillates, petroleum, hydrotreated heavy naphthenic 64742-52-5	> 5000 mg/kg (Rat) > 24 g/kg (Rat)	> 2000 mg/kg (Rabbit)	= 2062 ppm (Rat) 4 h
1,2-Propylene glycol 57-55-6	= 20 g/kg (Rat)	= 20800 mg/kg (Rabbit)	-
Triethanolamine 102-71-6	= 4190 mg/kg (Rat)	> 16 mL/kg (Rat) > 20000 mg/kg (Rabbit)	-
Diethanolamine 111-42-2	= 620 µL/kg (Rat) = 780 mg/kg (Rat)	= 11.9 mL/kg (Rabbit) = 7640 µL/kg (Rabbit)	-
Zinc oxide (ZnO) 1314-13-2	> 5000 mg/kg (Rat)	-	-
Naphthalene 91-20-3	= 1110 mg/kg (Rat) = 490 mg/kg (Rat)	= 1120 mg/kg (Rabbit) > 20 g/kg (Rabbit)	> 340 mg/m ³ (Rat) 1 h
5-Chloro-2-methyl-3(2H)-isothiazolone, mixture with 2-methyl-3(2H)-isothiazolone 55965-84-9	= 53 mg/kg (Rat) = 481 mg/kg (Rat) 232 - 249 mg/kg (Rat) = 120 mg/kg (Rat)	= 200 mg/kg (Rabbit)	= 1.23 mg/L (Rat) 4 h = 0.11 mg/L (Rat) 4 h

Information on toxicological effects

Symptoms Specific test data for the substance or mixture is not available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization May cause sensitization in susceptible persons.
Mutagenic Effects Specific test data for the substance or mixture is not available.
Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen

Components	ACGIH	IARC	NTP	OSHA
Distillates, petroleum, hydrotreated heavy naphthenic 64742-52-5	A2	Group 1	Known	X
Triethanolamine 102-71-6	-	Group 3	-	-
Quartz 14808-60-7	A2	Group 1	Known	X
Diethanolamine 111-42-2	A3	Group 2B	-	X
Naphthalene 91-20-3	A3	Group 2A Group 2B	Reasonably Anticipated	X

Reproductive Toxicity No information available
STOT - single exposure No information available.
STOT - repeated exposure No information available.
Aspiration Hazard No information available.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (dermal) 25,244.30

12. ECOLOGICAL INFORMATION

Ecotoxicity

0 % of the mixture consists of component(s) of unknown hazards to the aquatic environment

Components	Algae/aquatic plants	Toxicity to Fish	Daphnia Magna (Water Flea)
Distillates, petroleum, hydrotreated heavy naphthenic - 64742-52-5	N/A	5000: 96 h Oncorhynchus mykiss mg/L LC50	1000: 48 h Daphnia magna mg/L EC50
1,2-Propylene glycol - 57-55-6	19000: 96 h Pseudokirchneriella subcapitata mg/L EC50	41 - 47: 96 h Oncorhynchus mykiss mL/L LC50 static 51600: 96 h Oncorhynchus mykiss mg/L LC50 static 710: 96 h Pimephales promelas mg/L LC50 51400: 96 h Pimephales promelas mg/L LC50 static	10000: 24 h Daphnia magna mg/L EC50 1000: 48 h Daphnia magna mg/L EC50 Static
Triethanolamine - 102-71-6	216: 72 h Desmodesmus subspicatus mg/L EC50 169: 96 h Desmodesmus subspicatus mg/L EC50	450 - 1000: 96 h Lepomis macrochirus mg/L LC50 static 1000: 96 h Pimephales promelas mg/L LC50 static 10600 - 13000: 96 h Pimephales promelas mg/L LC50 flow-through	1386: 24 h Daphnia magna mg/L EC50
Diethanolamine - 111-42-2	7.8: 72 h Desmodesmus subspicatus mg/L EC50 2.1 - 2.3: 96 h Pseudokirchneriella subcapitata mg/L EC50	1200 - 1580: 96 h Pimephales promelas mg/L LC50 static 4460 - 4980: 96 h Pimephales promelas mg/L LC50 flow-through 600 - 1000: 96 h Lepomis macrochirus mg/L LC50 static	55: 48 h Daphnia magna mg/L EC50
Zinc oxide (ZnO) - 1314-13-2	N/A	1.55: 96 h Danio rerio mg/L LC50 static	N/A
Naphthalene - 91-20-3	0.4: 72 h Skeletonema costatum mg/L EC50	5.74 - 6.44: 96 h Pimephales promelas mg/L LC50 flow-through 0.91 - 2.82: 96 h Oncorhynchus mykiss mg/L LC50 static 31.0265: 96 h Lepomis macrochirus mg/L LC50 static 1.99: 96 h Pimephales promelas mg/L LC50 static 1.6: 96 h Oncorhynchus mykiss mg/L LC50 flow-through	1.09 - 3.4: 48 h Daphnia magna mg/L EC50 Static 2.16: 48 h Daphnia magna mg/L LC50 1.96: 48 h Daphnia magna mg/L EC50 Flow through

5-Chloro-2-methyl-3(2H)-isothiazolone, mixture with 2-methyl-3(2H)-isothiazolone - 55965-84-9	0.11 - 0.16: 72 h Pseudokirchneriella subcapitata mg/L EC50 static 0.03 - 0.13: 96 h Pseudokirchneriella subcapitata mg/L EC50 static 0.31: 120 h Anabaena flos-aquae mg/L EC50	1.6: 96 h Oncorhynchus mykiss mg/L LC50 semi-static	0.71 - 0.99: 48 h Daphnia magna mg/L EC50 Static 0.12 - 0.3: 48 h Daphnia magna mg/L EC50 Flow through 4.71: 48 h Daphnia magna mg/L EC50
---	---	---	---

Persistence and Degradability

No information available.

Bioaccumulation/Accumulation

No information available.

Components	log Pow
Triethanolamine 102-71-6	-2.53
Diethanolamine 111-42-2	-2.18
Naphthalene 91-20-3	3.6
5-Chloro-2-methyl-3(2H)-isothiazolone, mixture with 2-methyl-3(2H)-isothiazolone 55965-84-9	-0.71 - 0.75

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal Methods

This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.

Contaminated Packaging

Do not reuse empty containers.

14. TRANSPORT INFORMATION

DOT

Not regulated.

IATA

Not regulated.

IMDG/IMO

Not regulated.

15. REGULATORY INFORMATION

TSCA 8(b)

All components are listed or exempt

DSL

All components are listed or exempt

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Components	Weight-%	SARA 313 - Threshold Values %
Naphthalene - 91-20-3	0.1 - 1.0	0.1

SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	Yes
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

U.S. - CAA (Clean Air Act) - 1990 Hazardous Air Pollutants

This product contains the following substances which are listed hazardous air pollutants (HAPS) under Section 112 of the Clean Air Act:

Components	Weight-%	HAPS data
Diethanolamine 111-42-2	0.1 - 1.0	Present
Naphthalene 91-20-3	0.1 - 1.0	Present
Styrene 100-42-5	< 0.1%	Present
Ethyl acrylate 140-88-5	< 0.1%	Present
Acrylic acid 79-10-7	< 0.1%	Present
Formaldehyde 50-00-0	< 0.1%	Present
Methyl alcohol 67-56-1	< 0.1%	Present
1,3-Butadiene 106-99-0	< 0.1%	
1,4-Dioxane 123-91-1	< 0.1%	Present
Acetaldehyde 75-07-0	< 0.1%	Present
Ethylene oxide 75-21-8	< 0.1%	Present

CWA (Clean Water Act)

See information supplied by the manufacturer

CERCLA

See information supplied by the manufacturer

US State Regulations

California Proposition 65

WARNING: This product can expose you to one or more chemicals known to the State of California to cause cancer, birth defects, or other reproductive harm. For more information go to www.P65Warnings.ca.gov. See section 3 of the SDS for Proposition 65 substances present at or above 0.1 weight percent. Please contact the Regulatory Department if additional information is required.

U.S. EPA Label Information

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA	Health Hazard 2	Flammability 0	Instability 0	Physical and Chemical Hazards -
HMIS	Health Hazard 2*	Flammability 0	Physical hazards 0	Personal Precautions X

Revision Date 14-Feb-2020

Revision Note

No information available

Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet