

MATERIAL SAFETY DATA SHEET

Product Name/Code SAMAN HYBRID STAINS: SAM-301 TO SAM-319		HMIS CODES health 1 flammability 0 reactivity 0			
Section 1 Product and Company Identific	cation		-		
Manufacturer's name		Emergency Tele	phone Number		
Saman 3777472 Canada inc.		819-751-2350			
Address (Number, Street, City, State and ZIP Code)		Telephone Number for Information			
1235, rue de L'Acadie Victoriaville (Québec) Canada G6T 1W4		819-751-235	0		
Date January 2015	Prepared by Yvan Désilets				
Section 2 Hazardous Ingredients/Identity	y Information				
HAZARDOUS COMPONENTS					DERMAL LD5
NAME / CAS NO.	WT %	OSHA PEL	ACGIH TLV	ORAL LD50	(RAT) (RABBIT)
n-propoxy propanol (PnP) / 1569-01-3	0.5-1.5	n/a	n/a	2000-43	50 mg/kg
1,2-propanediol / 57-55-6	1-5	n/a	5 mg/m ³	20 mg/kg	20.8g/kg
2,2,4-trimethyl-1,3-pentanidiol monoiso (TMB) / 25265-77-4	butyrate 1-5	n/a	n/a	6517 mg/	/kg >15200 mg/k
carbon black / 1333-86-4	0-0.5	3.5 mg/m ³	3.5 mg/m ³	>8000 mg	g/kg n/a
Section 3 Physical/Chemical Characteris	stics				
Appearance and Odor coloured liquid, mil	ld odor				
Specific Gravity (H ₂ O = 1)	1.02-1.06	Viscosity Ford cup #4 (seconds) 45-50		45-50	
рН	7.7-8.1	% Volatile by Weight 74 ± 2		74 ± 2	
Boiling Point (°F)	212-500	Melting Point (°F) n/a			
Vapor Pressure (mm Hg)	17.54 (H ₂ O)	Vapor Density (AIR = 1) 7.5 (TMB)			
Evaporation Rate (Butyl Acetate = 1)	0.21 (PnP)	VOC (g/l) 234		234	
Solubility in Water miscible					
Section 4 Fire and Explosion Hazard Dat	ta		1	Ī	
Flash Point (Method Used) n/a		Flammable Limit	s LEL n	/a	^{UEL} n/a
Extinguishing Media foam, carbon dioxide Use water spray to c					
Special Fire Fighting Procedures	ntained breathing ap	oparatus and full	protective clo	thina.	
Use self-co	mamod brodumng ap				

Section 5 Reactivity Data		2/3		
Stability stable under normal storage and use		Conditions to Avoid none known		
ncompatibility (Materials to Avoid)	oxidizing agents, stron	ngly alkaline and strongly acid materials		
Hazardous Decomposition or Byprodu	icts Thermal decomp	osition will produce carbon dioxide and may yield carbon monoxide,		
	oxides of nitroger			
Hazardous Polymerization will not occur		Conditions to Avoid n/a		
Section 6 Health Hazard Data				
Route(s) of Entry eye and skin o	contact, inhalation, ing	estion		
1 10 11 1		Prolonged or repeated contact may cause skin irritation. Prolonged		
·	-	ay cause headache, dizziness and respiratory tract irritation. Ingestion		
	strointestinal irritation,			
Carcinogenicity no				
Medical Conditions				
	none generally recogr	nized		
Emergency and First Aid Procedures	Eye: Check for and remove any contact lenses. Immediately flush with plenty of			
	Set medical aid.			
		contaminated clothing. Wash skin thoroughly with soap and water.		
		to fresh air. Administer artificial respiration if necessary. Get medical		
	aid.	aduce veniting. Cive 1.2 glasses of water to dilute atomach contents		
	-	nduce vomiting. Give 1-2 glasses of water to dilute stomach contents. dical aid. If vomiting occurs spontaneously, keep head below hips to		
		aspiration of liquid into lungs. Never give anything by mouth to an		
	· ·	sious person.		
	unconsc	ious person.		
Section 7 Precautions for Safe	Handling and Use			
	<u> </u>			
Steps to Be Taken in Case Material Is	Released or Spilled Stor	p leak if without risk. Prevent entry into drains or watercourses. Absorb		
	•	an inert material and put in an appropriate waste disposal.		
Waste Disposal Method Disposal				
Precautions to Be Taken in Handling	10: :	local, state and federal environmental control regulations.		
recautions to be raken in riandling a	- Neep conta	ainer closed when not in use. Transfer only to approved containers with		
	·	and appropriate labeling. Store in a cool well-ventilated area. Keep from		
	freezing. K	eep out of reach of children.		
Section 8 Exposure Controls a	and Personal Protection	1		
Social of Exposure Controls a		<u> </u>		
Engineering controls Provide add	t- ventiletien			
i lovide ade	-	cal exhaust in addition to general room ventilation may be required to		
	sure limit(s).			
Respiratory:	•	ormal use in well-ventilated area		
1		pirator is advised for poorly ventilated areas.		
	Eye/Face: Safety glasses, splash googles.			
Eye/Face:				
	Wear chemical resist	ant gloves. Wear long legged, long sleeve work clothes. Launder		
Eye/Face: Skin:	Wear chemical resist contaminated clothing	ant gloves. Wear long legged, long sleeve work clothes. Launder		

Section 9 Transport Information

 $\begin{tabular}{ll} \mbox{US Ground (DOT)} & \mbox{Not regulated for transportation.} \end{tabular}$

Canada (TDG) Not regulated for transportation.

IMO Not regulated for transportation.

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.