

**967-39X URBANO POLY Acrylic Latex**  
**Pearl Finish / All tint Bases****SECTION 1. IDENTIFICATION**

Product Identifier 967-39X URBANO POLY Acrylic Latex Pearl Finish / All tint Bases  
Product Family Water Thinned Paint  
Recommended Use Coating.  
Restrictions on Use Not applicable.  
Manufacturer/Supplier Denalt Paints, 8620 Pascal Gagnon, St-Leonard, Quebec, H1P 1Z1  
Identifier  
Emergency Phone No. Peinture DENALT Paints, 514-328-2727 / 514-691-3533  
SDS No. 0254  
Date of Preparation avril 15, 2019

**SECTION 2. HAZARD IDENTIFICATION**

## Classification

Not classified under any hazard class.

## Label Elements

Not applicable

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Mixture:

Chemical Name	CAS No.	%	Other Identifiers	Other Names
Titanium dioxide	13463-67-7	Max 30	Pigment White no. 6	
Calcium carbonate	1317-65-3	Max 5		
Kaolin	1332-58-7	Max 5	hydrated aluminum silicate	
Propionic acid, 2-methyl-, monoester with 2,2,4-trimethyl-1,3-pentanediol	25265-77-4	Max 0.5		

**SECTION 4. FIRST-AID MEASURES**

## First-aid Measures

## Inhalation

Get medical advice or attention if you feel unwell or are concerned.

## Skin Contact

Wash gently and thoroughly with lukewarm, gently flowing water and mild soap for 5 minutes.

## Eye Contact

Rinse the contaminated eye(s) with lukewarm, gently flowing water for 5 minutes, while holding the eyelid(s) open.

## Ingestion

Product Identifier: 967-39X URBANO POLY Acrylic Latex  
Date of Preparation: avril 15, 2019  
Date of Last Revision:

Pearl SDS No.: 0254

Page 01 of 06

Rinse mouth with water.

#### First-aid Comments

Get medical advice or attention if you feel unwell or are concerned.

#### Most Important Symptoms and Effects, Acute and Delayed

Not applicable.

## SECTION 5. FIRE-FIGHTING MEASURES

### Extinguishing Media

#### Suitable Extinguishing Media

Not combustible. Use extinguishing agent suitable for surrounding fire.

#### Unsuitable Extinguishing Media

Not applicable.

### Specific Hazards Arising from the Product

Does not burn.

Not known to generate any hazardous decomposition products in a fire.

### Special Protective Equipment and Precautions for Fire-fighters

No special precautions are necessary.

Chemical protective clothing (e.g. chemical splash suit) and positive pressure SCBA may be necessary.

## SECTION 6. ACCIDENTAL RELEASE MEASURES

### Personal Precautions, Protective Equipment, and Emergency Procedures

Use the personal protective equipment recommended in Section 8 of this safety data sheet.

### Environmental Precautions

It is good practice to prevent releases into the environment.

### Methods and Materials for Containment and Cleaning Up

No special clean-up methods are necessary.

### Other Information

None known.

## SECTION 7. HANDLING AND STORAGE

### Precautions for Safe Handling

It is good practice to: avoid breathing product; avoid skin and eye contact and wash hands after handling.

### Conditions for Safe Storage

Protect from conditions listed in Conditions to Avoid in Section 10 (Stability and Reactivity).

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control Parameters

Chemical Name	ACGIH TLV®		OSHA PEL		AIHA WEEL	
	TWA	STEL	TWA	Ceiling	8-hr TWA	TWA
Titanium dioxide	10 mg/m3 Not established					
Kaolin	2 mg/m3		5 mg/m3			
Calcium carbonate	10 mg/m3		15 mg/m3			

Consult local authorities for provincial or state exposure limits.

### Appropriate Engineering Controls

Product Identifier: 967-39X URBANO POLY Acrylic Latex

Pearl

SDS No.: 0254

Date of Preparation: avril 15, 2019

Date of Last Revision:

Page 02 of 06

The hazard potential of this product is relatively low. General ventilation is usually adequate.

#### Individual Protection Measures

##### Eye/Face Protection

Not required if product is used as directed.

##### Skin Protection

Not required, if used as directed.

##### Respiratory Protection

Not normally required if product is used as directed.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

### Basic Physical and Chemical Properties

Appearance	White viscous liquid.
Odour	Ammonia-like
Odour Threshold	Not available
pH	8.5 - 9.5
Melting Point/Freezing Point	Not available (melting); 0 °C (freezing)
Initial Boiling Point/Range	100 °C
Flash Point	Not applicable
Evaporation Rate	Not available
Flammability (solid, gas)	Not applicable
Upper/Lower Flammability or Explosive Limit	Not applicable (upper); Not applicable (lower)
Vapour Pressure	Not available
Vapour Density (air = 1)	Not available
Relative Density (water = 1)	1.15 - 1.30
Solubility	Soluble in water; Not available (in other liquids)
Partition Coefficient, n-Octanol/Water (Log Kow)	Not available
Auto-ignition Temperature	Not applicable
Decomposition Temperature	Not available
Viscosity	Not applicable (kinematic); Not applicable (dynamic)

## SECTION 10. STABILITY AND REACTIVITY

### Reactivity

Not reactive under normal conditions of use.

### Chemical Stability

Normally stable.

### Possibility of Hazardous Reactions

None expected under normal conditions of storage and use.

### Conditions to Avoid

Temperatures below 0 °C

### Incompatible Materials

Not applicable.

Not corrosive to metals.

### Hazardous Decomposition Products

Not applicable.

Product Identifier: 967-39X URBANO POLY Acrylic Latex

Pearl

SDS No.: 0254

Date of Preparation: avril 15, 2019

Date of Last Revision:

Page 03 of 06

## SECTION 11. TOXICOLOGICAL INFORMATION

Information presented below is for the entire product, unless otherwise specified.

### Likely Routes of Exposure

Skin contact; eye contact; ingestion.

### Acute Toxicity

Chemical Name	LC50	LD50 (oral)	LD50 (dermal)
Titanium dioxide	> 6820 mg/m <sup>3</sup> (rat) (4-hour exposure) (dust)	Not available	> 10000 mg/kg (rabbit)
Kaolin	Not applicable		
Calcium carbonate	Not applicable		
Propionic acid, 2-methyl-, monoester with 2,2, 4-trimethyl-1,3-pentanediol	> 3.55 mg/L (rat) (4-hour exposure)	6500 mg/kg (rat) (4-hour exposure)	> 15200 mg/kg (rabbit)

### Skin Corrosion/Irritation

No information was located.

### Serious Eye Damage/Irritation

Human experience shows very mild irritation.

### STOT (Specific Target Organ Toxicity) - Single Exposure

#### Inhalation

No information was located.

#### Skin Absorption

No information was located.

#### Ingestion

No information was located.

### STOT (Specific Target Organ Toxicity) - Repeated Exposure

No information was located.

### Respiratory and/or Skin Sensitization

No information was located.

### Carcinogenicity

Chemical Name	IARC	ACGIH®	NTP	OSHA
Titanium dioxide	Group 2B	A4		Listed
Propionic acid, 2-methyl-, monoester with 2,2, 4-trimethyl-1,3-pentanediol	Not Listed			

Even if IARC considers titanium dioxide as being potentially cancerogenous for humans, this conclusion should be understood as follows: " We think that the use of titanium dioxide in products where it is bonded to other materials, like in the case of paint, do not cause significant exposure to titanium dioxide."

### Key to Abbreviations

Group 2B = Possibly carcinogenic to humans. OSHA = US Occupational Safety and Health Administration. Listed.

### Reproductive Toxicity

#### Development of Offspring

No information was located.

#### Sexual Function and Fertility

No information was located.

#### Effects on or via Lactation

Product Identifier: 967-39X URBANO POLY Acrylic Latex

Pearl

SDS No.: 0254

Date of Preparation: avril 15, 2019

Date of Last Revision:

Page 04 of 06

No information was located.

#### Germ Cell Mutagenicity

No information was located.

#### Interactive Effects

No information was located.

#### Other Information

None known

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Acute Aquatic Toxicity

Chemical Name	LC50 Fish	EC50 Crustacea	ErC50 Aquatic Plants	ErC50 Algae
Titanium dioxide	> 1000 mg/L (Pimephales promelas (fathead minnow); 96-hour)		> 61 mg/L (Pseudokirchneriella subcapitata (algae); 72-hour)	> 100 mg/L (Daphnia magna (water flea); 48-hour)
Propionic acid, 2-methyl-, monoester with 2,2, 4-trimethyl-1, 3-pentenediol	33 mg/L (Pimephales promelas (fathead minnow); 96-hour)	147.8 mg/L (Daphnia magna (water flea); 48-hour)		15 mg/L (Pseudokirchneriella subcapitata (algae); 72-hour)

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal Methods

This product is a non-hazardous waste. The required hazard evaluation of the waste and compliance with the applicable hazardous waste laws are the responsibility of the user.

## SECTION 14. TRANSPORT INFORMATION

Not regulated under Canadian TDG regulations. Not regulated under US DOT Regulations. Not regulated under IATA Regulations.

Environmental Hazards Not applicable

Special Precautions Not applicable

Transport in Bulk According to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

Other Information Not regulated under IMDG / IMO

## SECTION 15. REGULATORY INFORMATION

### Safety, Health and Environmental Regulations

None known.

## SECTION 16. OTHER INFORMATION

NFPA Rating Health - 1 Flammability - 0 Instability - 0

SDS Prepared By Product Stewardship Dept

Phone No. 514-328-2727

References CHEMINFO database. Canadian Centre for Occupational Health and Safety (CCOHS). Registry of Toxic Effects of Chemical Substances (RTECS®) database. Dassault

Product Identifier: 967-39X URBANO POLY Acrylic Latex

Pearl SDS No.: 0254

Date of Preparation: avril 15, 2019

Date of Last Revision:

Page 05 of 06

Systèmes/BIOVIA ("BIOVIA"). Available from Canadian Centre for Occupational Health and Safety (CCOHS).

---

Product Identifier: 967-39X URBANO POLY Acrylic Latex

Pearl

SDS No.: 0254

Date of Preparation: avril 15, 2019

Date of Last Revision:

Page 06 of 06

---