



blumfeldt

Montageklammer



10028020

Sehr geehrter Kunde,

wir gratulieren Ihnen zum Erwerb Ihres Gerätes. Lesen Sie die folgenden Anschluss- und Anwendungshinweise sorgfältig durch und befolgen Sie diese, um möglichen technischen Schäden vorzubeugen. Für Schäden, die durch Missachtung der Sicherheitshinweise und unsachgemäßen Gebrauch entstehen, übernehmen wir keine Haftung.

Lieferumfang und benötigte Hilfsmittel

Lieferumfang:

- 1 Bodenplatte für Markisenhalterung
- 4 Schrauben mit Metallrahmendübel

Benötigte Hilfsmittel:

- 1 Bohrmaschine
- 1 Schraubendreher

Sicherheitshinweise

- Montieren Sie die Markisenhalterung mindestens zu zweit.
- Verwenden Sie die Markisenhalterung und die Bodenplatte nur zu dem dafür vorgesehenen Zweck. Die Markisenhalterung dient zum Festhalten der Blumfeldt-Markise.
- Belasten Sie die Markisenhalterung nicht durch das Anhängen von anderen Gegenständen.
- Schrauben Sie die Bodenplatte nur auf einen harten, ebenen Untergrund fest. Für weiche Untergründe ist die Einschlaghülse gedacht. Errichten Sie die Markisenhalterung aufrecht. Sie darf nicht schief stehen.
- Die Markisenhalterung muss stabil stehen. Die Schrauben müssen fest angezogen sein.


Aufstellung

Vor dem Aufstellen:

Der Abstand zur Wandhalterung der Markise darf höchstens 3 Meter betragen.

Die Markisenhalterung muss aufrecht stehen.

Die Arbeit sollte von mindestens zwei Personen ausgeführt werden.



- 1 Legen Sie die Klammer als Schablone auf den Untergrund und zeichnen Sie die Bohrmarkierungen vor.
- 2 Bohren Sie die 4 Löcher mit einem 12-mm-Bohrer.
- 3 Legen Sie die Bodenplatte bündig auf die Löcher. Die offene Seite (ohne Halteklammer) ist von der Markise abgewendet.
- 4 Legen Sie die Metallrahmendübel in die Löcher und schrauben Sie die Montageklammer fest.
- 5 Schieben Sie den Haltepfosten mit der Haltevorrichtung für die Markise voran hinein.

Hersteller: Chal-Tec GmbH, Wallstraße 16, 10179 Berlin, Deutschland

Dear Customer,

Congratulations on purchasing this product. Please read and follow these instructions, in order to avoid damaging the item. We do not cover any damages that may arise from improper use of the item or the disregard of the safety instructions.

Scope of Supply and Tools needed

Included

- 1 Mounting bracket
- 4 Screws with metal dowels

Tools needed:

- 1 Hammer
- 1 Spanner


Safety Instructions

- Set up the pile with at least two persons.
- Use the pile and the mounting bracket only as intended. The pile is for holding the Blumfeldt-awning.
- Do not burden the pile by attaching other objects .
- Fasten the stake only onto a firm ground. Use the ground stake for soft grounds.
- Set up the pile upright. It must not stand in a tilted position.
- The pile must stand stable. The screws must be tightened firmly.

Mounting

Before mounting :

The distance of the metal frame of the awning must not exceed 3 metres. The pile must stand upright. The work must be done with at least 2 persons.



- 1 Place the mounting bracket on the ground as a mask. Mark the drilling holes. Remove the bracket.
- 2 Drill the 4 holes with a 12-mm drill.
- 3 Place the mounting bracket flushly over the holes. Turn away the open side (without bracket) from the awning.
- 4 Put the metal dowels into the holes and fasten the mounting bracket.
- 5 Push the pile into the mounting bracket with the side of the awning fixture first.

Producer: Chal-Tec GmbH, Wallstraße 16, 10179 Berlin, Germany