


For Residential and Commercial Applications


Job Name		Engineer / Architect	
Job Location		Wholesaler	
Submittal Date		Contractor	

KTSCR14X 1/4 Turn Straight Ball Stop w/ Loose Key – Compression x Compression

Use: For use in potable water distribution systems in accessible locations only.

Design Features:

- **Machined brass ball** is specially engineered and mated with fluorocarbon seats to provide smooth operation without freeze-ups even after long periods of non-use
- **Two high-performance o-rings** withstand high temperatures and corrosion from harsh water environments
- **Machined one-piece brass body** provides strength, durability, and long-lasting performance
- **Brass stems** are assembled from the inside out with two o-rings to ensure safe, reliable performance
- **Plated stems** provide corrosion resistance and prevent o-ring damage after long periods of non-use
- **Removable loose key handle** helps protect against accidental stop operation during rough-ins and general use
- **100% Leak tested**
-  **No Lead**



Operating Specifications:

Temperature: 40° - 180° F
Pressure: 125 PSI maximum

MATERIAL SPECIFICATIONS

Body	<i>Brass, chrome plated</i>
Stem	<i>Brass, plated</i>
Seats	<i>Fluorocarbon</i>
Ball	<i>Brass, plated</i>
Stem O-rings	<i>Rubber</i>
Loose Key Stem	<i>Brass, chrome plated</i>
Lock Shield	<i>Brass, chrome plated</i>
Loose Key	<i>Zinc, die cast plated</i>
Compression Sleeve	<i>Brass</i>
Compression Nut	<i>Brass, chrome-plated</i>

Standard Part Listing:


- ☐ KTSCR14X C 1/2" nom compression x 3/8" OD compression, chrome plated

This specification and all information contained herein is the confidential and exclusive property of BrassCraft Manufacturing, and shall not be disclosed to others without the written consent of BrassCraft Mfg. This specification must be returned to BrassCraft Mfg. if requested.

BrassCraft®

KTSCR14X 1/4 Turn Straight Ball Stop w/ Loose Key – Compression x Compression

PART DIMENSIONS (Inches)				
Model	DIM. A	DIM. B	DIM. C	DIM. D
KTSCR14X	1.24	2.32	3.62	.94



Listings & Certifications:

- IAPMO listed to ASME A112.18.1 / CSA B125.1 (Including NSF 61 and NSF 372)(File 0645)
- CSA listed to ASME A112.18.1 / CSA B125.1 (Including NSF 61 and NSF 372)(File 204593)
- No-lead product CSA listed to NSF 372 (Class 6853-01)



This specification and all information contained herein is the confidential and exclusive property of BrassCraft Manufacturing, and shall not be disclosed to others without the written consent of BrassCraft Mfg. This specification must be returned to BrassCraft Mfg. if requested.

400.18 KTSCR14X 1/4 Turn Straight Ball Stop W/Loose Key - Compr x Compr REV 04/15

BrassCraft

© 2015 BrassCraft Mfg.