




Serving Gas, Electrical and Water Utilities
Since 1910

METER BOXES


Visit our Website at
www.brooksproductsnw.com
TEL: (503) 254-2910 FAX: (503) 262- 9673

No. 3 - SP COVER


WT. 13 lbs.

**No. 3 - MA COVER**


WT. 11 lbs.

**No. 3 - T CAST IRON COVER**


WT. 16 lbs.

**No. 3 - TL CAST IRON LOCKING COVER**


WT. 16 lbs.

**No. 3 - TG CAST IRON GRATE**


WT. 19 lbs.

**No. 3 MB - CONCRETE COVER**


WT. 13 lbs.

**No. 3 MB - BODY**


WT. 66 lbs.

**No. 3 MB - EXTENSION**

WT. 66 lbs.

**No. 3 MB - BASE**

WT. 20 lbs.



9 1/2" x 16" METER BOX
(for 3/4" WATER METER)


ORG. DWG. DATE
03-03-95

REV. DWG. DATE
12-06-00


BROOKS
PRODUCTS

3MB

**No. 3 - H ASSEMBLY w/
CAST IRON HINGED COVER**
WT. 68 lbs.



**No. 3 - HL ASSEMBLY w/
CAST IRON HINGED LOCKING COVER**
WT. 68 lbs.




9 1/2" x 16" METER BOX
(for 3/4" WATER METER)

ORG. DWG. DATE
03-03-95

REV. DWG. DATE
12-06-00


BROOKE
PRODUCTS

3-H MB




#5 Cast Iron Lid

wt. 5#



Concrete Cover

wt. 46#




Extensions

4" ext. - wt. 26#

6" ext. - wt. 39#

9" ext. - wt. 58#



Meter Box Body

wt. 54#


9 1/4" x 17 1/4"
METER BOX

REVISED
10/06/06


DRAWING NUMBER
#4 SERIES

BROOKS PRODUCTS


No. 11-2 LID
WT. 5 lbs.




No. 11 MB - CONCRETE COVER
WT. 60 lbs.




No. 11-2 S COVER
WT. 50 lbs.




No. 11 MB - BODY
WT. 84 lbs.




No. 11 - T STEEL COVER
WT. 59 lbs.



No. 11 MB - EXTENSION
WT. 84 lbs.



No. 11 - T STEEL COVER
WT. 59 lbs.



16" x 21" METER BOX
(for 3/4" WATER METER)

BROOKS
PRODUCTS


11MB

ORIG. DWG. DATE
07-31-00

REV. DWG. DATE
12-06-00


No. 36 - SP COVER

WT. 23 lbs.




No. 36 MB - CONCRETE COVER

WT. 23 lbs.




No. 36 MB - BODY

WT. 85 lbs.




No. 36 MB - EXTENSION

WT. 85 lbs.




No. 36 MB - BASE

WT. 31 lbs.




No. 36 - S LID (1-S)

WT. 5 lbs.




No. 36 - S COVER

WT. 17 lbs.




No. 36 - R COVER & LID

WT. 20 lbs.



**No. 36 - H COVER WITH
CAST IRON HINGED LID**

WT. 20 lbs.



10 1/2" x 17 1/4" METER BOX
(for 3/4" WATER METER)

ORG. DWG. DATE
03-03-95


REV. DWG. DATE
12-06-00

BROOKS
PRODUCTS

36MB


**No. 36 - HF ASSEMBLY WITH
CAST IRON HINGED COVER**

WT. 106 lbs.



**No. 36 - HFL ASSEMBLY WITH
CAST IRON HINGED LOCKING COVER**


WT. 106 lbs.



CAST IRON & STEEL COVERS


No. 36 - T CAST IRON COVER

WT. 16 lbs.




No. 36 - TG CAST IRON GRATE

WT. 13 lbs.




No. 36 MB - BODY

WT. 85 lbs.



No. 36 - STEEL COVER (SUPERIMPOSED)

WT. 30 lbs.



10 1/2" x 17 1/4" METER BOX
(for 3/4" WATER METER)

ORG. DWG. DATE
03-03-95


REV. DWG. DATE
12-06-00

BROOKS
PRODUCTS


36-H MB

No. 37 - SP COVER


WT. 23 lbs.

**No. 37 MB - CONCRETE COVER**


WT. 22 lbs.

**No. 37 - S LID (1-S)**


WT. 5 lbs.

**No. 37 - S COVER**


WT. 24 lbs.

**No. 37 - A5 LID**


WT. 7 lbs.

**No. 37 - A5 COVER**


WT. 25 lbs.

**No. 37 - H COVER WITH CAST IRON HINGED LID**


WT. 28 lbs.

**No. 37 - T CAST IRON COVER**


WT. 22 lbs.

**No. 37 MB - BODY**


WT. 93 lbs.

**No. 37 MB - EXTENSION**

WT. 93 lbs.

**No. 37 MB - BASE**

WT. 32 lbs.



12" x 20" METER BOX
(for 1" WATER METER)

ORG. DWG. DATE
03-03-95


REV. DWG. DATE
12-06-00

BROOKS
PRODUCTS


37MB

No. 38 - SP COVER


WT. 53 lbs.

**No. 38 MB - CONCRETE COVER**


WT. 53 lbs.

**No. 38 - ST LID (2-ST)**


WT. 9 lbs.

**No. 38 - S LID (2-S)**


WT. 9 lbs.

**No. 38 - S COVER**


WT. 39 lbs.

**No. 38- H COVER WITH C.I. HINGED LID**


WT. 48 lbs.

**No. 38 - TG CAST IRON GRATE**


WT. 40 lbs.

**No. 38 MB - BODY**


WT. 128 lbs.

**No. 38 MB - EXTENSION**

WT. 128 lbs.

**No. 38 - BASE**

WT. 45 lbs.



13" x 24" METER BOX
(for 1 1/2" WATER METER)

ORG. DWG. DATE
03-29-95


REV. DWG. DATE
12-06-00

BROOKS
PRODUCTS

38MB


No. 38-T COVER STEEL (SUPERIMPOSED)

WT. 36 lbs.




No. 38 MB - BODY

WT. 128 lbs.




No. 38-TR STEEL COVER (SUPERIMPOSED)

WT. 38 lbs.




No. 38 MB - EXTENSION

WT. 128 lbs.




No. 38 - TF STEEL COVER (FLUSH)

WT. 35 lbs.




No. 38 - TFR STEEL COVER (FLUSH)

WT. 37 lbs.



No. 38 - BASE

WT. 45 lbs.



13" x 24" METER BOX
(for 1 1/2" WATER METER)


ORG. DWG. DATE
03-29-95

REV. DWG. DATE
12-06-00


BROOKS
PRODUCTS

38MB


wt. 5#




wt. 45#



wt. 49#



wt. 100#



REVISÉ

10/06/06


DRAWING NUMBER

#40 SERIES


BROOKS PRODUCTS

No. 65 - SP COVER


WT. 79 lbs.

**No. 65 MB - CONCRETE COVER**


WT. 79 lbs.

**No. 65 - ST LID (2-ST)**


WT. 9 lbs.

**No. 65 MB - BODY**


WT. 159 lbs.

**No. 65 - S LID (2-S)**


WT. 8 lbs.

**No. 65 MB - EXTENSION**


WT. 159 lbs.

**No. 65 - S COVER**


WT. 63 lbs.

**No. 65 - H COVER WITH C.I. HINGED LID**

WT. 66 lbs.

**No. 65 MB - BASE**

WT. 68 lbs.



17" x 28" METER BOX
(for 2" WATER METER)

ORG. DWG. DATE
11-10-95


REV. DWG. DATE
01-09-01

BROOKS
PRODUCTS

65MB


No. 65 - T STEEL COVER (SUPERIMPOSED)

WT. 71 lbs.




No. 65 - TR STEEL COVER (SUPERIMPOSED)

WT. 73 lbs.




No. 65 - TF STEEL COVER (FLUSH)

WT. 68 lbs.




No. 65 - TFR STEEL COVER (FLUSH)

WT. 70 lbs.




No. 65 MB - BODY

WT. 159 lbs.




No. 65 MB - EXTENSION

WT. 159 lbs.



No. 65 MB - BASE

WT. 68 lbs.



17" x 28" METER BOX
(for 2" WATER METER)

ORG. DWG. DATE
11-10-95


REV. DWG. DATE
01-09-01

BROOKS
PRODUCTS

65MB


No. 66 - T STEEL COVER (SUPERIMPOSED)

WT. 80 lbs.




No. 66 - TR STEEL COVER (SUPERIMPOSED)

WT. 82 lbs.




No. 66 - TF STEEL COVER (FLUSH)

WT. 68 lbs.




No. 66 - TFR STEEL COVER (FLUSH)

WT. 70 lbs.




No. 66 MB - BODY

WT. 177 lbs.




No. 66 MB - EXTENSION

WT. 177 lbs.



No. 66 MB - BASE

WT. 104 lbs.



17" x 30" METER BOX
(for 2" & 3" WATER METER)

ORG. DWG. DATE
11-16-99


REV. DWG. DATE
12-06-00

BROOKS
PRODUCTS


66MB

No. 66 - SP COVER


WT. 91 lbs.

**No. 66 MB - CONCRETE COVER**


WT. 91 lbs.

**No. 66 - ST LID (3-T)**


WT. 9 lbs.

**No. 66 MB - BODY**


WT. 177 lbs.

**No. 66 - S LID (3-MB)**


WT. 8 lbs.

**No. 66 MB - EXTENSION**


WT. 177 lbs.

**No. 66 - S COVER**


WT. 74 lbs.

**No. 66 MB - BASE**

WT. 104 lbs.

**No. 66 - H COVER WITH C.I. HINGED LID**

WT. 85 lbs.



17" x 30" METER BOX
(for 2" & 3" WATER METER)

ORG. DWG. DATE
11-16-99


REV. DWG. DATE
12-06-00

3 BROOKS
PRODUCTS

66MB


No. 67 - ST LID (2-ST)

WT. 9 lbs.




No. 67 - S LID (2-S)

WT. 8 lbs.




No. 67 - S COVER

WT. 144 lbs.




No. 67 - T STEEL COVER (SUPERIMPOSED)

WT. 115 lbs.




No. 67-TR STEEL COVER (SUPERIMPOSED)

WT. 117 lbs.




No. 67 MB - CONCRETE COVER

WT. 156 lbs.




No. 67 MB - BODY

WT. 274 lbs.




No. 67 MB - EXTENSION

WT. 145 lbs.



No. 67 MB - BASE

WT. 160 lbs.



24" x 36" METER BOX

ORG. DWG. DATE
11-17-99

REV. DWG. DATE
12-06-00


BROOKS
PRODUCTS

67MB

No. 68 - PB CONCRETE COVER - 2 PC

NON-BOLT DOWN

WT. 270 lbs.




HALF COVER SHOWN
2ea. HALF COVERS ARE REQUIRED
FOR A COMPLETE COVER ASSEMBLY

No. 68 - PB CONCRETE COVER - 2 PC


BOLT DOWN

WT. 270 lbs.




**No. 68 - PB STEEL COVER - 2 PC
(SUPERIMPOSED) NON-BOLT DOWN**

WT. 201 lbs.




**No. 68 - PB STEEL COVER - 2 PC
(SUPERIMPOSED) BOLT DOWN**

WT. 201 lbs.




No. 68 - MB BODY

WT. 365 lbs.




No. 68 - PB EXTENSION

WT. 208 lbs.



No. 68 - PB BASE

WT. 390 lbs.



30" x 48" PULL BOX

ORG. DWG. DATE
11-18-99

REV. DWG. DATE
08-29-00

BROOKE
PRODUCTS

68MB


RIGHT HALF OF COVER SHOWN

CONCRETE COVERS REQUIRE 2ea. HALF COVERS AND 1ea. 12" SPACER FOR A COMPLETE COVER ASSEMBLY

STEEL COVERS REQUIRE 2ea. HALF COVERS FOR A COMPLETE ASSEMBLY


No. 69 - S LID (2-S)

WT. 8 lbs.




No. 69 - S COVER - 3 PC

WT. 475 lbs.




No. 69 - ST LID (2-ST)

WT. 9 lbs.




No. 69 - ST COVER - 3 PC

WT. 475 lbs.




No. 69 - T STEEL COVER - 2 PC (SUPERIMPOSED)

WT. 276 lbs.




No. 69 - TR STEEL COVER - 2 PC (SUPERIMPOSED)

WT. 276 lbs.




No. 69 - THR STEEL COVER - 2 PC (SUPERIMPOSED)

WT. 276 lbs.




No. 69 MB - CONCRETE COVER - 3 PC

WT. 475 lbs.




No. 69 MB - BODY

WT 450 lbs.




No. 69 MB - EXTENSION

WT 400 lbs.



No. 69 MB - BASE

WT 550 lbs.



30" x 60" SERVICE BOX

BROOKS
PRODUCTS

69MB

ORG. DWG. DATE
11-18-99

REV. DWG. DATE
08-16-00