

SCHEDULE

CATALOG #	SIZE	OD1	OD2	L1	L2	APPROX. WT.
3259-52-1004-00 ††	1/2" CTS (5/8" OD) .090 WALL PE	1 5/8"	1 13/16"	3 15/16"	1 7/8"	0.30
9959-52-0141-00	3/4" CTS (7/8" OD) .077 WALL PE	2 1/16"	2 1/4"	4 1/8"	1 7/8"	0.48
3259-52-1006-00 ‡	3/4" CTS (7/8" OD) .090 WALL PE	2 1/16"	2 1/4"	4 1/8"	1 7/8"	0.48
3259-52-1008-00 ††	1" CTS (1 1/8" OD) .099/.101 WALL PE	2 5/16"	2 1/2"	4 1/8"	1 7/8"	0.75
3259-52-1008-AA ‡	1" CTS (1 1/8" OD) .090 WALL PE	2 5/16"	2 1/2"	4 1/8"	1 7/8"	0.67
3259-52-1039-AA	1 1/4" CTS (1 3/8" OD) .090 WALL PE	2 9/16"	2 3/4"	4 1/4"	1 7/8"	0.87
3259-52-1012-00 ‡	1/2" IPS SDR-9.3 (.090 WALL) PE	2"	2 3/16"	4 1/8"	1 7/8"	0.49
3259-52-1013-00 ††	3/4" IPS SDR-11 (.095 WALL) PE	2 3/16"	2 3/8"	4 1/16"	1 7/8"	0.58
3259-52-1014-00 ††	1" IPS SDR-11 (.119 WALL) PE	2 1/2"	2 3/4"	4 1/8"	1 7/8"	0.81
3259-52-1015-00 ††	1 1/4" IPS SDR-10 (.165 WALL) PE	2 15/16"	3 3/16"	6"	2 1/2"	1.46
3259-52-1015-AA	1 1/4" IPS SDR-11 (.151 WALL) PE	2 15/16"	3 3/16"	6"	2 1/2"	1.45
3259-52-1016-00 ††	1 1/2" IPS SDR-11 (.173 WALL) PE	3 3/8"	3 11/16"	5 9/16"	2 3/8"	1.68
3259-52-1017-00 ††	2" IPS SDR-11 (.216 WALL) PE	3 3/4"	4"	5 15/16"	2 1/2"	2.26

† = CSA LISTED ‡ = IAPMO/UPC LISTED




MANUFACTURED AND TESTED TO THE FOLLOWING INDUSTRY STANDARDS.

- ASTM D 2513 "STANDARD SPECIFICATION FOR THERMOPLASTIC GAS PRESSURE PIPE, TUBING AND FITTINGS"
- ASME B31.8-1995 "GAS TRANSMISSION AND DISTRIBUTION PIPING SYSTEMS"
- D.O.T., TITLE 49 OF THE CODE OF FEDERAL REGULATIONS, PART 192.283 (B)
- NFPA 58, LP-GAS CODE

PRESSURE RATING — DESIGNED TO MEET OR EXCEED PRESSURE RATING OF PE PIPE PER 49 CFR PART 192 AND ASTM D2513.

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE.
FOR REFERENCE ONLY.

UNLESS OTHERWISE SPECIFIED DIM ARE IN INCHES TOLERANCES UNLESS SPECIFIED ANGULAR ± 2 1/2° FRACTIONS ±1/64" DECIMALS ±.005 DO NOT SCALE DRAWING	SIGNATURES				 Continental Industries, Inc. The Ultimate Connection <small>Tulsa, Oklahoma</small> 	
	DRAWN BY M. CLARK	DATE 2/17/15	APPROVED BY 	DATE 11/13/15		ID SEAL® CON-STAB FITTINGS FULL COUPLINGS
THIRD ANGLE PROJECTION 	THIS DRAWING CONTAINS PROPRIETARY INFORMATION AND IS THE PROPERTY OF CONTINENTAL INDUSTRIES / THERMOWELD, TULSA, OK, USA, AND IS LOANED UPON CONDITION THAT IT IS NOT TO BE COPIED OR REPRODUCED IN PART OR IN WHOLE, OR USED FOR FURNISHING INFORMATION TO ANY PERSON WITHOUT THE WRITTEN CONSENT OF CONTINENTAL INDUSTRIES / THERMOWELD, OR FOR ANY PURPOSE DETRIMENTAL TO CONTINENTAL INDUSTRIES / THERMOWELD, AND IS TO BE RETURNED UPON REQUEST.			SIZE B	DWG NO. CD-1509	
BREAK ALL SHARP CORNERS AND REMOVE ALL BURRS. FINISH ¹²⁵ ✓ ALL OVER EXCEPT AS NOTED.				SCALE N.T.S.	SHEET 1 OF 1	



SCHEDULE

CATALOG #	SIZE	OD1	OD2	L1	L2	APPROX. WT.
3259-53-1004-00 ††	1/2" CTS (5/8" OD) .090 WALL PE	1 5/8"	1 13/16"	2 5/8"	1 7/8"	0.20
9959-53-0015-00	3/4" CTS (7/8" OD) .077 WALL PE	2 1/16"	2 5/16"	2 3/4"	1 7/8"	0.32
3259-53-1006-00 ‡	3/4" CTS (7/8" OD) .090 WALL PE	2 1/16"	2 5/16"	2 3/4"	1 7/8"	0.32
3259-53-1008-00 ††	1" CTS (1 1/8" OD) .099/.101 WALL PE	2 5/16"	2 1/2"	2 11/16"	1 7/8"	0.40
3259-53-1008-0A ‡	1" CTS (1 1/8" OD) .090 WALL PE	2 5/16"	2 1/2"	2 11/16"	1 7/8"	0.42
3259-53-1039-0A	1 1/4" CTS (1 3/8" OD) .090 WALL PE	2 9/16"	2 13/16"	2 3/4"	1 7/8"	0.54
3259-53-1012-00 ‡	1/2" IPS SDR-9.3 (.090 WALL) PE	2"	2 1/4"	2 3/4"	1 7/8"	0.31
3259-53-1013-00 ††	3/4" IPS SDR-11 (.095 WALL) PE	2 3/16"	2 3/8"	2 3/4"	1 7/8"	0.32
3259-53-1014-00 ††	1" IPS SDR-11 (.119 WALL) PE	2 1/2"	2 11/16"	2 13/16"	1 7/8"	0.45
3259-53-1015-00 ††	1 1/4" IPS SDR-10 (.166 WALL) PE	2 7/8"	3 1/8"	4 1/16"	2 7/16"	0.94
3259-53-1015-0A	1 1/4" IPS SDR-11 (.151 WALL) PE	2 7/8"	3 1/8"	4 1/16"	2 7/16"	0.91
3259-53-1016-00 ††	1 1/2" IPS SDR-11 (.173 WALL) PE	3 3/8"	3 11/16"	3 3/4"	2 1/4"	1.09
3259-53-1017-00 ††	2" IPS SDR-11 (.216 WALL) PE	3 3/4"	3 15/16"	4 1/16"	2 5/8"	1.47

† = CSA LISTED

‡ = IAPMO/UPC LISTED

MANUFACTURED AND TESTED TO THE FOLLOWING INDUSTRY STANDARDS.

- ASTM D 2513 "STANDARD SPECIFICATION FOR THERMOPLASTIC GAS PRESSURE PIPE, TUBING AND FITTINGS"
- ASME B31.8-1995 "GAS TRANSMISSION AND DISTRIBUTION PIPING SYSTEMS"
- D.O.T., TITLE 49 OF THE CODE OF FEDERAL REGULATIONS, PART 192.283 (B)
- NFPA 58, LP-GAS CODE

PRESSURE RATING — DESIGNED TO MEET OR EXCEED PRESSURE RATING OF PE PIPE PER 49 CFR PART 192 AND ASTM D2513.

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE.
FOR REFERENCE ONLY.

UNLESS OTHERWISE SPECIFIED
DIM ARE IN INCHES
TOLERANCES UNLESS SPECIFIED
ANGULAR ± 2 1/2°
FRACTIONS ±1/64"
DECIMALS ±.005
DO NOT SCALE DRAWING

THIRD ANGLE PROJECTION



BREAK ALL SHARP CORNERS AND REMOVE ALL BURRS. FINISH ¹²⁵✓ ALL OVER EXCEPT AS NOTED.

SIGNATURES

DRAWN BY	DATE	APPROVED BY	DATE
M. CLARK	3/2/15	MAC	11/13/15

THIS DRAWING CONTAINS PROPRIETARY INFORMATION AND IS THE PROPERTY OF CONTINENTAL INDUSTRIES / THERMOWELD, TULSA, OK, USA, AND IS LOANED UPON CONDITION THAT IT IS NOT TO BE COPIED OR REPRODUCED IN PART OR IN WHOLE, OR USED FOR FURNISHING INFORMATION TO ANY PERSON WITHOUT THE WRITTEN CONSENT OF CONTINENTAL INDUSTRIES / THERMOWELD, OR FOR ANY PURPOSE DETRIMENTAL TO CONTINENTAL INDUSTRIES / THERMOWELD, AND IS TO BE RETURNED UPON REQUEST.




Continental Industries, Inc.
The Ultimate Connection
Tulsa, Oklahoma



ID SEAL® CON-STAB FITTINGS
END CAPS

SIZE	DWG NO.	REV
B	CD-1510	
SCALE N.T.S.	SHEET 1 OF 1	




SCHEDULE

CATALOG #	SIZE	OD1	OD2	L1	L2	L3	L4	APPROX .WT.
3259-50-1004-00 †‡	1/2" CTS (5/8" OD) .090 WALL PE	1 5/8"	1 7/8"	5 1/2"	1 7/8"	2 3/4"	7/8"	0.58
3259-50-1008-00 †‡	1" CTS (1 1/8" OD) .099/.101 WALL PE	2 1/4"	2 5/16"	6 1/4"	1 7/8"	3 1/8"	1 1/4"	1.25
3259-50-1008-AA ‡	1" CTS (1 1/8" OD) .090 WALL PE	2 1/4"	2 5/16"	6 1/4"	1 7/8"	3 1/8"	1 1/4"	1.25
3259-50-1013-00 †‡	3/4" IPS SDR-11 (.095 WALL) PE	2 3/16"	2 5/16"	6"	1 7/8"	3"	1 1/8"	1.13
3259-50-1014-00 †‡	1" IPS SDR-11 (.119 WALL) PE	2 1/2"	2 5/8"	6 3/8"	1 7/8"	3 1/8"	1 1/4"	1.57

† = CSA LISTED

‡ = IAPMO/UPC LISTED




MANUFACTURED AND TESTED TO THE FOLLOWING INDUSTRY STANDARDS.

- ASTM D 2513 "STANDARD SPECIFICATION FOR THERMOPLASTIC GAS PRESSURE PIPE, TUBING AND FITTINGS"
- ASME B31.8-1995 "GAS TRANSMISSION AND DISTRIBUTION PIPING SYSTEMS"
- D.O.T., TITLE 49 OF THE CODE OF FEDERAL REGULATIONS, PART 192.283 (B)
- NFPA 58, LP-GAS CODE

PRESSURE RATING — DESIGNED TO MEET OR EXCEED PRESSURE RATING OF PE PIPE PER 49 CFR PART 192 AND ASTM D2513.

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE.
FOR REFERENCE ONLY.

UNLESS OTHERWISE SPECIFIED DIM ARE IN INCHES TOLERANCES UNLESS SPECIFIED ANGULAR ± 2 1/2° FRACTIONS ± 1/64" DECIMALS ± .005 DO NOT SCALE DRAWING	SIGNATURES				 <p>Continental Industries, Inc. The Ultimate Connection Tulsa, Oklahoma</p>
	DRAWN BY	DATE	APPROVED BY	DATE	
THIRD ANGLE PROJECTION	M. CLARK	3/5/15	<i>MAC</i>	11/13/15	ID SEAL® CON-STAB FITTINGS 3-WAY TEES
BREAK ALL SHARP CORNERS AND REMOVE ALL BURRS. FINISH ✓ ALL OVER EXCEPT AS NOTED.	THIS DRAWING CONTAINS PROPRIETARY INFORMATION AND IS THE PROPERTY OF CONTINENTAL INDUSTRIES / THERMOWELD, TULSA, OK, USA AND IS LOANED UPON CONDITION THAT IT IS NOT TO BE COPIED OR REPRODUCED IN PART OR IN WHOLE, OR USED FOR FURNISHING INFORMATION TO ANY PERSON WITHOUT THE WRITTEN CONSENT OF CONTINENTAL INDUSTRIES / THERMOWELD, OR FOR ANY PURPOSE DETRIMENTAL TO CONTINENTAL INDUSTRIES / THERMOWELD, AND IS TO BE RETURNED UPON REQUEST.			SIZE C SCALE N.T.S.	




SCHEDULE

CATALOG #	SIZE	OD1	OD2	L1	L2	L3	L4	APPROX .WT.
3259-50-1006-00 ‡	3/4" CTS (7/8" OD) .090 WALL PE	2"	2 5/16"	11 11/16"	5 13/16"	1 7/8"	3 15/16"	1.12
3259-50-1039-AA	1 1/4" CTS (1 3/8" OD) .090 WALL PE	2 9/16"	2 13/16"	11 11/16"	5 13/16"	1 7/8"	3 15/16"	1.78
3259-50-1012-00 ‡	1/2" IPS SDR-9.3 (.090 WALL) PE	2"	2 1/4"	11 5/8"	5 13/16"	1 7/8"	3 15/16"	1.09
3369-50-1015-00 †	1 1/4" IPS SDR-10 (.165 WALL) PE	2 7/8"	3 1/8"	17 7/16"	8 5/8"	2 1/4"	6 3/8"	3.27
3259-50-1015-AA	1 1/4" IPS SDR-11 (.151 WALL) PE	2 7/8"	3 1/8"	17 7/16"	8 5/8"	2 1/4"	6 3/8"	3.18
3259-50-1016-00 ‡	1 1/2" IPS SDR-11 (.173 WALL) PE	3 3/8"	3 11/16"	16 3/4"	8 3/8"	2 3/8"	6"	3.87
3259-50-1017-00 †‡	2" IPS SDR-11 (.216 WALL) PE	3 3/4"	3 15/16"	18 7/16"	9 3/16"	2 1/4"	6 15/16"	5.36

† = CSA LISTED

‡ = IAPMO/UPC LISTED




MANUFACTURED AND TESTED TO THE FOLLOWING INDUSTRY STANDARDS.

- ASTM D 2513 "STANDARD SPECIFICATION FOR THERMOPLASTIC GAS PRESSURE PIPE, TUBING AND FITTINGS"
- ASME B31.8-1995 "GAS TRANSMISSION AND DISTRIBUTION PIPING SYSTEMS"
- D.O.T., TITLE 49 OF THE CODE OF FEDERAL REGULATIONS, PART 192.283 (B)
- NFPA 58, LP-GAS CODE

PRESSURE RATING — DESIGNED TO MEET OR EXCEED PRESSURE RATING OF PE PIPE PER 49 CFR PART 192 AND ASTM D2513.

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE.
FOR REFERENCE ONLY.

UNLESS OTHERWISE SPECIFIED DIM ARE IN INCHES TOLERANCES UNLESS SPECIFIED ANGULAR ± 2 1/2" FRACTIONS ± 1/64" DECIMALS ± .005 DO NOT SCALE DRAWING THIRD ANGLE PROJECTION BREAK ALL SHARP CORNERS AND REMOVE ALL BURRS. FINISH ALL OVER EXCEPT AS NOTED.	SIGNATURES				Continental Industries, Inc. The Ultimate Connection Tulsa, Oklahoma		
	DRAWN BY M. CLARK	DATE 3/2/15	APPROVED BY 	DATE 11/13/15		ID SEAL® CON-STAB FITTINGS 3-WAY TEES	
THIS DRAWING CONTAINS PROPRIETARY INFORMATION AND IS THE PROPERTY OF CONTINENTAL INDUSTRIES / THERMOWELD, TULSA, OK, USA, AND IS LOANED UPON CONDITION THAT IT IS NOT TO BE COPIED OR REPRODUCED IN PART OR IN WHOLE, OR USED FOR FURNISHING INFORMATION TO ANY PERSON WITHOUT THE WRITTEN CONSENT OF CONTINENTAL INDUSTRIES / THERMOWELD, OR FOR ANY PURPOSE DETRIMENTAL TO CONTINENTAL INDUSTRIES / THERMOWELD, AND IS TO BE RETURNED UPON REQUEST.					SIZE C	DWG NO. CD-1512-1	REV
SCALE N.T.S.			SHEET 1 OF 1				




SCHEDULE

CATALOG #	SIZE	OD1	OD2	L1	L2	L3	APPROX .WT.
3259-51-1004-00 †‡	1/2" CTS (5/8" OD) .090 WALL PE	1 5/8"	1 7/8"	1 7/8"	2 11/16"	13/16"	0.43
3259-51-1008-00 ‡	1" CTS (1 1/8" OD) .099/.101 WALL PE	2 1/4"	2 5/16"	1 7/8"	3 1/16"	1 3/16"	0.92
3259-51-1008-AA	1" CTS (1 1/8" OD) .090 WALL PE	2 1/4"	2 5/16"	1 7/8"	3 1/16"	1 3/16"	0.92
3259-51-1013-00 †‡	3/4" IPS SDR-11 (.095 WALL) PE	2 3/16"	2 5/16"	1 7/8"	2 3/4"	7/8"	0.81
3259-51-1014-00 †‡	1" IPS SDR-11 (.119 WALL) PE	2 1/2"	2 5/8"	1 7/8"	3 1/8"	1 1/4"	1.12

† = CSA LISTED

‡ = IAPMO/UPC LISTED




MANUFACTURED AND TESTED TO THE FOLLOWING INDUSTRY STANDARDS.

- ASTM D 2513 "STANDARD SPECIFICATION FOR THERMOPLASTIC GAS PRESSURE PIPE, TUBING AND FITTINGS"
- ASME B31.8-1995 "GAS TRANSMISSION AND DISTRIBUTION PIPING SYSTEMS"
- D.O.T., TITLE 49 OF THE CODE OF FEDERAL REGULATIONS, PART 192.283 (B)
- NFPA 58, LP-GAS CODE

PRESSURE RATING — DESIGNED TO MEET OR EXCEED PRESSURE RATING OF PE PIPE PER 49 CFR PART 192 AND ASTM D2513.

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE.
FOR REFERENCE ONLY.


UNLESS OTHERWISE SPECIFIED DIM ARE IN INCHES TOLERANCES UNLESS SPECIFIED ANGULAR ± 2 1/2° FRACTIONS ± 1/64" DECIMALS ± .005 DO NOT SCALE DRAWING THIRD ANGLE PROJECTION 	SIGNATURES				
	DRAWN BY	DATE	APPROVED BY	DATE	
	M. CLARK	3/5/15	<i>MAC</i>	11/13/15	ID SEAL® CON-STAB FITTINGS 90° ELBOWS
THIS DRAWING CONTAINS PROPRIETARY INFORMATION AND IS THE PROPERTY OF CONTINENTAL INDUSTRIES / THERMOWELD, TULSA, OK, USA, AND IS LOANED UPON CONDITION THAT IT IS NOT TO BE COPIED OR REPRODUCED IN PART OR IN WHOLE, OR USED FOR FURNISHING INFORMATION TO ANY PERSON WITHOUT THE WRITTEN CONSENT OF CONTINENTAL INDUSTRIES / THERMOWELD, OR FOR ANY PURPOSE DETRIMENTAL TO CONTINENTAL INDUSTRIES / THERMOWELD, AND IS TO BE RETURNED UPON REQUEST.					
SIZE	DWG NO.			REV	
C	CD-1513				
SCALE	N.T.S.			SHEET 1 OF 1	



SCHEDULE							
CATALOG #	SIZE	OD1	OD2	L1	L2	L3	APPROX .WT.
3259-51-1006-00 ‡	3/4" CTS (7/8" OD) .090 WALL PE	2"	2 5/16"	5 13/16"	1 7/8"	3 15/16"	0.76
3259-51-1039-AA	1 1/4" CTS (1 3/8" OD) .090 WALL PE	2 9/16"	2 13/16"	5 13/16"	1 7/8"	3 15/16"	1.20
3259-51-1012-00 ‡	1/2" IPS SDR-9.3 (.090 WALL) PE	2"	2 1/4"	5 13/16"	1 7/8"	3 15/16"	0.74
3369-51-1015-00 †	1 1/4" IPS SDR-10 (.165 WALL) PE	2 7/8"	3 1/8"	8 9/16"	2 1/2"	6 1/16"	2.23
3259-51-1015-AA	1 1/4" IPS SDR-11 (.151 WALL) PE	2 7/8"	3 1/8"	8 9/16"	2 1/2"	6 1/16"	2.14
3259-51-1016-00 ‡	1 1/2" IPS SDR-11 (.173 WALL) PE	3 3/8"	3 11/16"	8 1/4"	2 3/8"	5 7/8"	2.59
3259-51-1017-00 †‡	2" IPS SDR-11 (.216 WALL) PE	3 3/4"	3 15/16"	9 1/8"	2 1/2"	6 5/8"	3.61

† = CSA LISTED

‡ = IAPMO/UPC LISTED




MANUFACTURED AND TESTED TO THE FOLLOWING INDUSTRY STANDARDS.

- ASTM D 2513 "STANDARD SPECIFICATION FOR THERMOPLASTIC GAS PRESSURE PIPE, TUBING AND FITTINGS"
- ASME B31.8-1995 "GAS TRANSMISSION AND DISTRIBUTION PIPING SYSTEMS"
- D.O.T., TITLE 49 OF THE CODE OF FEDERAL REGULATIONS, PART 192.283 (B)
- NFPA 58, LP-GAS CODE

PRESSURE RATING — DESIGNED TO MEET OR EXCEED PRESSURE RATING OF PE PIPE PER 49 CFR PART 192 AND ASTM D2513.

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE.
FOR REFERENCE ONLY.

UNLESS OTHERWISE SPECIFIED DIM ARE IN INCHES TOLERANCES UNLESS SPECIFIED ANGULAR ± 2 1/2" FRACTIONS ± 1/64" DECIMALS ± .005 DO NOT SCALE DRAWING	SIGNATURES				 Continental Industries, Inc. The Ultimate Connection Tulsa, Oklahoma	
	DRAWN BY	DATE	APPROVED BY	DATE		
THIRD ANGLE PROJECTION	M. CLARK	3/5/15	<i>Mac</i>	11/13/15	ID SEAL® CON-STAB FITTINGS 90° ELBOWS	
BREAK ALL SHARP CORNERS AND REMOVE ALL BURRS. FINISH ALL OVER EXCEPT AS NOTED.	THIS DRAWING CONTAINS PROPRIETARY INFORMATION AND IS THE PROPERTY OF CONTINENTAL INDUSTRIES / THERMOWELD, TULSA, OK, USA, AND IS LOANED UPON CONDITION THAT IT IS NOT TO BE COPIED OR REPRODUCED IN PART OR IN WHOLE, OR USED FOR FURNISHING INFORMATION TO ANY PERSON WITHOUT THE WRITTEN CONSENT OF CONTINENTAL INDUSTRIES / THERMOWELD, OR FOR ANY PURPOSE DETRIMENTAL TO CONTINENTAL INDUSTRIES / THERMOWELD, AND IS TO BE RETURNED UPON REQUEST.			SIZE		DWG NO.
	C		CD-1513-1			
	SCALE	N.T.S.			SHEET	1 OF 1





SCHEDULE

CATALOG #	SIZE	OD1	OD2	L1	L2	L3	APPROX. WT.
3259-57-1004-00 ‡	1/2" CTS (5/8" OD) .090 WALL PE	1 5/8"	1 13/16"	4"	1 7/8"	1 1/8"	0.36
3259-57-1008-00 ‡	1" CTS (1 1/8" OD) .099/.101 WALL PE	2 5/16"	2 1/2"	4 1/8"	1 7/8"	1 1/8"	0.81
3259-57-1008-AA	1" CTS (1 1/8" OD) .090 WALL PE	2 5/16"	2 1/2"	4 1/8"	1 7/8"	1 1/8"	0.73
3259-57-1012-00 ‡	1/2" IPS SDR-9.3 (.090 WALL) PE	2"	2 3/16"	4 1/8"	1 7/8"	1 1/8"	0.55
3259-57-1013-00 ‡	3/4" IPS SDR-11 (.095 WALL) PE	2 3/16"	2 3/8"	4 1/16"	1 7/8"	1 1/8"	0.63
3259-57-1014-00 ‡	1" IPS SDR-11 (.119 WALL) PE	2 1/2"	2 3/4"	4 1/8"	1 7/8"	1 1/8"	0.89
3259-57-1015-00 ‡	1 1/4" IPS SDR-10 (.165 WALL) PE	2 15/16"	3 3/16"	6"	2 1/2"	1 5/16"	1.62
3259-57-1015-AA	1 1/4" IPS SDR-11 (.151 WALL) PE	2 15/16"	3 3/16"	6"	2 1/2"	1 5/16"	1.60
3259-57-1017-00 ‡	2" IPS SDR-11 (.216 WALL) PE	3 3/4"	4"	5 15/16"	2 1/2"	1 3/4"	2.57

† = CSA LISTED

‡ = IAPMO/UPC LISTED



MANUFACTURED AND TESTED TO THE FOLLOWING INDUSTRY STANDARDS.

- ASTM D 2513 "STANDARD SPECIFICATION FOR THERMOPLASTIC GAS PRESSURE PIPE, TUBING AND FITTINGS"
- ASME B31.8-1995 "GAS TRANSMISSION AND DISTRIBUTION PIPING SYSTEMS"
- D.O.T., TITLE 49 OF THE CODE OF FEDERAL REGULATIONS, PART 192.283 (B)
- NFPA 58, LP-GAS CODE

PRESSURE RATING — DESIGNED TO MEET OR EXCEED PRESSURE RATING OF PE PIPE PER 49 CFR PART 192 AND ASTM D2513.

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE.
FOR REFERENCE ONLY.

UNLESS OTHERWISE SPECIFIED
DIM ARE IN INCHES
TOLERANCES UNLESS SPECIFIED
ANGULAR ± 2 1/2°
FRACTIONS ±1/64"
DECIMALS ±.005
DO NOT SCALE DRAWING

THIRD ANGLE PROJECTION



BREAK ALL SHARP CORNERS AND REMOVE ALL BURRS. FINISH ¹²⁵✓ ALL OVER EXCEPT AS NOTED.

SIGNATURES

DRAWN BY	DATE	APPROVED BY	DATE
M. CLARK	3/2/15	MAC	11/13/15

THIS DRAWING CONTAINS PROPRIETARY INFORMATION AND IS THE PROPERTY OF CONTINENTAL INDUSTRIES / THERMOWELD, TULSA, OK, USA, AND IS LOANED UPON CONDITION THAT IT IS NOT TO BE COPIED OR REPRODUCED IN PART OR IN WHOLE, OR USED FOR FURNISHING INFORMATION TO ANY PERSON WITHOUT THE WRITTEN CONSENT OF CONTINENTAL INDUSTRIES / THERMOWELD, OR FOR ANY PURPOSE DETRIMENTAL TO CONTINENTAL INDUSTRIES / THERMOWELD, AND IS TO BE RETURNED UPON REQUEST.



Continental Industries, Inc.
The Ultimate Connection
Tulsa, Oklahoma



ID SEAL® CON-STAB FITTINGS
CAP-N-GO COUPLINGS

SIZE	DWG NO.	REV
B	CD-1511	
SCALE N.T.S.	SHEET 1 OF 1	