
Transitional Floor Mount Tub Filler

Cross Handle Model D35102954 Lever Handle Model D35102950

Thank you for selecting DXV. To ensure that your installation proceeds smoothly, please read these instructions carefully before you begin.






RECOMMENDED TOOLS AND MATERIALS

Most of the procedures require the use of common tools and materials, which are available from hardware and plumbing, supply stores. It is essential that the tools and materials be on hand before work is begun.





In the United States:

DXV

One Centennial Avenue Piscataway, New Jersey 08855 Attention: Director of Customer Care

For residents of the United States, warranty information may also be obtained by calling the following toll free number: (800) 227-2734 www.DXV.com

In Canada:

DXV 5900 Avebury Road Mississauga, Ontario L5R 3M3 Canada


Toll Free: 1-800-387-0369 Local: 905-306-1093 Fax: 1-800-395-1498 www.DXV.ca

In Mexico:

Via Morelos 330 Col. Santa Clara Coatitla Ecatepec, Estado de México 55540


Toll Free: 01-800-8391200 www.DXV.mx

S




1 ASSEMBLE MOUNTING STUDS


- Apply sealing tape or sealant to threads of MOUNTING STUDS (1) as shown in illustration.
- Thread STUD ADAPTERS (2) onto MOUNTING STUDS (1). Tighten fully with wrenches.



2 ASSEMBLE FLOOR ESCUTCHEONS AND RISER PIPING


- Apply sealing tape or sealant to threads of RISER PIPES (1).
- Slide FLOOR ESCUTCHEONS (2) onto RISER PIPES (1).
- With wrenches connect the STUD ADAPTERS (3) to RISER PIPES (1).
- Tighten MOUNTING STUDS (4) to RISER PIPES (1).









- Install two SEAL WASHERS (1) into COUPLINGS (2) if not already installed.
- Align FLOOR SUPPLIES (3) with inlets of COUPLINGS (2). Thread COUPLINGS (2) to FLOOR SUPPLIES (3). Do not fully tighten.
- When aligment of BATH FILLER and FLOOR SUPPLIES are complete, fully tighten MOUNTING NUTS (4) below floor and COUPLINGS (2) on BATH FILLER (5).
- Tighten ESCUTCHEON SET SCREWS (6) with Hex Wrench to secure ESCUTCHEON (7).
- Connect Hot and Cold supplies to RISER SUPPLY PIPES (3). are G 1/2" SUPPLY CONNECTION






5 INSTALL HANDLES IF NOT INSTALLED

- Turn VALVE to OFF position.
- Push CROSS HANDLE (1) or LEVER HANDLE (1a) onto VALVE STEM (2).
 Check alignment if not satisfactory align.
- Thread HANDLE BASE (3) tight onto VALVE (4).



6 INSTALL FITTING BRACKET

- Insert SEAL WASHER (1) and connect BRACKET (2) to BRACKET NIPPLE (3) on top of FAUCET. Align and tighten firmly.
- Insert SEAL WASHER (4) and connect smaller end of HOSE (5) to outlet Nipple on side of BRACKET (2).
- Insert SEAL WASHER (6) to conical end of HOSE (5) and attach HAND SPRAY.



6a TEST INSTALLED FAUCET

CAUTION The flow rate of this Tub Filler exceeds 20 gallons/minute at higher water pressure. Do not fill bathtub unattended.

- Turn VALVES to "off" position.
- With handles in "off" position, turn on water supplies and check all connections for leaks.
- Lift HAND SHOWER (7) from the holder and remove it from HOSE (5). Direct spray into tub.
 Turn DIVERTER KNOB (8) and check HOSE (5) connections for leaks.
- Operate HANDLES **(9)** on to off, hot and cold to flush water lines thoroughly.
- Turn DIVERTER KNOB (8) in and thread HAND SHOWER (7) onto HOSE (5).

