PRODUCT SPECIFICATIONS

Elkay Explore Three Hole Bridge Faucet with Pull-down Spray and Lever Handles. Faucet has a flow rate of 1.5 GPM, and is made of Brass material, with a Ceramic Disc valve. Faucet requires 3 faucet

Mounting Type:	Deck Mount	
Special Features:	Low Flow	
	Solid Brass Waterway Construction	
Spray Type:	Pull Down	
Finish:	Antique Steel (AS), Chrome (CR),	
	Lustrous Steel (LS)	
Handle Type:	Lever Handle	
Deck Clearance:	8-5/8"	
Spout Reach:	9-1/4"	
Spout Height:	17-1/8"	
Hole Drillings:	3	
Material:	Brass	
Valve Type:	Ceramic Disc	
Valve Connection:	1/2"-14 NPSM	
Flow Rate:	1.5 GPM	
Faucet Hole Size (min):	1-3/8"	
Countertop Thickness:	2-1/2	
Spout Swing Rotation:	360°	
Spout Type:	Pull-down Spray	
Spray Functions:	Aerated,Pause,Spray	
	·	

Special Note: 1.5 GPM flow regulator installed (2.2 GPM flow regulator also included with faucet)



(AS)









A Century of Tradition and Quality.

For more than 100 years, Elkay has been making innovative products and providing exceptional customer care. We take pride in offering plumbing products that make life easier, inspire change and leave the world a better place.

ADA & ICC A117.1 **Product Compliance:**

ASME A112.18.1/CSA B125.1

CEC


NSF 372 (lead free) NSF 61 (Q≤1)





Complies with ADA & ICC A117.1 accessibility requirements when installed according to the requirements outlined in these standards.

Clean and Care Manual (PDF) Installation Instructions (PDF) - LKEC2037 - Install Sheet Warranty (PDF)



PART:	QTY:
PROJECT:	
CONTACT:	
APPROVAL:	

In keeping with our policy of continuing product improvement, Elkay reserves the right to change product specifications without notice. Please visit elkay.com for the most current version of Elkay product specification sheets. This specification describes an Elkay product with design, quality, and functional benefits to the user. When making a comparison of other producers' offerings, be certain these features are not overlooked.




Elkay Explore Three Hole Bridge Faucet with Pull-down Spray and Lever Handles Model(s) LKEC2037

Optional Accessorie	25	
LK330	Elkay 2-1/8" x 5-1/16" x 3-1/2" Soap / Lotion Dispenser Spec Sheet (PDF)	1

In keeping with our policy of continuing product improvement, Elkay reserves the right to change product specifications without notice. Please visit elkay.com for the most current version of Elkay product specification sheets. This specification describes an Elkay product with design, quality, and functional benefits to the user. When making a comparison of other producers' offerings, be certain these features are not overlooked.





In keeping with our policy of continuing product improvement, Elkay reserves the right to change product specifications without notice. Please visit elkay.com for the most current version of Elkay product specification sheets. This specification describes an Elkay product with design, quality, and functional benefits to the user. When making a comparison of other producers' offerings, be certain these features are not overlooked.