

- 2 Showerheads
- 4 Handshowers
- 6 Handshower Sets
- 7 Accessories
- 8 Spare Parts
- O The "Green" Behind the Green Logo
- 12 **Product Features**
- 14 Merchandising Materials
- 16 Planogram Suggestions
- 19 Packaging
- 22 Warranty and General Terms/Conditions

## Hansgrohe To Go!

Founded in 1901 in Schiltach, Germany, Hansgrohe has been setting trends for over 100 years with state-of-the-art designs and innovative plumbing products for the shower, kitchen, and bath.

Today, Hansgrohe is known worldwide for unparalleled performance and quality. With our styles, innovative technology and progressive approach to "green" products, we are determined to deliver customer satisfaction, now and in the future.

Hansgrohe To Go! now offers a selection of WaterSense-approved products. These showerheads and handshowers boast excellent performance while maintaining significant water savings.

Including a wide variety of showerheads and handshowers, accessories and our most commonly requested spare parts, Hansgrohe To Go! is priced right to give you a profitable edge and is available in-stock every day. All products meet standard installation requirements, such as ½" connections.

In 1998, Hansgrohe made a commitment to the U.S. market by opening a fully integrated manufacturing and distribution facility near Atlanta, Georgia, where we proudly assemble *Hansgrohe To Go!* shower products.

Since 1901, professionals like you have counted on the Hansgrohe tradition of innovation and partnership.

And now, it's easier than ever.

Hansgrohe To Go! Fits perfectly, installs easily, and is in stock!



Schiltach, Germany



North American Headquarters, Alpharetta, Georgia

1-800-334-0455

Showerheads			Finish	Part No.	List \$
	\$\frac{1}{2}\frac{1}{2	Clubmaster 3-Jet Showerhead  Solid brass shell  Full, Soft Aerated and Pulsating Massage spray modes  ½" female inlet  72 no-clog spray channels	Chrome Brushed Nickel	28496005 28496825	178 316
	65%************************************	Croma E 100 3-Jet Showerhead  4" spray face Full, Pulsating Massage and Intense Turbo spray modes ½" female inlet 75 no-clog spray channels	Chrome Brushed Nickel Polished Brass	04071000 04071820 04071930	69 96 76
	67/2° — — — — — — — — — — — — — — — — — — —	Croma E 100 Green 3-Jet Showerhead, 1.75 GPM  • 4" spray face with Full, Pulsating Massage and Intense Turbo spray modes  • ½" female inlet  • 75 no-clog spray channels  • Flow 1.75 GPM: 30% Water Savings  AIR POWER  ECO POWER  GLEAN	Chrome Brushed Nickel Polished Brass	04081000 04081820 04081930	72 100 79 100 79
	Order to Contest to Library DAMO PAT	Croma E 100 Green Vario-Jet Showerhead, 2.0 GPM  4 " spray face Four spray zones, adjustable intensity ½" female inlet 85 no-clog spray channels Flow 2.0 GPM: 20% Water Savings  AIR POWER  ECO POWER  RIGHT  QUICK CLEAN	Chrome Brushed Nickel	04331000 04331820	65 90 MANGEO PERFORMANGE ECOAIR WALLES SATINGS
	N	Croma E 75 3-Jet Showerhead  • Full, Pulsating Massage and Intense Turbo spray modes  • ½" female inlet  • 40 no-clog spray channels	Chrome Brushed Nickel	28443001 28443821	69 100
	Section of the secti	Croma E 75 Green 3-Jet Showerhead, 2.0 GPM  • Full, Pulsating Massage and Intense Turbo spray modes  • ½" female inlet  • 40 no-clog spray channels  • Flow 2.0 GPM: 20% Water Savings  ECO RIGHT  QUICK CLEAN	Chrome Brushed Nickel	04335000 04335820	70 95
	14	Croma E 75 Green 1-Jet Showerhead, 1.5 GPM  Full spray  V2" female inlet  55 no-clog spray channels Flow 1.5 GPM: 40% Water Savings  AIR POWER  ECO POWER  QUICK CLEAN	Chrome Brushed Nickel	06498000 06498820	41 58 ECOAR WALLE SAVINGS
	51/2 AV. Secretary Branch Part	Croma Green 1-Jet Showerhead, 2.0 GPM Full spray V2" female inlet 50 no-clog spray channels Flow 2.0 GPM: 20% Water Savings	Chrome #28492005 24-pie available (see pag Contact Hansgroh	je 15).	

Shawanhanda —			Finish	Down No.	List \$
Showerheads				Part No.	
	9°	Croma C 100 3-Jet Showerhead  • 4" spray face  • Full, Pulsating Massage and Intense Turbo spray modes  • ½" female inlet  • 75 no-clog spray channels	Chrome Brushed Nickel Rubbed Bronze Polished Brass	04070000 04070820 04070920 04070930	74 104 104 80
	\$\frac{1}{2} \\ \frac{1}{2} \\ \frac	Croma C 100 Green 3-Jet Showerhead, 2.0 GPM  • 4" spray face with Full, Pulsating Massage and Intense Turbo spray modes  • ½" female inlet  • 75 no-clog spray channels  • Flow 2.0 GPM: 20% Water Savings  AIR POWER  CLEAN	Chrome Brushed Nickel	CHECK CHECK	70 100
	\$\frac{1}{2} \\ \frac{1}{2} \\ \frac	Croma C 100 Green 3-Jet Showerhead, 1.75 GPM  • 4" spray face with Full, Pulsating Massage and Intense Turbo spray modes  • ½" female inlet  • 75 no-clog spray channels  • Flow 1.75 GPM: 30% Water Savings  AIR POWER  ECO RIGHT  QUICK CLEAN	Chrome Brushed Nickel Rubbed Bronze Polished Brass	E	79 110 110 84  COAIR SAVINOS
	\$\frac{1}{2} \\ \frac{1}{2} \\ \frac	Croma C 75 2-Jet Showerhead  • Full and Massage spray modes  • ½" female inlet  • 40 no-clog spray channels	Chrome Brushed Nickel Polished Brass	06126000 06126820 06126930	69 96 74
		Croma C 75 Green 2-Jet Showerhead, 2.0 GPM  • Full and Massage spray modes • ½" female inlet • 40 no-clog spray channels • Flow 2.0 GPM: 20% Water Savings	Chrome Brushed Nickel	ra E C	69 96  SOAIR CAPER SAVINGS

				** **
6 1/4° — 13 1/4°	Croma E 100 3-Jet Handshower  • 4" spray face  • Full, Pulsating Massage and Intense Turbo spray modes  • 75 no-clog spray channels	Chrome Brushed Nickel Polished Brass	Part No. 04073000 04073820 04073930	74 101 82
13/2*	Croma E 100 Green 3-Jet Handshower, 1.75 GPM  • 4" spray face • Full, Pulsating Massage and Intense Turbo spray modes • 75 no-clog spray channels • Flow 1.75 GPM: 30% Water Savings  AIR POWER  ECO RIGHT  QUICK CLEAN	Chrome Brushed Nickel Polished Brass	04083000 04083820 04083930	82 114 92 ECOAIR
13 /2*	Croma E 100 Green Vario-Jet Handshower, 2.0 GPM  4 " spray face Four spray zones, adjustable intensity 85 no-clog spray channels Flow 2.0 GPM: 20% Water Savings	Chrome Brushed Nickel	04332000 04332820	65 90  ECOAIR  MATER SAVINGS
131/2	Croma E 75 3-Jet Handshower  • Full, Pulsating Massage and Intense Turbo spray modes  • 40 no-clog spray channels	Chrome Brushed Nickel	28573001 28573821	68 98
131/2  Ormely Longitude Comments of Commen	Croma E 75 Green 3-Jet Handshower, 2.0 GPM  • Full, Pulsating Massage and Intense Turbo spray modes • 40 no-clog spray channels • Flow 2.0 GPM: 20% Water Savings	Chrome Brushed Nickel	04336000 04336820	65 90
61/6"	Croma E 75 Green 1-Jet Handshower, 1.5 GPM  • Full spray mode • 55 no-clog spray channels • Flow 1.5 GPM: 40% Water Savings  AIR POWER  ECO PIGHT  QUICK CLEAN	Chrome Brushed Nickel	06497000 06497820	52 68
	13 1/2*  13 1/2*  13 1/2*  13 1/2*  13 1/2*  13 1/2*  13 1/2*  14 1/2*  15 1/2*  16 1/2*  17 1/2*  18	- 4" spray face - Full, Pulsating Massage and Intense Turbo spray modes - 75 no-clog spray channels  - 75 no-clog spray channels  - 75 no-clog spray channels - 75 no-clog spray channels - 75 no-clog spray channels - 75 no-clog spray channels - 75 no-clog spray channels - 75 no-clog spray channels - Foll, Pulsating Massage and Intense Turbo spray modes - 75 no-clog spray channels - Flow 1.75 GPM: 30% Water Savings  - 75 no-clog spray channels - Flow 1.75 GPM: 30% Water Savings  - 85 no-clog spray channels - Flow 2.0 GPM: 20% Water Savings  - Flow 2.0 GPM: 20% Water Savings  - Flow 2.0 GPM: 20% Water Savings  - Four spray spray channels - Foll, Pulsating Massage and Intense Turbo spray modes - 40 no-clog spray channels - Foll, Pulsating Massage and Intense Turbo spray modes - 40 no-clog spray channels - Foll, Pulsating Massage and Intense Turbo spray modes - 40 no-clog spray channels - Foll, Pulsating Massage and Intense Turbo spray modes - 40 no-clog spray channels - Foll spray mode - 50 No CIEAN  - Foll, Pulsating Massage and Intense Turbo spray channels - Flow 2.0 GPM: 20% Water Savings  - Flow 2.0 GPM: 20% Water Savings  - Flow 2.0 GPM: 20% Water Savings  - Flow 3.5 Green 1-Jet Handshower, - 1.5 GPM - Full spray mode - 55 no-clog spray channels - Flow 1.5 GPM: 40% Water Savings	4" spray face     Full, Pulsating Massage and Intense Turbo spray modes     75 no-clog spray channels  Croma E 100 Green 3-Jet Handshower,     1.75 GPM     4" spray face     Full, Pulsating Massage and Intense Turbo spray modes     Full, Pulsating Massage and Intense Turbo spray modes     For spray spray channels     Flow 1.75 GPM     4" spray face     Full, Pulsating Massage and Intense Turbo spray modes     Four spray sones, adjustable intensity     85 no-clog spray channels     Flow 2.0 GPM: 20% Water Savings  Croma E 75 Green 3-Jet Handshower,     Full, Pulsating Massage and Intense Turbo spray modes     40 no-clog spray channels     Full, Pulsating Massage and Intense Turbo spray modes     40 no-clog spray channels     Flow 2.0 GPM: 20% Water Savings  Croma E 75 Green 3-Jet Handshower,     Full, Pulsating Massage and Intense Turbo spray modes     40 no-clog spray channels     Flow 2.0 GPM: 20% Water Savings  Croma E 75 Green 1-Jet Handshower,     Full spray mode     Full spray mode	Croma E 100 3-Jet Handshower  4. * sproy face  - 4. * sproy face - 4. * sproy face - Full, Pulsading Massage and Intense Turbo sproy modes - 75 no-clog spray channels  Croma E 100 Green 3-Jet Handshower, 1.75 GPM  4. * sproy face - Full, Pulsading Massage and Intense Turbo sproy modes - 75 no-clog sproy channels  Croma E 100 Green 3-Jet Handshower, 1.75 GPM  4. * sproy face - Full, Pulsading Massage and Intense Turbo sproy modes - Flow 1.75 GPM: 30% Water Savings  Croma E 100 Green Vario-Jet Handshower, 2.0 GPM  600 CUICX  Croma E 100 Green Vario-Jet Handshower, - Full, Pulsading Massage and Intense Turbo sproy channels - Flow 2.0 GPM: 20% Water Savings  Flow 2.0 GPM: 20% Water Savings  Croma E 75 Green 3-Jet Handshower, - Full, Pulsading Massage and Intense Turbo sproy modes - 40 no-clog sproy channels  Croma E 75 Green 3-Jet Handshower, - Full, Pulsading Massage and Intense Turbo sproy modes - 40 no-clog sproy channels  Croma E 75 Green 1-Jet Handshower, - Full, Pulsading Massage and Intense Turbo sproy modes - 40 no-clog sproy channels  Croma E 75 Green 1-Jet Handshower, - Full, Pulsading Massage and Intense Turbo sproy modes - 40 no-clog sproy channels  Croma E 75 Green 1-Jet Handshower, - Full, Pulsading Massage and Intense Turbo sproy modes - Flow 2.0 GPM: 20% Water Savings  Croma E 75 Green 1-Jet Handshower, - Full, Pulsading Massage and Intense Turbo sproy modes - Flow 2.0 GPM: 20% Water Savings  Croma E 75 Green 1-Jet Handshower, - Full, Pulsading Massage and Intense Turbo sproy modes - Flow 2.0 GPM: 20% Water Savings  Croma E 75 Green 1-Jet Handshower, - Full, Pulsading Massage and Intense Turbo sproy modes - Flow 2.0 GPM: 20% Water Savings  Croma E 75 Green 1-Jet Handshower, - Full, Pulsading Massage and Intense Turbo sproy modes - Flow 2.0 GPM: 20% Water Savings  Croma E 75 Green 1-Jet Handshower, - Full, Pulsading Massage and Intense Turbo sproy modes - Flow 2.0 GPM: 20% Water Savings  Chroma E 75 Green 1-Jet Handshower, - Full Sproy mode - Full Full Full Full Full Full Full Ful

Handshowers			Finish	Part No.	List \$
	6½°————————————————————————————————————	Croma C 100 3-Jet Handshower  4" spray face  Full, Pulsating Massage and Intense Turbo spray modes  75 no-clog spray channels	Chrome Brushed Nickel Rubbed Bronze Polished Brass	04072000 04072820 04072920 04072930	79 111 111 87
	51½*    31½*   131½*   131½*   131½*	Croma C 100 Green 3-Jet Handshower, 2.0 GPM  • 4" spray face • Full, Pulsating Massage and Intense Turbo spray modes • 75 no-clog spray channels • Flow 2.0 GPM: 20% Water Savings  AIR POWER  ECO RIGHT  CLEAN	Chrome Brushed Nickel	EN	75 100
	3/2°	Croma C 100 Green 3-Jet Handshower, 1.75 GPM  • 4" spray face  • Full, Pulsating Massage and Intense Turbo spray modes  • 75 no-clog spray channels  • Flow 1.75 GPM: 30% Water Savings  AIR POWER  ECO RIGHT  QUICK CLEAN	Chrome Brushed Nickel Rubbed Bronze Polished Brass		91 121 121 100
	\$\frac{1}{2}\limits_{\text{\tinx}\text{\tinx}\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\tint{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\tin}\text{\tin}\text{\ti}\tint{\text{\text{\text{\text{\texit{\text{\tin}\tint{\text{\ti}\tint{\text{\texi}\tint{\text{\ti}\text{\text{\texit{\tet	Croma C 75 2-Jet Handshower Traditional design Full and Massage spray modes 40 no-clog spray channels  QUICK CLEAN	Chrome Brushed Nickel Polished Brass	06127000 06127820 06127930	74 104 82

1-800-334-0455 5

4 www.hansgrohe-usa.com

For more information on "Green" shower products and company initiatives, see pages 10–11.

Flow rates and water savings listed on these pages are based on 44 PSI compared to standard flow rate of 2.5 GPM at 44 PSI.

Handshower Sets		Finish	Part No.	List \$
8°	Clubmaster 3-Jet Handshower Set  Showerarm mount  Gar Techniflex hose  Full, Soft Aerated and Pulsating Massage spray modes  72 no-clog spray channels	Chrome Brushed Nickel	06363005 06363825	232 348
8"	Croma E 100 3-Jet Handshower Set  Showerarm mount  '63" Techniflex hose  '4" spray face  Full, Pulsating Massage and Intense Turbo spray modes  '75 no-clog spray channels	Chrome Brushed Nickel	06425005 06425825	136 210
	Croma E 75 3-Jet Handshower Set  Showerarm mount  Gar Techniflex hose Full, Pulsating Massage and Intense Turbo spray modes  40 no-clog spray channels	Chrome Brushed Nickel	06495000 06495820	136 176
8'	Croma C 100 3-Jet Handshower Set  Showerarm mount  Sa" Techniflex hose  H" spray face  Full, Pulsating Massage and Intense Turbo spray modes  To no-clog spray channels	Chrome Brushed Nickel Rubbed Bronze Polished Brass	04190003 04190823 04190923 04190933	136 210 210 210

Accessories			Finish	Part No.	List \$
	25//2*	Unica E Wallbar, 24"  Includes soap dish  Angle-adjustable holder pivots left and right, slides easily and locks in place	Chrome Brushed Nickel Rubbed Bronze Polished Brass	06890000 06890820 06890920 06890930	96 143 143 106
	6"	• 1/2" male supply • Includes escutcheon plate	Chrome Brushed Nickel Rubbed Bronze Polished Brass Chrome	27411003 27411823 27411923 27411933	24 38 38 32 50
		Standard Showerarm, 9"  • ½" male supply  • Includes escutcheon plate  • 6" x 13" package size	Brushed Nickel Rubbed Bronze Polished Brass	04186003 04186823 04186923 04186933	72 72 56
	49/4" ————————————————————————————————————	Porter E Handshower Holder  • Wall-mounted  • 1 position handshower holder  • Fits all hoses with conical nut	Chrome Brushed Nickel Rubbed Bronze Polished Brass	28321003 28321823 28321923 28321933	30 46 46 40
	4%° — ***	Wall Outlet  • ½" female NPT inlet  • Fits all ½" hoses	Chrome Brushed Nickel Rubbed Bronze Polished Brass	27454002 27454822 27454922 27454932	44 72 72 64
		Wall Outlet w/Check Valve  • ½" female NPT inlet  • Fits all ½" hoses  • Double check valve for backflow prevention	Chrome Brushed Nickel Rubbed Bronze Polished Brass	27458003 27458823 27458923 27458933	70 101 101 92
	49%	Inversa Diverter  • Solid brass  • Diverts between showerarm and showerhead  • Use with ½" hose and handshower	Chrome Brushed Nickel Rubbed Bronze Polished Brass	28719003 28719823 28719923 28719933	60 104 104 84
		Showerarm Mount Holder mounts on end of ½" showerarm and easily replaces showerhead with handshower Angle adjustable Flow restrictor 2.5 GPM Internal check valve for backflow prevention	Chrome Brushed Nickel Rubbed Bronze Polished Brass	06505003 06505823 06505923 06505933	30 56 56 38
	- Ф°	Techniflex Hose, 63"  With swivel connectors to prevent hose twisting Revolutionary solid color finish	Chrome Brushed Nickel Rubbed Bronze Polished Brass	28276003 28276823 28276923 28276933	42 72 72 62

Spare Parts			Finish	Part No.	List \$
	11/4°	Wallbar Slider • Fits Croma E 75 3-Jet Wallbar Set, Croma E 75 2-Jet Wallbar Set, Unica E Wallbar Set, 24" and Unica E Wallbar	Chrome Oil Rub Bronze Brushed Nickel Polished Nickel Rubbed Bronze Polished Brass	88590000 88590620 88590820 88590830 88590920 88590930	30 35 35 35 35 35 35
		Kitchen Faucet Hose Includes Squeeze Connect and hose nut Fits standard size pull-out faucets		88624000	55
		Squeeze Connect  • Fits all pull-out kitchen faucet hoses		96099000	8
0	# 49/4"	1.5 GPM Aerator w/Seal     24 mm size fits most faucets		88715000	8
0		1.5 GPM Aerator w/Seal and Housing     24 mm size fits most faucets	Chrome	88716000	10
0		1.5 GPM Aerator w/Check Valve and Housing 24 mm size fits most faucets For kitchen faucets only	Chrome	88745000	11

Spare Parts		Finish	Part No.	List \$
	49/4"	M2 Single-Hole Faucet Cartridge  • Ceramic cartridge  • Will also replace M3 cartridge	92730000	45
	47/4"	Hot Widespread Faucet Cartridge, 1/2"  • Clockwise close  • 90° turn	94009000	30
	\$\hfill 49\d^2 \rightarrow \hfill \hfill \frac{1}{\delta} \hfill \frac{1}{\delta} \hfill \hfill \hfill \frac{1}{\delta} \hfill \	Cold Widespread Faucet Cartridge, 1/2"  • Counter-clockwise close  • 90° turn	94008000	30
	55	Thermostatic Cartridge, MTC  Fits Hansgrohe iBox trims  Fits Hansgrohe ThermoBalance trims  Fits Axor Ecostat trims  Fits all current showerpanels  Fits all 2-hole and 3-hole thermostatic tub fillers	94282000	78
	5"	Thermostatic Cartridge, BTC  • Fits Axor iBox trims  • Fits Axor EcoMax trims	96633000	98
	11/4"	ThermoBalance Cartridge Housing I  • Valve housing for use with #94282000	88722000	98
	7" 53/4"	ThermoBalance Cartridge Housing II  • Valve housing for use with #94282000	88723000	98
(0)	31/4"	ThermoBalance Cartridge Housing III  • Valve housing for use with #94282000	88724000	98



## The "Green" Behind the Green Logo

From responsible manufacturing processes to groundbreaking water-saving technologies, Hansgrohe knows what it takes to be a leader with regard to green practices. Employing an Environmental Officer since 1989 is proof we realized long ago that protecting our natural resources and reducing the environmental impact of both products and manufacturing are important parts of our company's heritage and future.



Hansgrohe's EcoRight products confirm our commitment to sustainability. We offer a wide variety of low-flow handshowers and showerheads, several of which have received the WaterSense certification.

Hansgrohe is known for innovation – why should our green products be any different? Hansgrohe is an industry leader in water-saving technology, continuously breaking new ground with products that not only save water, but also deliver superior performance. Hansgrohe sets the standard for water savings that do not come at the expense of comfort.



Without EcoAIR



With EcoAIR

EcoAIR®, Hansgrohe's unique innovation of adding air to every drop of water, creates a satisfying boost in performance that can be seen and felt while saving you water.



Hansgrohe's facility in Offenburg, Germany receives a significant amount of its power from solar panels.



Hansgrohe is a proud partner in the Environmental Protection Agency's WaterSense program, which promotes water-efficiency for individuals and companies.











Croma C 100 Green 3-Jet Showerhead, 2.0 GPM

## **Product Features**

Products packed with ideas since 1901. At Hansgrohe, innovation is a keystone to our success and is present throughout the company. We frequently introduce new solutions and inspiring features that consumers love and competitors envy.



EcoAIR saves water while ensuring great shower performance

• Croma E and Croma C Green Showerheads and Handshowers



Flexible, durable, no-kink hose

- Techniflex Hose, 63"
- Handshower Sets



Easy-cleaning no-clog silicon spray channels

• All shower products



Swivel connectors prevent hose from tangling

- Techniflex Hose, 63"
- Handshower Sets



Features self-sealing gasketno Teflon tape needed

Showerheads

QUICK

- Handshower Sets
- Showerarm Mount



Angle-adjustable holder pivots left and right, slides easily and locks in place

• Unica E Wallbar, 24"

## Why Handshowers?

Europeans have embraced the advantages of a handshower over a fixed showerhead for years. The benefits of a handshower are clear, and include targeting specific areas, the ability to wash pets or children with ease and cleaning the shower easily. A handshower also delivers a more invigorating shower, through the increased warmth and intensity that results from bringing the spray closer to your body.



Target specific areas

Handshowers allow you to direct the spray to pinpoint specific areas of the body...for shaving legs, massaging necks and backs, and rinsing thoroughly.



Wash pets or children

Washing children or pets is much easier with a handshower, which allows you to direct the water where you need it.



Clean the tub/shower easily

Using a handshower to clean your tub or shower walls is like having a highpressure washer at your fingertips



Warmer water

When you bring the handshower closer to your body, which you can't do with a showerhead, the water feels warmer.



## **Merchandising Materials**

Merchandising materials will educate your customers on the value and quality of Hansgrohe To Go!

### Banner

8' x 2.5'



### Display Headers

4' x 1'





### Counter Mat

20" x 16"




### Side Panels

10.5" x 32" Offered in sets of 2







Front (Panel 1)

Back (Panel 1)

Front (Panel 2)

Back (Panel 2)

### Croma Green 1-Jet 24-Piece Multi-Pack Merchandiser

12.75" x 9.75" x 9"



Merchandiser is available only with an order of 24 pieces.

### Re-Order Tags for Peg Hooks

3.5" x 5.25"




Peg hooks will be provided for either slat wall or peg board display.

## **Planogram Suggestions**

### Program A



8' x 5'



6' x 6'

### Program B





4' x 6'

### Program C





3' x 5'

1-800-334-0455 17

### Spare Parts



3' x 2'



2' x 3'

## **Packaging**

Shower products, accessories and the majority of spare parts\* are packaged in a clam shell for theft protection and product visibility. This will also enable customers to see the products from both the front and back. These packages can be put on a peg hook or on shelves by using the shipper trays.

\* Croma Green 1-Jet Showerhead, 2.0 GPM, Wallbar Slider, Thermostatic Cartridges and ThermoBalance Cartridge Housings are packaged in a colored box and can be put on peg hooks.















Package





Package on peg hook

Package in shipper tray

Product	Part No.*	Product Packaging Dimensions	Shipper Tray Dimensions Including Products**
Clubmaster 3-Jet Showerhead	28496xx5	6½" x 9½" x 4"	71/4" x 101/4" x 12"
Croma E 100 3-Jet Showerhead	04071xx0	6½" x 9" x 3½"	7" x 9½" x 13½"
Croma E 100 Green 3-Jet Showerhead, 1.75 GPM	04081xx0	6½" x 9" x 3½"	7" x 9½" x 13½"
Croma E 100 Green Vario-Jet Showerhead, 2.0 GPM	04331xx0	6½" x 9" x 3½"	7" x 9½" x 13½"
Croma E 75 3-Jet Showerhead	28443xx1	6½" x 9" x 3½"	7" x 9½" x 13½"
Croma E 75 Green 3-Jet Showerhead, 2.0 GPM	04335xx0	6½" x 9" x 3½"	7" x 9½" x 13½"
Croma E 75 Green 1-Jet Showerhead, 1.5 GPM	06498xx0	6½" x 9" x 3½"	7" x 9½" x 13½"
Croma Green 1-Jet Showerhead, 2.0 GPM	28492001	3" x 4½" x 3"	n/a
Croma C 100 3-Jet Showerhead	04070xx0	6½" x 9" x 4½"	7" x 9½" x 13½"
Croma C 100 Green 3-Jet Showerhead, 2.0 GPM	04333xx0	6½" x 9" x 4½"	7" x 9½" x 13½"
Croma C 100 Green 3-Jet Showerhead, 1.75 GPM	04080xx0	6½" x 9" x 4½"	7" x 9½" x 13½"
Croma C 75 2-Jet Showerhead	06126xx0	6½" x 9" x 4¼"	7" x 9½" x 13½"
Croma C 75 Green 2-Jet Showerhead, 2.0 GPM	06126xx5	6½" x 9" x 4¼"	7" x 9½" x 13½"
Croma E 100 3-Jet Handshower	04073××0	6½" x 13½" x 3"	7" x 14" x 10½"
Croma E 100 Green 3-Jet Handshower, 1.75 GPM	04083xx0	6½" x 13½" x 3"	7" x 14" x 101/4"
Croma E 100 Green Vario-Jet Handshower, 2.0 GPM	04332xx0	6½" x 13½" x 3"	7" x 14" x 10½"
Croma E 75 3-Jet Handshower	28573xx1	6½" x 13½" x 4"	7" x 14" x 10½"
Croma E 75 Green 3-Jet Handshower, 2.0 GPM	04336xx0	6½" x 13½" x 4"	7" x 14" x 10½"
Croma E 75 Green 1-Jet Handshower, 1.5 GPM	06497xx0	6½" x 13½" x 4"	7" x 14" x 10½"
Croma C 100 3-Jet Handshower	04072xx0	6½" x 13½" x 3¼"	7" x 14" x 101/4"
Croma C 100 Green 3-Jet Handshower, 2.0 GPM	04334xx0	6½" x 13½" x 3¼"	7" x 14" x 101/4"
Croma C 100 Green 3-Jet Handshower, 1.75 GPM	04082xx0	6½" x 13½" x 3¼"	7" x 14" x 10½"
Croma C 75 2-Jet Handshower	06127xx0	6½" x 13½" x 3"	7" x 14" x 10½"
Clubmaster 3-Jet Handshower Set	06363xx5	8" x 13" x 4½"	8¾" x 14½" x 13½"
Croma E 100 3-Jet Handshower Set	06425xx5	8" x 13" x 4½"	8¾" x 14½" x 13½"
Croma E 75 3-Jet Handshower Set	06495xx0	9" x 13½" x 4"	91/4" x 141/2" x 123/4"
Croma C 100 3-Jet Handshower Set	04190xx3	8" x 13" x 4"	8 <sup>3</sup> / <sub>4</sub> " x 14 <sup>1</sup> / <sub>2</sub> " x 13 <sup>1</sup> / <sub>2</sub> "

Product	Part No.*	Product Packaging Dimensions	Shipper Tray Dimensions Including Products**
Unica E Wallbar, 24"	06890xx0	6½" x 29½" x 3¼"	n/a
Standard Showerarm, 6"	27411xx3	6" x 83/4" x 1"	7" x 91/4" x 101/4"
Standard Showerarm, 9"	04186xx3	6" x 13" x 1"	7" x 13½" x 10¼"
Porter E Handshower Holder	28321xx3	4 <sup>3</sup> / <sub>4</sub> " x 6 <sup>3</sup> / <sub>4</sub> " x 2 <sup>1</sup> / <sub>2</sub> "	6 <sup>3</sup> / <sub>4</sub> " × 7 <sup>1</sup> / <sub>4</sub> " × 8 <sup>1</sup> / <sub>4</sub> "
Wall Outlet	27454xx2	4 <sup>3</sup> / <sub>4</sub> " x 6 <sup>3</sup> / <sub>4</sub> " x 2"	6 <sup>3</sup> / <sub>4</sub> " x 7 <sup>1</sup> / <sub>4</sub> " x 8 <sup>1</sup> / <sub>4</sub> "
Wall Outlet w/Check Valve	27458xx3	4 <sup>3</sup> / <sub>4</sub> " x 6 <sup>3</sup> / <sub>4</sub> " x 2"	6 <sup>3</sup> / <sub>4</sub> " x 7 <sup>1</sup> / <sub>4</sub> " x 8 <sup>1</sup> / <sub>4</sub> "
Inversa Diverter	28719xx3	4 <sup>3</sup> / <sub>4</sub> " x 6 <sup>3</sup> / <sub>4</sub> " x 1 <sup>1</sup> / <sub>2</sub> "	6 <sup>3</sup> / <sub>4</sub> " x 7 <sup>1</sup> / <sub>4</sub> " x 8 <sup>1</sup> / <sub>4</sub> "
Showerarm Mount	06505xx3	4 <sup>3</sup> / <sub>4</sub> " × 6 <sup>3</sup> / <sub>4</sub> " × 2"	6 <sup>3</sup> / <sub>4</sub> " x 7 <sup>1</sup> / <sub>4</sub> " x 8 <sup>1</sup> / <sub>4</sub> "
Techniflex Hose, 63"	28276xx3	9" x 9" x 2½"	9½" x 9½" x 12¾"
Wallbar Slider	88590xx0	31/4" x 61/4" x 13/4"	n/a
Kitchen Faucet Hose	88624000	9" x 9" x 2½"	n/a
Squeeze Connect	96099000	4 <sup>3</sup> / <sub>4</sub> " x 6 <sup>3</sup> / <sub>4</sub> " x 2 <sup>1</sup> / <sub>2</sub> "	6¾" x 7¼" x 8¼"
1.5 GPM Aerator w/Seal	88715000	4 <sup>3</sup> / <sub>4</sub> " x 6 <sup>3</sup> / <sub>4</sub> " x 2 <sup>1</sup> / <sub>2</sub> "	6¾" x 7¼" x 8¼"
1.5 GPM Aerator w/Seal and Housing	88716000	4 <sup>3</sup> / <sub>4</sub> " x 6 <sup>3</sup> / <sub>4</sub> " x 2 <sup>1</sup> / <sub>2</sub> "	6¾" x 7¼" x 8¼"
1.5 GPM Aerator w/Check Valve and Housing	88745000	4 <sup>3</sup> / <sub>4</sub> " x 6 <sup>3</sup> / <sub>4</sub> " x 2 <sup>1</sup> / <sub>2</sub> "	6 <sup>3</sup> / <sub>4</sub> " x 7 <sup>1</sup> / <sub>4</sub> " x 8 <sup>1</sup> / <sub>4</sub> "
M2 Single-Hole Faucet Cartridge	92730000	4 <sup>3</sup> / <sub>4</sub> " x 6 <sup>3</sup> / <sub>4</sub> " x 2 <sup>1</sup> / <sub>2</sub> "	6¾" x 7¼" x 8¼"
Hot Widespread Faucet Cartridge, ½"	94009000	4 <sup>3</sup> / <sub>4</sub> " x 6 <sup>3</sup> / <sub>4</sub> " x 2 <sup>1</sup> / <sub>2</sub> "	6 <sup>3</sup> / <sub>4</sub> " x 7 <sup>1</sup> / <sub>4</sub> " x 8 <sup>1</sup> / <sub>4</sub> "
Cold Widespread Faucet Cartridge, ½"	94008000	4 <sup>3</sup> / <sub>4</sub> " x 6 <sup>3</sup> / <sub>4</sub> " x 2 <sup>1</sup> / <sub>2</sub> "	6 <sup>3</sup> / <sub>4</sub> " x 7 <sup>1</sup> / <sub>4</sub> " x 8 <sup>1</sup> / <sub>4</sub> "
Thermostatic Cartridge, MTC	94282000	1 <sup>3</sup> / <sub>4</sub> " x 5" x 1 <sup>3</sup> / <sub>4</sub> "	n/a
Thermostatic Cartridge, BTC	96633000	1 <sup>3</sup> / <sub>4</sub> " x 5" x 1 <sup>3</sup> / <sub>4</sub> "	n/a
ThermoBalance Cartridge Housing I	88722000	31/4" x 7" x 31/4"	n/a
ThermoBalance Cartridge Housing II	88723000	31/4" x 7" x 31/4"	n/a
ThermoBalance Cartridge Housing III	88724000	31/4" x 7" x 31/4"	n/a

<sup>\*</sup> For each component, indicate the desired finish by replacing 'xx' in the part number with the corresponding two-digit finish code below:

00-Chrome86-Steel Optik62-Oil Rub Bronze92-Rubbed Bronze82-Brushed Nickel93-Polished Brass

For available finishes per model, please refer to pages 2-8.

Croma Green 1-Jet Showerhead, 2.0 GPM Unica E Wallbar, 24" Wallbar Slider Kitchen Faucet Hose Thermostatic Cartridge, MTC
Thermostatic Cartridge, BTC
ThermoBalance Cartridge Housing I
ThermoBalance Cartridge Housing II
ThermoBalance Cartridge Housing III

<sup>\*\*</sup> Products ordered in multiples of three will include shipper tray, excluding the following:

### **Limited Consumer Warranty**

This product has been manufactured and tested to the highest quality standards by Hansgrohe, Inc. ("Hansgrohe").

This warranty is limited to Hansgrohe products that are purchased by a consumer in the United States or Canada after March 1, 1996, and installed in either the United States or in Canada.

#### WHO IS COVERED BY THE WARRANTY

This warranty extends to the original purchaser only. This warranty is non-transferable.

#### WHAT IS COVERED BY THE WARRANTY

The warranty covers only your Hansgrohe manufactured product. Hansgrohe warrants this product against defects in material or workmanship as follows: Hansgrohe will replace at no charge for parts only or#, at its option, replace any product or part of the product that proves defective because of improper workmanship and/or material, under normal installation, use, service and maintenance. If Hansgrohe is unable to provide a replacement and repair is not practical or cannot be made in timely fashion, Hansgrohe may elect to refund the purchase price in exchange for the return of the product.

#### **LENGTH OF WARRANTY**

Replacement or repaired parts of products will be covered for the term of this warranty, as stated in the following two sentences. If you are a consumer who purchased the product for use primarily for personal, family or household purposes, this warranty extends for as long as you own the product and the home in which the product is originally installed. If you purchased the product for use primarily for any other purpose, including, without limitation, a commercial purpose, this warranty extends only (i) for 1 year, with respect to Hansgrohe & Commercial products, and (ii) for 5 years, with respect to Axor products.

#### THIS WARRANTY DOES NOT COVER, AND HANSGROHE WILL NOT PAY FOR:

A. Conditions, malfunctions or damage not resulting from defects in material or workmanship.

- B. Conditions, malfunctions or damage resulting from (1) normal wear and tear, improper installation, improper maintenance, misuse, abuse, negligence, accident or alteration; (2) the use of abrasive or caustic cleaning agents or "no-rinse" cleaning products, or the use of the product in any manner contrary to the product instructions; or (3) conditions in the home such as excessive water pressure or corrosion.
- C. Labor and other expenses for disconnection, deinstallation, or return of the product for warranty service (including but not limited to proper packaging and shipping costs), or for installation or reinstallation of the product.
- D. Accessories, connected materials and products, or related products not manufactured by Hansgrohe.
- E. Any Hansgrohe or Axor product sold for display purposes.
- F. Rubbed Bronze finish is subject to a 3-year limited warranty. Chrome and all PVD finishes are covered by the limited lifetime warranty.

### TO OBTAIN WARRANTY PARTS OR INFORMATION

Contact your Hansgrohe retailer, or contact Technical Service at:

Hansgrohe, Inc. 1492 Bluegrass Lakes Parkway

Alpharetta, GA 30004 Toll-free 800-334-0455

In requesting warranty service, you will need to provide:

- 1. The sales receipt or other evidence of the date and place of purchase.
- 2. A description of the problem.
- 3. Delivery of the product or the defective part, postage prepaid and carefully packed and insured, to:

Hansgrohe, Inc.

1492 Bluegrass Lakes Parkway

Alpharetta, GA 30004

Toll-free 800-334-0455

When warranty service is completed, any repaired or replacement product or part will be returned to you postage prepaid.

### **Exclusions and Limitations**

REPAIR OR REPLACEMENT (OR, IN LIMITED CIRCUMSTANCES, REFUND OF THE PURCHASE PRICE) AS PROVIDED UNDER THIS WARRANTY IS THE EXCLUSIVE REMEDY OF THE PURCHASER. HANSGROHE NEITHER ASSUMES NOR AUTHORIZES ANY PERSON TO CREATE FOR IT ANY OTHER OBLIGATION OR LIABILITY IN CONNECTION WITH THIS PRODUCT.

HANSGROHE SHALL NOT BE LIABLE TO PURCHASER OR ANY OTHER PERSON FOR ANY INCIDENTAL, SPECIAL OR CONSEQUENTIAL DAMAGES, ARISING OUT OF BREACH OF THIS WARRANTY OR ANY IMPLIED WARRANTY (INCLUDING BUT NOT LIMITED TO ANY IMPLIED WARRANTY OF MERCHANTABILITY).

Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. This warranty gives you specific legal rights, and you may also have other rights that vary from state to state.

### TO THE EXTENT PERMITTED BY LAW, ANY IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, ARE LIMITED TO THE DURATION OF THE EXPRESS WARRANTY.

Some states do not allow limitations on how long an implied warranty may last, so the above limitations may not apply to you. You may be required by law to give us a reasonable opportunity to correct or cure any failure to comply before you can bring any action in court against us under the Magnuson-Moss Warranty Act.

#### PRODUCT INSTRUCTIONS AND QUESTIONS

Upon purchase or prior to installation, please carefully inspect your Hansgrohe product for any damage or visible defect. Prior to installing, always carefully study the enclosed instructions on the proper installation and the care and maintenance of this product. If you have questions at any time about the use, installation or performance of your Hansgrohe product, or this warranty, please write us or call us toll-free at 800-334-0455.

#### HANSGROHE RETURN GOODS POLICY

Hansgrohe, Inc. is dedicated to customer satisfaction. If for any reason you must return a product to us, please follow our Return Policy for best warranty service. Product should not be returned for credit or replacement without prior written authorization from Hansgrohe, Inc. Any product returned and received by Hansgrohe without prior written authorization will not be accepted. You will be notified and the items will be returned at your expense.

- To return any Hansgrohe or Axor products you must first obtain a Return Goods Authorization (RGA) number from us. Fax (770-889-1783), phone (800-334-0455) or e-mail (customerservice@hansgrohe.com) your request to Hansgrohe, Inc. listing the invoice number or purchase order number, part number(s), quantity and the reason for the return. An RGA number and a copy of the list of items approved for return will be faxed to you.
- Return Goods Authorization will expire 60 days after the date of issue.
- Hansgrohe or Axor items returned will incur a 25% (\$20 minimum) restocking charge, unless the return is due to a Hansgrohe error or if there is a product defect.
- All items must be returned in their original product box. Showerpanels and shower columns will incur a \$40 per item rebox charge. All other damaged or otherwise unusable boxes will incur a \$10 per item rebox charge. All Hansgrohe and Axor product boxes must be placed in outer shipping carton(s) with adequate packing material to ensure that the product is not damaged while in transit. Please include a copy of the faxed RGA in your shipment.

  The RGA number must be clearly written on the outside of the shipping carton(s) and also be referenced on the shipping label(s).
- Hansgrohe will not accept returns on phase-out product after five months from the date of the announcement from Hansgrohe, Inc.
   Any returns of such product during this five month period will incur a 25% restocking fee.
- · Hansgrohe will not accept returns on discontinued product that is not listed in the current price book.
- Stock Rotations: Hansgrohe will accept a maximum of one 2 for 1 stock rotation every six months at a minimum of \$5,000 net per return (excludes phase-out product). An order at twice the value of the return must accompany the RGA request. The 25% restocking fee will be waived for stock rotations that meet the above stated policy.

### The return shipment should be sent freight prepaid to:

Hansgrohe, Inc. Attn: RGA Department 1492 Bluegrass Lakes Parkway Alpharetta, GA 30004

Receipt of returned product does not guarantee credit. The value of the returned goods will be determined following inspection of the items received.
 Credit will only be issued for those items that meet Hansgrohe's Return Goods Policy conditions.

### **Hansgrohe General Terms and Conditions**

Prices:	All prices are subject to change without notice and are exclusive of any shipping,				
	delivery or handling charges that may apply.				
Terms:	2% 10 days; net 30 days				
Minimum Order:	Our minimum invoice is \$50 net. Any orders totaling less than \$50 net will be billed at \$50 net.				
Freight:	All orders are shipped by the method and carrier of Hansgrohe's choosing. If special routing or expedition is requested, we reserve the right to invoice any additional costs incurred.				
	Full freight is allowed on shipments of \$2,500 net, invoice value, for ground shipments within the continental United States. All other shipments of lesser value will be shipped F.O.B. Alpharetta, Georgia.				
	Oversized packages will be charged carrier's published price plus handling.				
Damage or Loss:	Our responsibility ends at the time Hansgrohe delivers merchandise in original condition to the carrier. Delivery to the carrier constitutes delivery to the customer. All claims for damaged or lost shipments should be made promptly by the customer to the carrier.				
Claims:	All claims must be made within seven (7) days of receipt of merchandise.				
Returns:	See previous page.				
Drop Shipments:	Residential drop shipments will incur a \$15 handling fee per order.				

All allowances, rebates, incentives or other amounts we offer you from time to time (collectively "Programs") are earned and payable only if your accounts (including those of your subsidiaries and affiliates) are current with all Masco Corporation subsidiaries and affiliates. In addition, Programs are not earned or payable if the ratings issued by any agency, such as S&P, Moody's, or Fitch, relating to your company, parent, subsidiaries, or affiliates are lower than investment grade quality. Any earned payment may be withheld or be used to satisfy any of the accounts or other obligations to a Masco subsidiary or affiliate.

THESE TERMS OF SALE ARE SUBJECT TO CHANGE. PRIOR TO PLACING AN ORDER WITH HANSGROHE, PLEASE GO TO WWW.HANSGROHE-USA.COM, OR CONTACT A HANSGROHE REPRESENTATIVE AT 800-334-0455 TO OBTAIN HANSGROHE'S THEN CURRENT TERMS OF SALE.

Hansgrohe either owns or has applied for trademark protection from the United States Patent Office for all the product names and features listed below.

Without written consent from Hansgrohe, you may not use, copy, reproduce or modify any of these marks, and Hansgrohe does not intend to give any party license or other interest in any intellectual property rights through distribution of any Hansgrohe literature. Additional trademark protection for product names and features not listed in this price book applies as well.

Clubmaster®	EcoAIR®	EcoRight™	Inversa <sup>™</sup>	Techniflex®	Unica®
Croma®	EcoMax®	Hansgrohe®	QuickClean®	ThermoBalance®	

# hansgrohe